
 Statistics of JavaMelody monitoring taken at 26. 6. 3 3:31 on /itcms_agent.officesafer.com (ITCMS Workbench)



 Statistics http - 1 day


Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of cumulative cpu time	Mean cpu time (ms)	% of system error	Mean size (Kb)	Mean hits sql	Mean time sql (ms)
http global	100	327	79	725	137	100	27	0.00	0	46	46
http warning	0	0	-1	0	-1	0	-1	0.00	0	-1	-1
http severe	0	0	-1	0	-1	0	-1	0.00	0	-1	-1

1 hits/min on 1 requests

 Statistics sql - 1 day

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
sql global	100	15,128	1	359	5	0.19
sql warning	3	54	8	66	21	0.00
sql severe	47	251	28	359	24	0.00

71 hits/min on 84 requests

 Statistics http system errors - 1 day

None

 Statistics system errors logs - 1 day




Error	Hits
ERROR [com.dsntech.itcms.service.ServiceTr143182] agtPrintLog.getLogKey() --> 0439-A005-688KG08G-W6L1CC	4,200

22 hits/min on 258 errors

 Current requests

None

 System information

Host:	agent.officesafer.com@58.229.234.20
Java memory used:	463 Mb / 1,398 Mb 
Nb of http sessions:	0
Nb of active threads (current http requests):	0
Nb of active jdbc connections:	0
Nb of used jdbc connections (opened if no datasource):	0 / 416 
System load:	1.08
% System CPU:	26.05 

 Threads


Monitoring JavaMelody on /itcms_agent.officesafer.com - 1 day

Threads on agent.officesafer.com@58.229.234.20: Number = 54, Maximum = 58, Total started = 4,313



Data caches

3 cache(s) on agent.officesafer.com@58.229.234.20




 Detailed statistics






Monitoring JavaMelody on /itcms_agent.officesafer.com - 1 day






Monitoring JavaMelody on /itcms_agent.officesafer.com - 1 day



Monitoring JavaMelody on /itcms_agent.officesafer.com - 1 day



Monitoring JavaMelody on /itcms_agent.officesafer.com - 1 day



 Detailed statistics http - 1 day

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of cumulative cpu time	Mean cpu time (ms)	% of system error	Mean size (Kb)	Mean hits sql	Mean time sql (ms)
/json.cmd POST	100	327	79	725	137	100	27	0.00	0	46	46

1 hits/min on 1 requests

 Detailed statistics sql - 1 day

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
select MgtAgentMetaVersion.MGT_AGT_MET_VER_IDX as MGT1_3073_0_ ,MgtAgentMetaVersion.ACTIVE as ACTIVE3073_0_ ,MgtAgentMetaVersion.ACT_FAL_CAU_IDX as ACT3_3073_0_ ,MgtAgentMetaVersion.ACT_FAL_ID as ACT4_3073_0_ ,MgtAgentMetaVersion.SITE_IDX as SITE5_3073_0_ ,MgtAgentMetaVersion.VERSION as VERSION3073_0_ ,MgtAgentMetaVersion.TYPE as TYPE3073_0_ ,MgtAgentMetaVersion.MGT_MET_RUL_IDX as MGT8_3073_0_ ,MgtAgentMetaVersion.COMPLETED as COMPLETED3073_0_ ,MgtAgentMetaVersion.STATUS as STATUS3073_0_ ,MgtAgentMetaVersion.FROM_DATE as FROM11_3073_0_ ,MgtAgentMetaVersion.TO_DATE as TO12_3073_0_ ,MgtAgentMetaVersion.COUNTRY as COUNTRY3073_0_ ,MgtAgentMetaVersion.CURR_DATE as CURR14_3073_0_ ,MgtAgentMetaVersion.REG_DATE as REG15_3073_0_ from MGT_AGENT_META_VERSION MgtAgentMetaVersion where TYPE=? AND SITE_IDX=? AND STATUS=?	40	211	29	41	5	0.00
select this._INS_USR_IDX as INS1_9_0_ ,this._USR_IDX as USR2_9_0_ ,this._INSTALL_USR_IDX as INSTALL3_9_0_ ,this._LIC_KEY as LIC4_9_0_ ,this._LIC_KEY_IDX as LIC5_9_0_ ,this._PCID as PCID9_0_ ,this._DEMO as DEMO9_0_ ,this._CONNECT_TIME as CONNECT8_9_0_ ,this._INSTALL_TIME as INSTALL9_0_ ,this._IP as IP9_0_ ,this._MAC as MAC9_0_ ,this._OS as OS9_0_ ,this._PCNAME as PCNAME9_0_ ,this._VERSION_INFO as VERSION14_9_0_ ,this._STATUS as STATUS9_0_ ,this._PLY_NAME as PLY16_9_0_ ,this._PLY_IDX as PLY17_9_0_ ,this._PROGRESS as PROGRESS9_0_ ,this._CHG_TYPE as CHG19_9_0_ from AGT_USER_INSTALL this where this._LIC_KEY=? limit ?	11	4,303	0	99	1	0.00
insert into AGT_PRINT_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FULL_PATH, FILE_NAME, PAGES, COPY_CNT, PRT_NAME, TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, PAT_ID, CURR_DATE, REG_DATE) values (?, ?)	8	4,200	0	0	2	0.67
select AgtLicenseKey.LIC_KEY_IDX as LIC1_59_0_ ,AgtLicenseKey.ACTIVE as ACTIVE59_0_ ,AgtLicenseKey.ACT_FAL_CAU_IDX as ACT3_59_0_ ,AgtLicenseKey.PARENT_IDX as PARENT4_59_0_ ,AgtLicenseKey.ACT_FAL_ID as ACT5_59_0_ ,AgtLicenseKey.LIC_IDX as LIC6_59_0_ ,AgtLicenseKey.USR_IDX as USR7_59_0_ ,AgtLicenseKey.STATUS as STATUS59_0_ ,AgtLicenseKey.BEFORE_STATUS as BEFORE5_59_0_ ,AgtLicenseKey.LIC_KEY as LIC10_59_0_ ,AgtLicenseKey.TEMP_LIC_KEY as TEMP11_59_0_ ,AgtLicenseKey.STA_0_SND_MAIL_CNT as STA12_59_0_ ,AgtLicenseKey.STA_2_SND_MAIL_CNT as STA13_59_0_ ,AgtLicenseKey.IS_UPDATE as IS14_59_0_ ,AgtLicenseKey.IS_DELETE as IS15_59_0_ ,AgtLicenseKey.IS_PUBLIC as IS16_59_0_ ,AgtLicenseKey.IS_DELETE_SHOW as IS17_59_0_ ,AgtLicenseKey.STATUS_0_SND_MAIL_REG_DATE as STATUS18_59_0_ ,AgtLicenseKey.USR_IDX_REG_DATE as USR19_59_0_ ,AgtLicenseKey.DELETE_REG_DATE as DELETE20_59_0_ ,AgtLicenseKey.UPDATE_REG_DATE as UPDATE21_59_0_ ,AgtLicenseKey.REG_ADMIN_IDX as REG22_59_0_ ,AgtLicenseKey.DEL_ADMIN_IDX as DEL23_59_0_...	6	396	2	99	12	0.00
select AgtUserGrant.GRA_USR_IDX as GRA1_52_0_ ,AgtUserGrant.ACTIVE as ACTIVE52_0_ ,AgtUserGrant.ACT_FAL_CAU_IDX as ACT3_52_0_ ,AgtUserGrant.PARENT_IDX as PARENT4_52_0_ ,AgtUserGrant.ACT_FAL_ID as ACT5_52_0_ ,AgtUserGrant.GRA_IDX as GRA6_52_0_ ,AgtUserGrant.USR_IDX as USR7_52_0_ ,AgtUserGrant.REG_DATE as REG8_52_0_ from AGT_USER_GRANT AgtUserGrant where USR_IDX=? and ACTIVE=?	5	3,045	0	0	0	0.00
select AgtConfig.CONF_IDX as CONF1_34_0_ ,AgtConfig.PLY_MIN_CYC as PLY2_34_0_ ,AgtConfig.LOG_UPL_MIN_CYC as LOG3_34_0_ ,AgtConfig.LOG_SAVE_DAY as LOG4_34_0_ ,AgtConfig.FIL_OUT_SIGN as FIL5_34_0_ ,AgtConfig.FIL_IN_SIGN as FIL6_34_0_ ,AgtConfig.AGT_VER as AGT7_34_0_ ,AgtConfig.PW_SPE_CHAR as PW8_34_0_ ,AgtConfig.PW_UPPERCASE as PW9_34_0_ ,AgtConfig.PW_LOWERCASE as PW10_34_0_ ,AgtConfig.PW_NUMBER as PW11_34_0_ ,AgtConfig.PW_SEL_LEN as PW12_34_0_ ,AgtConfig.PW_LENGTH as PW13_34_0_ ,AgtConfig.PW_TYPE as PW14_34_0_ ,AgtConfig.PW_MONTH as PW15_34_0_ ,AgtConfig.PW_DAY as PW16_34_0_ ,AgtConfig.PW_CNT_OF_WEEK as PW17_34_0_ ,AgtConfig.PW_WEEK as PW18_34_0_ ,AgtConfig.FAIL_CNT as FAIL19_34_0_ ,AgtConfig.FAIL_MIN as FAIL20_34_0_ ,AgtConfig.LOGOFF_MIN as LOGOFF21_34_0_ ,AgtConfig.REP_SCH_CHK_TYPE as REP22_34_0_ ,AgtConfig.REP_SCH_CHK_MONTH as REP23_34_0_ ,AgtConfig.REP_SCH_CHK_DAY as REP24_34_0_ ,AgtConfig.REP_SCH_CHK_CNT_OF_WEEK as REP25_34_0_ ,AgtConfig.REP_SCH_CHK_WEEK as REP26_34_0_ ,AgtConfig.R...	3	164	3	116	12	0.00
insert into AGT_HDD_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, USED, TOTAL, USR_IDX, GRP_IDX, LIC_KEY_IDX, WORKGROUP, CPU, RAM, CURR_DATE, REG_DATE) values (?, ?)	2	10	39	359	112	0.00
select agtuser0_._USR_IDX as USR1_8_0_ ,agtuser0_._ID as ID8_0_ ,agtuser0_._ORG_PASSWORD as ORG3_8_0_ ,agtuser0_._PASSWORD as PASSWORD8_0_ ,agtuser0_._FIRST_PWD as FIRST5_8_0_ ,agtuser0_._PWD_TYPE as PWD6_8_0_ ,agtuser0_._PWD_UPDATE_DATE as PWD7_8_0_ ,agtuser0_._PWD_DUE_DATE as PWD8_8_0_ ,agtuser0_._ORG_WEB_PASSWORD as ORG9_8_0_ ,agtuser0_._WEB_PASSWORD as WEB10_8_0_ ,agtuser0_._IS_CHG_WEB_PWD as IS11_8_0_ ,agtuser0_._WEB_PWD_UPDATE_DATE as WEB12_8_0_ ,agtuser0_._WEB_PWD_DUE_DATE as WEB13_8_0_ ,agtuser0_._ORG_SIGNER_PASSWORD as ORG14_8_0_ ,agtuser0_._SIGNER_PASSWORD as SIGNER15_8_0_ ,agtuser0_._IS_CHG_SIGNER_PWD as IS16_8_0_ ,agtuser0_._SIGNER_PWD_UPDATE_DATE as SIGNER17_8_0_ ,agtuser0_._SIGNER_PWD_DUE_DATE as SIGNER18_8_0_ ,agtuser0_._QUE_IDX as QUE19_8_0_ ,agtuser0_._ANSWER as ANSWER8_0_ ,agtuser0_._NAME as NAME8_0_ ,agtuser0_._TEL as TEL8_0_ ,agtuser0_._PHONE as PHONE8_0_ ,agtuser0_._EMAIL as EMAIL8_0_ ,agtuser0_._DEPARTMENT as DEPARTMENT8_0_ ,agtuser0_._POSITION as POSITION8_0_ ,agtuser0_._MEMO as MEMO8_0_ ,...	1	266	1	53	6	0.00
select this._COM_IDX as COM1_3046_0_ ,this._SITE_IDX as SITE2_3046_0_ ,this._BIZ_TYPE as BIZ3_3046_0_ ,this._BUS_IDX as BUS4_3046_0_ ,this._REGI_NUMBER2 as REGI5_3046_0_ ,this._REGI_NUMBER as REGI6_3046_0_ ,this._BUSS_COND1 as BUSS7_3046_0_ ,this._BUSS_NUMD2 as BUSS8_3046_0_ ,this._LIC_IDX as LIC9_3046_0_ ,this._NAME as NAME3046_0_ ,this._TEL as TEL3046_0_ ,this._FAX as FAX3046_0_ ,this._REG_ID as REG13_3046_0_ ,this._REG_PHONE as REG14_3046_0_ ,this._REG_EMAIL as REG15_3046_0_ ,this._REG_NAME as REG16_3046_0_ ,this._REG_BUSI as REG17_3046_0_ ,this._EMP_NUMBER as EMP18_3046_0_ ,this._BOSS_NAME as BOSS19_3046_0_ ,this._ASS_PC_NUM as ASS20_3046_0_ ,this._ASS_NOT_BOO_NUM as ASS21_3046_0_ ,this._ASS_WIN_SER_NUM as ASS22_3046_0_ ,this._TOT_ASS_NUM as TOT23_3046_0_ ,this._HOMEPAGE as HOMEPAGE3046_0_ ,this._ADDRESS as ADRESS3046_0_ ,this._ADRESS2 as ADRESS26_3046_0_ ,this._ZIP_CODE as ZIP27_3046_0_ ,this._LOGO as LOGO3046_0_ ,this._LOGO_PATH as LOGO29_3046_0_ ,this._LOGO_FILE as LOGO30_3046_0_ ,...	1	101	2	5	0	0.00
select AgtMessage.MSG_IDX as MSG1_61_0_ ,AgtMessage.ACTIVE as ACTIVE61_0_ ,AgtMessage.ACT_FAL_CAU_IDX as ACT3_61_0_ ,AgtMessage.PARENT_IDX as PARENT4_61_0_ ,AgtMessage.ACT_FAL_ID as ACT5_61_0_ ,AgtMessage.RCV_USR_IDX as RCV6_61_0_ ,AgtMessage.SND_USR_IDX as SND7_61_0_ ,AgtMessage.LIC_KEY_IDX as LIC8_61_0_ ,AgtMessage.SND_GRP_IDX as SND9_61_0_ ,AgtMessage.SND_LIC_KEY_IDX as SND10_61_0_ ,AgtMessage.SND_LEVEL as SND11_61_0_ ,AgtMessage.SND_NAME as SND12_61_0_ ,AgtMessage.SND_MAIL as SND13_61_0_ ,AgtMessage.AGENT_MEMBER as AGENT14_61_0_ ,AgtMessage.RCV_NAME as RCV15_61_0_ ,AgtMessage.RCV_MAIL as RCV16_61_0_ ,AgtMessage.PCID as PCID17_61_0_ ,AgtMessage.IP as IP18_61_0_ ,AgtMessage.PCNAME as PCNAME19_61_0_ ,AgtMessage.GRADE as GRA1_61_0_ ,AgtMessage.TARGET as TARGET1_61_0_ ,AgtMessage.SOURCE as SOURCE61_0_ ,AgtMessage.TITLE as TITLE61_0_ ,AgtMessage.MESSAGE as MESSAGE61_0_ ,AgtMessage.ENC_FILE_REG_DATE as ENC25_61_0_ ,AgtMessage.FILE_NAME as FILE26_61_0_ ,AgtMessage.FILE_HASH_KEY as FILE27_61_0_ ,AgtMe...	1	15	15	28	23	0.00
select this._USR_GRP_IDX as USR1_51_0_ ,this._ACTIVE as ACTIVE51_0_ ,this._ACT_FAL_CAU_IDX as ACT3_51_0_ ,this._PARENT_IDX as PARENT4_51_0_ ,this._ACT_FAL_ID as ACT5_51_0_ ,this._USR_IDX as USR6_51_0_ ,this._GRP_IDX as GRP7_51_0_ ,this._REG_DATE as REG8_51_0_ from AGT_USER_GROUP this where this._USR_IDX=? limit ?	1	223	0	110	7	0.00
insert into AGT_AUTH_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, SRC_TYPE, ACT_TYPE, AGT_LOGIN_SUCCESS, FAIL_CNT, LOGOUT_TYPE, LOGIN_FAIL_TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, CURR_DATE, REG_DATE) values (?, ?)	1	6	30	50	40	0.00
select this._LIC_KEY_IDX as LIC1_59_0_ ,this._ACTIVE as ACTIVE59_0_ ,this._ACT_FAL_CAU_IDX as ACT3_59_0_ ,this._PARENT_IDX as PARENT4_59_0_ ,this._ACT_FAL_ID as ACT5_59_0_ ,this._LIC_IDX as LIC6_59_0_ ,this._USR_IDX as USR7_59_0_ ,this._STATUS as STATUS59_0_ ,this._BEFORE_STATUS as BEFORE5_59_0_ ,this._LIC_KEY as LIC10_59_0_ ,this._TEMP_LIC_KEY as TEMP11_59_0_ ,this._STA_0_SND_MAIL_CNT as STA12_59_0_ ,this._STA_2_SND_MAIL_CNT as STA13_59_0_ ,this._IS_UPDATE as IS14_59_0_ ,this._IS_DELETE as IS15_59_0_ ,this._IS_PUBLIC as IS16_59_0_ ,this._IS_DELETE_SHOW as IS17_59_0_ ,this._STATUS_0_SND_MAIL_REG_DATE as STATUS18_59_0_ ,this._USR_IDX_REG_DATE as USR19_59_0_ ,this._DELETE_REG_DATE as DELETE20_59_0_ ,this._UPDATE_REG_DATE as UPDATE21_59_0_ ,this._REG_ADMIN_IDX as REG22_59_0_ ,this._DEL_ADMIN_IDX as DEL23_59_0_ ,this._ENC_DUE_DATE as ENC24_59_0_ ,this._ENC_DEL_DATE as ENC25_59_0_ ,this._KEY_DATA as KEY26_59_0_ ,this._DELETE_DATE as DELETE27_59_0_ ,this._UPDATE_DATE as UPDATE28_59_0_ ,this...	0	180	0	17	1	0.00
select MgtMetaAgtFile.FIL_IDX as FIL1_3059_0_ ,MgtMetaAgtFile.ACTIVE as ACTIVE3059_0_ ,MgtMetaAgtFile.ACT_FAL_CAU_IDX as ACT3_3059_0_ ,MgtMetaAgtFile.ACT_FAL_ID as ACT4_3059_0_ ,MgtMetaAgtFile.DIST_KEY as DIST5_3059_0_ ,MgtMetaAgtFile.NAME as NAME3059_0_ ,MgtMetaAgtFile.EXTENTION as EXTENTION3059_0_ ,MgtMetaAgtFile.DESCRPTION as DESCRPT8_3059_0_ ,MgtMetaAgtFile.SEQUENCE as SEQUENCE3059_0_ ,MgtMetaAgtFile.REG_DATE as REG10_3059_0_ from MGT_META_AGT_FILE MgtMetaAgtFile where ACTIVE=1 order by SEQUENCE ASC	0	7	19	112	41	0.00
select this._ENC_PLY_IDX as ENC1_11_0_ ,this._ACTIVE as ACTIVE11_0_ ,this._ACT_FAL_CAU_IDX as ACT3_11_0_ ,this._PARENT_IDX as PARENT4_11_0_ ,this._ACT_FAL_ID as ACT5_11_0_ ,this._PAT_PLY_IDX as PAT6_11_0_ ,this._FIL_PLY_IDX as FIL7_11_0_ ,this._KWD_PLY_IDX as KWD8_11_0_ ,this._FOD_PLY_IDX as FOD9_11_0_ ,this._PWD_PLY_IDX as PWD10_11_0_ ,this._SCR_PLY_IDX as SCR11_11_0_ ,this._EXT_PLY_IDX as EXT12_11_0_ ,this._PRO_FOL_PLY_IDX as PR13_11_0_ ,this._DFOD_PLY_IDX as DFOD14_11_0_ ,this._WHI_LIS_PLY_IDX as WHI15_11_0_ ,this._AGE_REG_PLY_IDX as AGE16_11_0_ ,this._ATT_BLO_PLY_IDX as ATT17_11_0_ ,this._REG_DATE as REG18_11_0_ from AGT_ENCRYPT_POLICY this where this._ENC_PLY_IDX=? and this._ACTIVE=? limit ?	0	221	0	9	0	0.00

Monitoring JavaMelody on /itcms_agent.officesafer.com - 1 day

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
select this_PLY_IDX as PLY1_10_0, this_PARENT_IDX as PARENT2_10_0, this_ACT_FAL_ID as ACT3_10_0, this_ACTIVE as ACTIVE10_0, this_CREATE_USR_IDX as CREATE5_10_0, this_ACT_FAL_CAU_IDX as ACT6_10_0, this_GEN_PLY_IDX as GEN7_10_0, this_ENC_PLY_IDX as ENCH8_10_0, this_PRO_PLY_IDX as PRO9_10_0, this_NAME as NAME10_0, this_PAT_CHG_TYPE as PAT11_10_0, this_DESCRIPTION as DESCRIP12_10_0, this_BASED as BASED10_0, this_COUNTRY as COUNTRY10_0, this_CHG_TYPE as CHG15_10_0, this_IDXES as IDXES10_0, this_ACT_FAL_CURR_DATE as ACT17_10_0, this_REG_DATE as REG18_10_0 from AGT_POLICY this_where this_PLY_IDX=? and this_ACTIVE=? limit ?	0	223	0	22	1	0.00
select this_PLY_GRP_IDX as PLY1_39_0, this_ACTIVE as ACTIVE39_0, this_ACT_FAL_CAU_IDX as ACT3_39_0, this_PARENT_IDX as PARENT4_39_0, this_ACT_FAL_ID as ACT5_39_0, this_GRP_IDX as GRP6_39_0, this_PLY_IDX as PLY7_39_0, this_ACT_FAL_CURR_DATE as ACT8_39_0, this_REG_DATE as REG9_39_0 from AGT_POLICY_GROUP this_where this_GRP_IDX=? and this_ACTIVE=? limit ?	0	223	0	19	1	0.00
insert into AGT_VACCINE_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, NAME, INSTALL_RUN, LAST_UPDATE, REAL_TIME_MONITOR, USR_IDX, GRP_IDX, LIC_KEY_IDX, CURR_DATE, REG_DATE) values (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)	0	12	10	38	33	0.00
select agtgroup0_GRP_IDX as GRP1_38_0, agtgroup0_ACTIVE as ACTIVE38_0, agtgroup0_ACT_FAL_CAU_IDX as ACT3_38_0, agtgroup0_PARENT_IDX as PARENT4_38_0, agtgroup0_ACT_FAL_ID as ACT5_38_0, agtgroup0_NAME as NAME38_0, agtgroup0_DESCRIPTION as DESCRIP7_38_0, agtgroup0_DEPTH as DEPTH38_0, agtgroup0_SEP as SEP38_0, agtgroup0_PARENT as PARENT38_0, agtgroup0_BASED as BASED38_0, agtgroup0_REG_DATE as REG12_38_0 from AGT_GROUP agtgroup0_where agtgroup0_GRP_IDX=?	0	218	0	22	1	0.00
select AgtAlertConfig.ALE_CONF_IDX as ALE1_69_0, AgtAlertConfig.ACTIVE as ACTIVE69_0, AgtAlertConfig.ACT_FAL_CAU_IDX as ACT3_69_0, AgtAlertConfig.PARENT_IDX as PARENT4_69_0, AgtAlertConfig.ACT_FAL_ID as ACT5_69_0, AgtAlertConfig.REG_USR_IDX as REG6_69_0, AgtAlertConfig.IS_USE as IS7_69_0, AgtAlertConfig.AGT_LOG_SCH_CHK_MINUTE_DIVIDE as AGT8_69_0, AgtAlertConfig.AGT_LOG_SCH_CHK_MINUTE as AGT9_69_0, AgtAlertConfig.AGT_LOG_SCH_CHECKING as AGT10_69_0, AgtAlertConfig.AGT_PWD_DUE_DATE as AGT11_69_0, AgtAlertConfig.AGT_LOGIN_FAIL as AGT12_69_0, AgtAlertConfig.AGT_LOGIN_FAIL_CNT as AGT13_69_0, AgtAlertConfig.AGT_LOGIN_FAIL_SLP_TIME as AGT14_69_0, AgtAlertConfig.VAC_INS as VAC15_69_0, AgtAlertConfig.VAC_RUN as VAC16_69_0, AgtAlertConfig.VAC_LAST_VER as VAC17_69_0, AgtAlertConfig.VAC_REAL_TIME as VAC18_69_0, AgtAlertConfig.HDD_SPACE as HDD19_69_0, AgtAlertConfig.HDD_SPACE_REMAIN as HDD20_69_0, AgtAlertConfig.PUB_FOL as PUB21_69_0, AgtAlertConfig.WIN_PATCH as WIN22_69_0, Agt...	0	39	2	16	5	0.00
select this_FW_IDX as FW1_43_0, this_NAME as NAME43_0, this_BASED as BASED43_0, this_ACTIVE as ACTIVE43_0, this_ACT_FAL_CAU_IDX as ACT5_43_0, this_PARENT_IDX as PARENT6_43_0, this_ACT_FAL_ID as ACT7_43_0, this_DIRECTION as DIRECTION43_0, this_TYPE as TYPE43_0, this_START_PORT as START10_43_0, this_END_PORT as END11_43_0, this_START_IP as START12_43_0, this_END_IP as END13_43_0, this_PROCESS as PROCESS43_0, this_G_SERVERIP as G15_43_0, this_URL as URL43_0, this_FORWARD_URL as FORWARD17_43_0, this_REG_DATE as REG18_43_0 from AGT_FIREWALL this_where this_FW_IDX=? and this_ACTIVE=? limit ?	0	18	5	5	20	0.00
select AgtPattern.PAT_IDX as PAT1_28_0, AgtPattern.ACTIVE as ACTIVE28_0, AgtPattern.ACT_FAL_CAU_IDX as ACT3_28_0, AgtPattern.PARENT_IDX as PARENT4_28_0, AgtPattern.ACT_FAL_ID as ACT5_28_0, AgtPattern.PAT_ID as PAT6_28_0, AgtPattern.SEQUENCE as SEQUENCE28_0, AgtPattern.REG_DATE as REG8_28_0 from AGT_PATTERN AgtPattern where ACTIVE=?	0	112	0	24	2	0.00
select this_HDD_LOG_LAT_IDX as HDD1_108_0, this_USR_IDX as USR2_108_0, this_LIC_KEY_IDX as LIC3_108_0, this_START_HDD_LOG_IDX as START4_108_0, this_END_HDD_LOG_IDX as END5_108_0, this_CURR_DATE as CURR6_108_0, this_REG_DATE as REG7_108_0 from AGT_HDD_LOG_LATELY this_where this_USR_IDX=? and this_LIC_KEY_IDX=? limit ?	0	10	7	56	17	0.00
select AgtFirewallPolicy.FW_PLY_IDX as FW1_44_0, AgtFirewallPolicy.FW_IDX as FW2_44_0, AgtFirewallPolicy.FW_IDX_FOR_PRESET as FW3_44_0, AgtFirewallPolicy.ACTIVE as ACTIVE44_0, AgtFirewallPolicy.ACT_FAL_CAU_IDX as ACT5_44_0, AgtFirewallPolicy.PARENT_IDX as PARENT6_44_0, AgtFirewallPolicy.ACT_FAL_ID as ACT7_44_0, AgtFirewallPolicy.GEN_PLY_IDX as GEN8_44_0, AgtFirewallPolicy.ENC_PLY_IDX as ENC9_44_0, AgtFirewallPolicy.PRO_PLY_IDX as PRO10_44_0, AgtFirewallPolicy.IS_PRESET as IS11_44_0, AgtFirewallPolicy.IS_USE as IS12_44_0, AgtFirewallPolicy.REG_DATE as REG13_44_0 from AGT_FIREWALL_POLICY AgtFirewallPolicy where GEN_PLY_IDX=? and ACTIVE=?	0	7	10	66	24	0.00
select this_INS_USR_IDX as INS1_9_0, this_USR_IDX as USR2_9_0, this_INSTALL_USR_IDX as INSTALL3_9_0, this_LIC_KEY as LIC4_9_0, this_LIC_KEY_IDX as LIC5_9_0, this_PCID as PCID9_0, this_DEMO as DEMO9_0, this_CONNECT_TIME as CONNECT8_9_0, this_INSTALL_TIME as INSTALL9_9_0, this_IP as IP9_0, this_MAC as MAC9_0, this_OS as OS9_0, this_PCNAME as PCNAME9_0, this_VERSION_INFO as VERSION14_9_0, this_STATUS as STATUS9_0, this_PLY_NAME as PLY16_9_0, this_PLY_IDX as PLY17_9_0, this_PROGRESS as PROGRESS9_0, this_CHG_TYPE as CHG19_9_0 from AGT_USER_INSTALL this_where this_LIC_KEY_IDX=? limit ?	0	101	0	2	0	0.00
select AgtPasswordPolicy.PWD_PLY_IDX as PWD1_27_0, AgtPasswordPolicy.ACTIVE as ACTIVE27_0, AgtPasswordPolicy.ACT_FAL_CAU_IDX as ACT3_27_0, AgtPasswordPolicy.PARENT_IDX as PARENT4_27_0, AgtPasswordPolicy.ACT_FAL_ID as ACT5_27_0, AgtPasswordPolicy.PWD_IDX as PWD6_27_0, AgtPasswordPolicy.GEN_PLY_IDX as GEN7_27_0, AgtPasswordPolicy.ENC_PLY_IDX as ENCH8_27_0, AgtPasswordPolicy.PRO_PLY_IDX as PRO9_27_0, AgtPasswordPolicy.REG_DATE as REG10_27_0 from AGT_PASSWORD_POLICY AgtPasswordPolicy where GEN_PLY_IDX=? and ACTIVE=?	0	7	9	60	22	0.00
select this_GEN_PLY_IDX as GEN1_13_0, this_ACTIVE as ACTIVE13_0, this_ACT_FAL_CAU_IDX as ACT3_13_0, this_PARENT_IDX as PARENT4_13_0, this_ACT_FAL_ID as ACT5_13_0, this_PAT_PLY_IDX as PAT6_13_0, this_FIL_PLY_IDX as FIL7_13_0, this_KWD_PLY_IDX as KWD8_13_0, this_FOD_PLY_IDX as FOD9_13_0, this_PWD_PLY_IDX as PWD10_13_0, this_SCR_PLY_IDX as SCR11_13_0, this_WIN_PAC_PLY_IDX as WIN12_13_0, this_MDA_PLY_IDX as MDA13_13_0, this_FW_PLY_IDX as FW14_13_0, this_NTW_PLY_IDX as NTW15_13_0, this_VAC_PLY_IDX as VAC16_13_0, this_SMA_PHO_PRO_PLY_IDX as SMA17_13_0, this_REG_DATE as REG18_13_0 from AGT_GENERAL_POLICY this_where this_GEN_PLY_IDX=? and this_ACTIVE=? limit ?	0	114	0	8	0	0.00
select this_CONF_IDX as CONF1_2_0, this_KEY as KEY2_2_0, this_VALUE as VALUE2_0, this_NAME as NAME2_0, this_DESCRIPTION as DESCRIP5_2_0, this_REG_DATE as REG6_2_0 from CTL_CONFIG this_where this_KEY_=? limit ?	0	102	0	2	0	0.00
select AgtAttachBlockPolicy.ATT_BLO_PLY_IDX as ATT1_73_0, AgtAttachBlockPolicy.ATT_BLO_IDX as ATT2_73_0, AgtAttachBlockPolicy.ACTIVE as ACTIVE73_0, AgtAttachBlockPolicy.ACT_FAL_CAU_IDX as ACT4_73_0, AgtAttachBlockPolicy.PARENT_IDX as PARENT5_73_0, AgtAttachBlockPolicy.ACT_FAL_ID as ACT6_73_0, AgtAttachBlockPolicy.GEN_PLY_IDX as GEN7_73_0, AgtAttachBlockPolicy.ENC_PLY_IDX as ENCH8_73_0, AgtAttachBlockPolicy.PRO_PLY_IDX as PRO9_73_0, AgtAttachBlockPolicy.REG_DATE as REG10_73_0 from AGT_ATTACH_BLOCK_POLICY AgtAttachBlockPolicy where ENC_PLY_IDX=? and ACTIVE=?	0	7	7	49	18	0.00
select this_VAC_IDX as VAC1_3075_0, this_ACTIVE as ACTIVE3075_0, this_ACT_FAL_CAU_IDX as ACT3_3075_0, this_ACT_FAL_ID as ACT4_3075_0, this_NAME as NAME3075_0, this_PATH as PATH3075_0, this_GROUP_NAME as GROUP7_3075_0, this_DESCRIPTION as DESCRIP8_3075_0, this_REG_DATE as REG9_3075_0 from MGT_META_AGT_VACCINE this_where this_NAME=? and this_PATH=? and this_ACTIVE=? limit ?	0	29	1	23	4	0.00
select AgtFileOccPatKwdLog.FIL_OCC_PAT_KWD_LOG_IDX as FIL1_99_0, AgtFileOccPatKwdLog.ID as ID99_0, AgtFileOccPatKwdLog.PCID as PCID99_0, AgtFileOccPatKwdLog.MAC as MAC99_0, AgtFileOccPatKwdLog.PCNAME as PCNAME99_0, AgtFileOccPatKwdLog.PAR_NAME as PAR6_99_0, AgtFileOccPatKwdLog.PLY_NAME as PLY7_99_0, AgtFileOccPatKwdLog.OS as OS99_0, AgtFileOccPatKwdLog.IP as IP99_0, AgtFileOccPatKwdLog.LIC_KEY as LIC10_99_0, AgtFileOccPatKwdLog.USR_NAME as USR11_99_0, AgtFileOccPatKwdLog.FIL_NAME as FIL12_99_0, AgtFileOccPatKwdLog.FULL_PATH as FULL13_99_0, AgtFileOccPatKwdLog.FIL_HASH_KEY as FIL14_99_0, AgtFileOccPatKwdLog.FIL_ENC_KEY as FIL15_99_0, AgtFileOccPatKwdLog.ENC_SUCCESS as ENC16_99_0, AgtFileOccPatKwdLog.PAT_NAME as PAT17_99_0, AgtFileOccPatKwdLog.PAT_OCC_CNT as PAT18_99_0, AgtFileOccPatKwdLog.PAT_CHK_CNT as PAT19_99_0, AgtFileOccPatKwdLog.KEYWORD as KEYWORD99_0, AgtFileOccPatKwdLog.KWD_OCC_CNT as KWD21_99_0, AgtFileOccPatKwdLog.KWD_CHK_CNT as KWD22_99_0, AgtFileOccPatKw...	0	1	50	50	0	0.00
select AgtScreenPolicy.SCR_PLY_IDX as SCR1_31_0, AgtScreenPolicy.SCR_IDX as SCR2_31_0, AgtScreenPolicy.ACTIVE as ACTIVE31_0, AgtScreenPolicy.ACT_FAL_CAU_IDX as ACT4_31_0, AgtScreenPolicy.PARENT_IDX as PARENT5_31_0, AgtScreenPolicy.ACT_FAL_ID as ACT6_31_0, AgtScreenPolicy.GEN_PLY_IDX as GEN7_31_0, AgtScreenPolicy.ENC_PLY_IDX as ENCH8_31_0, AgtScreenPolicy.PRO_PLY_IDX as PRO9_31_0, AgtScreenPolicy.REG_DATE as REG10_31_0 from AGT_SCREEN_POLICY AgtScreenPolicy where GEN_PLY_IDX=? and ACTIVE=?	0	6	7	45	18	0.00
select agtlicense0_LIC_IDX as LIC1_58_0, agtlicense0_ACTIVE as ACTIVE58_0, agtlicense0_ACT_FAL_CAU_IDX as ACT3_58_0, agtlicense0_PARENT_IDX as PARENT4_58_0, agtlicense0_ACT_FAL_ID as ACT5_58_0, agtlicense0_PAY_IDX as PAY6_58_0, agtlicense0_COUNT as COUNT58_0, agtlicense0_NAME as NAME58_0, agtlicense0_DESCRIPTION as DESCRIP9_58_0, agtlicense0_DELAY_DAY_CNT as DELAY10_58_0, agtlicense0_DELAY_DAY_REG_DAY as DELAY11_58_0, agtlicense0_DUE_DATE as DUE12_58_0, agtlicense0_REG_DATE as REG13_58_0, agtlicense0_START_DATE as START14_58_0, agtlicense0_FIR_START_DATE as FIR15_58_0, agtlicense0_DEL_DATE as DEL16_58_0, agtlicense0_ENC_DEL_DATE as ENC17_58_0, agtlicense0_TYPE as TYPE58_0 from AGT_LICENSE agtlicense0_where agtlicense0_LIC_IDX=?	0	101	0	2	0	0.00
select agthddlog0_HDD_LOG_IDX as HDD1_97_0, agthddlog0_ID as ID97_0, agthddlog0_PCID as PCID97_0, agthddlog0_MAC as MAC97_0, agthddlog0_PCNAME as PCNAME97_0, agthddlog0_PAR_NAME as PAR6_97_0, agthddlog0_PLY_NAME as PLY7_97_0, agthddlog0_OS as OS97_0, agthddlog0_IP as IP97_0, agthddlog0_LIC_KEY as LIC10_97_0, agthddlog0_USR_NAME as USR11_97_0, agthddlog0_USED as USED97_0, agthddlog0_TOTAL as TOTAL97_0, agthddlog0_USR_IDX as USR14_97_0, agthddlog0_GRP_IDX as GRP15_97_0, agthddlog0_LIC_KEY_IDX as LIC16_97_0, agthddlog0_WORKGROUP as WORKGROUP97_0, agthddlog0_CPU as CPU97_0, agthddlog0_RAM as RAM97_0, agthddlog0_CURR_DATE as CURR20_97_0, agthddlog0_REG_DATE as REG21_97_0 from AGT_HDD_LOG agthddlog0_where agthddlog0_HDD_LOG_IDX=?	0	10	4	44	13	0.00
select AgtUserGroup.USR_GRP_IDX as USR1_51_0, AgtUserGroup.ACTIVE as ACTIVE51_0, AgtUserGroup.ACT_FAL_CAU_IDX as ACT3_51_0, AgtUserGroup.PARENT_IDX as PARENT4_51_0, AgtUserGroup.ACT_FAL_ID as ACT5_51_0, AgtUserGroup.USR_IDX as USR6_51_0, AgtUserGroup.GRP_IDX as GRP7_51_0, AgtUserGroup.REG_DATE as REG8_51_0 from AGT_USER_GROUP AgtUserGroup where GRP_IDX=?	0	101	0	2	0	0.00
select mgtmetaagt0_GRA_IDX as GRA1_3057_0, mgtmetaagt0_ACTIVE as ACTIVE3057_0, mgtmetaagt0_ACT_FAL_CAU_IDX as ACT3_3057_0, mgtmetaagt0_PARENT_IDX as PARENT4_3057_0, mgtmetaagt0_ACT_FAL_ID as ACT5_3057_0, mgtmetaagt0_LEVEL as LEVEL3057_0, mgtmetaagt0_NAME as NAME3057_0, mgtmetaagt0_DESCRIPTION as DESCRIP7_3057_0, mgtmetaagt0_REG_DATE as REG9_3057_0 from MGT_META_AGT_GRANT mgtmetaagt0_where mgtmetaagt0_GRA_IDX=?	0	90	0	1	0	0.00

Monitoring JavaMelody on /itcms_agent.officesafer.com - 1 day

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
select this_FOL_IDX as FOL1_3061_0, this_ACTIVE as ACTIVE3061_0, this_ACT_FAL_CAU_IDX as ACT3_3061_0, this_ACT_FAL_ID as ACT4_3061_0, this_DIST_KEY as DIST5_3061_0, this_NAME as NAME3061_0, this_EX_FOLDER as EX7_3061_0, this_DESCRIPTION as DESCRIP8_3061_0, this_SEQUENCE as SEQUENCE3061_0, this_REG_DATE as REG10_3061_0 from MGT_META_AGT_FOLDER this_where this_FOL_IDX=? and this_ACTIVE=? limit ?	0	54	0	2	2	0.00
select AgtMessage.MSG_IDX as MSG1_61_0, AgtMessage.ACTIVE as ACTIVE61_0, AgtMessage.ACT_FAL_CAU_IDX as ACT3_61_0, AgtMessage.PARENT_IDX as PARENT4_61_0, AgtMessage.ACT_FAL_ID as ACT5_61_0, AgtMessage.RCV_USR_IDX as RCV6_61_0, AgtMessage.SND_USR_IDX as SND7_61_0, AgtMessage.LIC_KEY_IDX as LIC8_61_0, AgtMessage.SND_GRP_IDX as SND9_61_0, AgtMessage.SND_LIC_KEY_IDX as SND10_61_0, AgtMessage.SND_LEVEL as SND11_61_0, AgtMessage.SND_NAME as SND12_61_0, AgtMessage.SND_MAIL as SND13_61_0, AgtMessage.AGENT_MEMBER as AGENT14_61_0, AgtMessage.RCV_NAME as RCV15_61_0, AgtMessage.RCV_MAIL as RCV16_61_0, AgtMessage.PCID as PCID16_61_0, AgtMessage.IP as IP61_0, AgtMessage.PCNAME as PCNAME61_0, AgtMessage.GRADE as GRADE61_0, AgtMessage.TARGET as TARGET61_0, AgtMessage.SOURCE as SOURCE61_0, AgtMessage.TITLE as TITLE61_0, AgtMessage.MESSAGE as MESSAGE61_0, AgtMessage.ENC_FILE_REG_DATE as ENC25_61_0, AgtMessage.FILE_NAME as FILE26_61_0, AgtMessage.FILE_HASH_KEY as FILE27_61_0, AgtMe...	0	5	6	8	2	0.00
select AgtMediaPolicy.MDA_PLY_IDX as MDA1_40_0, AgtMediaPolicy.MDA_IDX as MDA2_40_0, AgtMediaPolicy.ACTIVE as ACTIVE40_0, AgtMediaPolicy.ACT_FAL_CAU_IDX as ACT4_40_0, AgtMediaPolicy.PARENT_IDX as PARENT5_40_0, AgtMediaPolicy.ACT_FAL_ID as ACT6_40_0, AgtMediaPolicy.GEN_PLY_IDX as GEN7_40_0, AgtMediaPolicy.ENC_PLY_IDX as ENC8_40_0, AgtMediaPolicy.PRO_PLY_IDX as PRO9_40_0, AgtMediaPolicy.REG_DATE as REG10_40_0 from AGT_MEDIA_POLICY AgtMediaPolicy where GEN_PLY_IDX=? and ACTIVE=?	0	6	4	19	7	0.00
select AgtUserLicenseKey.USR_PLIC_KEY_IDX as USR1_60_0, AgtUserLicenseKey.ACTIVE as ACTIVE60_0, AgtUserLicenseKey.ACT_FAL_CAU_IDX as ACT3_60_0, AgtUserLicenseKey.PARENT_IDX as PARENT4_60_0, AgtUserLicenseKey.ACT_FAL_ID as ACT5_60_0, AgtUserLicenseKey.LIC_KEY_IDX as LIC6_60_0, AgtUserLicenseKey.USR_IDX as USR7_60_0, AgtUserLicenseKey.REG_DATE as REG8_60_0 from AGT_USER_PLICENSE_KEY AgtUserLicenseKey where LIC_KEY_IDX=?	0	3	8	21	11	0.00
select this_IDX as IDX3090_0, this_TYPE as TYPE3090_0, this_VERSION as VERSION3090_0, this_FETCHDATE as FETCHDATE3090_0, this_FETCHDESC as FETCHDESC3090_0, this_ORGFILENAME as ORGFILENAME6_3090_0, this_TEMPFILENAME as TEMPFILE7_3090_0, this_TOT_SITE_CNT as TOT8_3090_0, this_PRO_SITE_CNT as PRO9_3090_0, this_LIC_TYPE as LIC10_3090_0, this_COUNTRY as COUNTRY3090_0 from MGT_META_VERSION this_where this_TYPE=? and this_VERSION=? order by this_IDX desc limit ?	0	27	0	3	0	0.00
select AgtFolderPolicy.FOD_PLY_IDX as FOD1_15_0, AgtFolderPolicy.FOD_IDX as FOD2_15_0, AgtFolderPolicy.ACTIVE as ACTIVE15_0, AgtFolderPolicy.ACT_FAL_CAU_IDX as ACT4_15_0, AgtFolderPolicy.PARENT_IDX as PARENT5_15_0, AgtFolderPolicy.ACT_FAL_ID as ACT6_15_0, AgtFolderPolicy.GEN_PLY_IDX as GEN7_15_0, AgtFolderPolicy.ENC_PLY_IDX as ENC8_15_0, AgtFolderPolicy.PRO_PLY_IDX as PRO9_15_0, AgtFolderPolicy.REG_DATE as REG10_15_0 from AGT_FOLDER_POLICY AgtFolderPolicy where GEN_PLY_IDX=? and ACTIVE=?	0	6	3	18	7	0.00
select AgtDecryptFolderPolicy.DFOD_PLY_IDX as DFOD1_33_0, AgtDecryptFolderPolicy.DFOD_IDX as DFOD2_33_0, AgtDecryptFolderPolicy.ACTIVE as ACTIVE33_0, AgtDecryptFolderPolicy.ACT_FAL_CAU_IDX as ACT4_33_0, AgtDecryptFolderPolicy.PARENT_IDX as PARENT5_33_0, AgtDecryptFolderPolicy.ACT_FAL_ID as ACT6_33_0, AgtDecryptFolderPolicy.GEN_PLY_IDX as GEN7_33_0, AgtDecryptFolderPolicy.ENC_PLY_IDX as ENC8_33_0, AgtDecryptFolderPolicy.PRO_PLY_IDX as PRO9_33_0, AgtDecryptFolderPolicy.REG_DATE as REG10_33_0 from AGT_DECRYPTYPT_FOLDER_POLICY AgtDecryptFolderPolicy where ENC_PLY_IDX=? and ACTIVE=?	0	6	3	17	6	0.00
select this_PWD_IDX as PWD1_26_0, this_NAME as NAME26_0, this_BASED as BASED26_0, this_SPE_CHAR as SPE4_26_0, this_UPPERCASE as UPPERCASE26_0, this_LOWER_CASE as LOWERCASE26_0, this_NUMBER as NUMBER26_0, this_SEL_LEN as SEL2_26_0, this_LENGTH as LENGTH26_0, this_TYPE as TYPE26_0, this_MONTH as MONTH26_0, this_DAY as DAY26_0, this_CNT_OF_WEEK as CNT13_26_0, this_WEEK as WEEK26_0, this_FAIL_CNT as FAIL15_26_0, this_FAIL_MIN as FAIL16_26_0, this_LOGOFF_MIN as LOGOFF17_26_0, this_MONTH1 as MONTH18_26_0, this_MONTH2 as MONTH19_26_0, this_MONTH3 as MONTH20_26_0, this_MONTH4 as MONTH21_26_0, this_MONTH5 as MONTH22_26_0, this_MONTH6 as MONTH23_26_0, this_MONTH7 as MONTH24_26_0, this_MONTH8 as MONTH25_26_0, this_MONTH9 as MONTH26_26_0, this_MONTH10 as MONTH27_26_0, this_MONTH11 as MONTH28_26_0, this_MONTH12 as MONTH29_26_0, this_IS_SHOW_DIALOG as IS30_26_0, this_IS_WIN_LOGIN as IS31_26_0, this_DESCRIPTION as DESCRIP32_26_0, this_AC...	0	1	19	19	0	0.00
select this_LAN_IDX as LAN1_3052_0, this_COUNTRY as COUNTRY3052_0, this_TYPE as TYPE3052_0, this_KEY as KEY4_3052_0, this_VALUE as VALUE3052_0, this_CURR_DATE as CURR6_3052_0, this_REG_DATE as REG7_3052_0 from MGT_LANGUAGE this	0	2	8	9	0	0.00
select MgtMetaAgtProtectProgram.PRO_PRO_IDX as PRO1_3066_0, MgtMetaAgtProtectProgram.ACTIVE as ACTIVE3066_0, MgtMetaAgtProtectProgram.ACT_FAL_CAU_IDX as ACT3_3066_0, MgtMetaAgtProtectProgram.ACT_FAL_ID as ACT4_3066_0, MgtMetaAgtProtectProgram.ID as ID3066_0, MgtMetaAgtProtectProgram.COMPANY as COMPANY3066_0, MgtMetaAgtProtectProgram.NAME as NAME3066_0, MgtMetaAgtProtectProgram.DESCRPTION as DESCRIP8_3066_0, MgtMetaAgtProtectProgram.REG_DATE as REG9_3066_0 from MGT_META_AGT_PROTECT_PROGRAM MgtMetaAgtProtectProgram where ACTIVE=1	0	4	3	14	6	0.00
select AgtAgentRegisterPolicy.AGE_REG_PLY_IDX as AGE1_23_0, AgtAgentRegisterPolicy.AGE_REG_IDX as AGE2_23_0, AgtAgentRegisterPolicy.ACTIVE as ACTIVE23_0, AgtAgentRegisterPolicy.ACT_FAL_CAU_IDX as ACT4_23_0, AgtAgentRegisterPolicy.PARENT_IDX as PARENT5_23_0, AgtAgentRegisterPolicy.ACT_FAL_ID as ACT6_23_0, AgtAgentRegisterPolicy.GEN_PLY_IDX as GEN7_23_0, AgtAgentRegisterPolicy.ENC_PLY_IDX as ENC8_23_0, AgtAgentRegisterPolicy.PRO_PLY_IDX as PRO9_23_0, AgtAgentRegisterPolicy.REG_DATE as REG10_23_0 from AGT_AGENT_REGISTER_POLICY AgtAgentRegisterPolicy where ENC_PLY_IDX=? and ACTIVE=?	0	6	2	4	0.00	
select agtlicense0_LIC_KEY_IDX as LIC1_59_0, agtlicense0_ACTIVE as ACTIVE59_0, agtlicense0_ACT_FAL_CAU_IDX as ACT3_59_0, agtlicense0_PARENT_IDX as PARENT4_59_0, agtlicense0_ACT_FAL_ID as ACT5_59_0, agtlicense0_LIC_IDX as LIC6_59_0, agtlicense0_USR_IDX as USR7_59_0, agtlicense0_STATUS as STATUS59_0, agtlicense0_BEFORE_STATUS as BEFORE59_59_0, agtlicense0_LIC_KEY as LIC10_59_0, agtlicense0_TEMP_LIC_KEY as TEMP11_59_0, agtlicense0_STA_0_SND_MAIL_CNT as STA12_59_0, agtlicense0_STA_2_SND_MAIL_CNT as STA13_59_0, agtlicense0_IS_UPDATE as IS14_59_0, agtlicense0_IS_DELETE as IS15_59_0, agtlicense0_IS_PUBLIC as IS16_59_0, agtlicense0_IS_DELETE_SHOW as IS17_59_0, agtlicense0_STATUS_0_SND_MAIL_REG_DATE as STATUS18_59_0, agtlicense0_USR_IDX_REG_DATE as USR19_59_0, agtlicense0_DELETE_REG_DATE as DELETE20_59_0, agtlicense0_UPDATE_REG_DATE as UPDATE21_59_0, agtlicense0_REG_ADMIN_IDX as REG22_59_0, agtlicense0_DEL_ADMIN_IDX as DEL23_59_0, agtlicense0_ENC_D...	0	26	0	1	0	0.00
select this_COM_IDX as COM1_3046_0, this_SITE_IDX as SITE2_3046_0, this_BIZ_TYPE as BIZ3_3046_0, this_BUS_IDX as BUS4_3046_0, this_REGI_NUMBER as REGI5_3046_0, this_REGI_NUMBER as REGI6_3046_0, this_BUSS_COND1 as BUS7_3046_0, this_BUSS_COND2 as BUS8_3046_0, this_LIC_IDX as LIC9_3046_0, this_NAME as NAME3046_0, this_TEL as TEL10_3046_0, this_FAX as FAX3046_0, this_REG_ID as REG13_3046_0, this_REG_PHONE as REG14_3046_0, this_REG_EMAIL as REG15_3046_0, this_REG_NAME as REG16_3046_0, this_REG_BUSI as REG17_3046_0, this_EMP_NUMBER as EMP18_3046_0, this_BOSS_NAME as BOSS19_3046_0, this_ASS_PC_NUM as ASS20_3046_0, this_ASS_NOT_BOO_NUM as ASS21_3046_0, this_ASS_WIN_SER_NUM as ASS22_3046_0, this_TOT_ASS_NUM as TOT23_3046_0, this_HOME_PAGE as HOMEPAGE3046_0, this_ADDRESS as ADDRESS3046_0, this_ADDRESS2 as ADDRESS26_3046_0, this_ZIP_CODE as ZIP27_3046_0, this_LOGO as LOGO3046_0, this_LOGO_PATH as LOGO29_3046_0, this_LOGO_FILE as LOGO30_3046_0 ...	0	10	0	1	0	0.00
insert into AGT_HDD_LOG_LATELY (USR_IDX, LIC_KEY_IDX, START_HDD_LOG_IDX, END_HDD_LOG_IDX, CURR_DATE, REG_DATE) values (?, ?, ?, ?, ?)	0	10	0	1	0	0.00
select this_TRAN_CODE_IDX as TRAN1_0_0, this_ID as ID0_0, this_CLS_NAME as CLS3_0_0, this_REQ_SRC as REQ4_0_0, this_DESCRIPTION as DESCRIP5_0_0, this_REG_DATE as REG6_0_0 from CTL_TRAN_CODE this	0	2	2	3	0	0.00
/* BATCH */ update AGT_USER_INSTALL set USR_IDX=?, INSTALL_USR_IDX=?, LIC_KEY=?, LIC_KEY_IDX=?, PCID=?, DEMO=?, CONNECT_TIME=?, INSTALL_TIME=?, IP=?, MAC=?, OS=?, PCNAME=?, VERSION_INFO=?, STATUS=?, PLY_NAME=?, PROGRESS=?, CHG_TYPE=? where INS_USR_IDX=?	0	6	0	1	0	0.00
select AgtVaccineLogLately.VAC_LOG_LAT_IDX as VAC1_113_0, AgtVaccineLogLately.USR_IDX as USR2_113_0, AgtVaccineLogLately.LIC_KEY_IDX as LIC3_113_0, AgtVaccineLogLately.COUNT as COUNT113_0, AgtVaccineLogLately.START_VAC_LOG_IDX as START5_113_0, AgtVaccineLogLately.END_VAC_LOG_IDX as END6_113_0, AgtVaccineLogLately.CURR_DATE as CURR7_113_0, AgtVaccineLogLately.REG_DATE as REG8_113_0 from AGT_VACCINE_LOG_LATELY AgtVaccineLogLately where USR_IDX=? AND LIC_KEY_IDX=?	0	6	0	2	0	0.00
select AgtFileEncryptLog.FIL_ENC_LOG_IDX as FIL1_88_0, AgtFileEncryptLog.ID as ID88_0, AgtFileEncryptLog.PCID as PCID88_0, AgtFileEncryptLog.MAC as MAC88_0, AgtFileEncryptLog.PCNAME as PCNAME88_0, AgtFileEncryptLog.PAR_NAME as PAR6_88_0, AgtFileEncryptLog.PLY_NAME as PLY7_88_0, AgtFileEncryptLog.OS as OS88_0, AgtFileEncryptLog.IP as IP88_0, AgtFileEncryptLog.LIC_KEY as LIC10_88_0, AgtFileEncryptLog.USR_NAME as USR11_88_0, AgtFileEncryptLog.FIL_NAME as FIL12_88_0, AgtFileEncryptLog.FULL_PATH as FULL13_88_0, AgtFileEncryptLog.PRO_FULL_PATH as PRO14_88_0, AgtFileEncryptLog.EVENT as EVENT88_0, AgtFileEncryptLog.FIL_HASH_KEY as FIL16_88_0, AgtFileEncryptLog.FIL_ENC_KEY as FIL17_88_0, AgtFileEncryptLog.ENC_SUCCESS as ENC18_88_0, AgtFileEncryptLog.PAT_NAME as PAT19_88_0, AgtFileEncryptLog.PAT_OCC_CNT as PAT20_88_0, AgtFileEncryptLog.PAT_CHK_CNT as PAT21_88_0, AgtFileEncryptLog.KEYWORD as KEYWORD88_0, AgtFileEncryptLog.KWD_OCC_CNT as KWD23_88_0, AgtFileEncryptLog.KWD_CHK...	0	4	1	0	0	0.00
select agtvaccine0_VAC_LOG_IDX as VAC1_82_0, agtvaccine0_ID as ID82_0, agtvaccine0_PCID as PCID82_0, agtvaccine0_MAC as MAC82_0, agtvaccine0_PCNAME as PCNAME82_0, agtvaccine0_PAR_NAME as PAR6_82_0, agtvaccine0_PLY_NAME as PLY7_82_0, agtvaccine0_OS as OS82_0, agtvaccine0_IP as IP82_0, agtvaccine0_LIC_KEY as LIC10_82_0, agtvaccine0_USR_NAME as USR11_82_0, agtvaccine0_NAME as NAME82_0, agtvaccine0_INSTALL as INSTALL82_0, agtvaccine0_RUN as RUN82_0, agtvaccine0_LAST_UPDATE as LAST15_82_0, agtvaccine0_REAL_TIME_MONITOR as REAL16_82_0, agtvaccine0_USR_IDX as USR17_82_0, agtvaccine0_GRP_IDX as GRP18_82_0, agtvaccine0_LIC_KEY_IDX as LIC19_82_0, agtvaccine0_CURR_DATE as CURR20_82_0, agtvaccine0_REG_DATE as REG21_82_0 from AGT_VACCINE_LOG agtvaccine0 where agtvaccine0_VAC_LOG_IDX=?	0	12	0	1	0	0.00
delete from AGT_HDD_LOG_LATELY where LIC_KEY_IDX=352	0	5	0	1	0	0.00
select this_PRT_CFG_IDX as PRT1_36_0, this_ACTIVE as ACTIVE36_0, this_S_FOLDERS as S3_36_0, this_P_FOLDERS as P4_36_0, this_S_PROCESSES as S5_36_0, this_P_PROCESSES as P6_36_0, this_REG_DATE as REG7_36_0 from AGT_PROTECT_CONFIG this	0	5	0	1	0	0.00
insert into AGT_VACCINE_LOG_LATELY (USR_IDX, LIC_KEY_IDX, COUNT, START_VAC_LOG_IDX, END_VAC_LOG_IDX, CURR_DATE, REG_DATE) values (?, ?, ?, ?, ?, ?)	0	6	0	1	0	0.00

Monitoring JavaMelody on /itcms_agent.officesafer.com - 1 day

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
select this._CONF_IDX as CONF1_2_0_, this._KEY as KEY2_2_0_, this._VALUE as VALUE2_0_, this._NAME as NAME2_0_, this._DESCRIPTION as DESCRIPT5_2_0_, this._REG_DATE as REG6_2_0_ from CTL_CONFIG this_	0	4	0	1	0	0.00
select AgtFileOccPatKwdLogLately.FIL_OCC_PAT_KWD_LOG_LAT_IDX as FIL1_114_0_, AgtFileOccPatKwdLogLately.USR_IDX as USR2_114_0_, AgtFileOccPatKwdLogLately.LIC_KEY_IDX as LIC3_114_0_, AgtFileOccPatKwdLogLately.START_FIL_OCC_PAT_KWD_LOG_IDX as START4_114_0_, AgtFileOccPatKwdLogLately.END_FIL_OCC_PAT_KWD_LOG_IDX as END5_114_0_, AgtFileOccPatKwdLogLately.CURR_DATE as CURR6_114_0_, AgtFileOccPatKwdLogLately.REG_DATE as REG7_114_0_ from AGT_FILE_OCC_PAT_KWD_LOG_LATELY AgtFileOccPatKwdLogLately where LIC_KEY_IDX=? order by REG_DATE desc LIMIT 1	0	2	1	1	0	0.00
select agtagentre0._AGE_REG_IDX as AGE1_22_0_, agtagentre0._NAME as NAME22_0_, agtagentre0._DESCRIPTION as DESCRIPT3_22_0_, agtagentre0._PROTECT_FOLDER as PROTECT4_22_0_, agtagentre0._WHITE_LIST as WHITE5_22_0_, agtagentre0._BASED as BASED22_0_, agtagentre0._ACTIVE as ACTIVE22_0_, agtagentre0._ACT_FAL_CAU_IDX as ACT8_22_0_, agtagentre0._PARENT_IDX as PARENT9_22_0_, agtagentre0._ACT_FAL_ID as ACT10_22_0_, agtagentre0._PARENT as PARENT22_0_, agtagentre0._P_ACTIVE as P12_22_0_, agtagentre0._P_ACT_FAL_CAU_IDX as P13_22_0_, agtagentre0._REG_DATE as REG14_22_0_ from AGT_AGENT_REGISTER agtagentre0_ where agtagentre0._AGE_REG_IDX=?	0	3	0	1	0	0.00
select AgtFileOccPatKwdLogLately2.FIL_OCC_PAT_KWD_LOG_LAT_IDX as FIL1_115_0_, AgtFileOccPatKwdLogLately2.USR_IDX as USR2_115_0_, AgtFileOccPatKwdLogLately2.LIC_KEY_IDX as LIC3_115_0_, AgtFileOccPatKwdLogLately2.START_FIL_OCC_PAT_KWD_LOG_IDX as START4_115_0_, AgtFileOccPatKwdLogLately2.END_FIL_OCC_PAT_KWD_LOG_IDX as END5_115_0_, AgtFileOccPatKwdLogLately2.CURR_DATE as CURR6_115_0_, AgtFileOccPatKwdLogLately2.REG_DATE as REG7_115_0_ from AGT_FILE_OCC_PAT_KWD_LOG_LATELY2 AgtFileOccPatKwdLogLately2 where USR_IDX=? and LIC_KEY_IDX=? order by REG_DATE desc LIMIT 1	0	3	0	0	0	0.00
insert into AGT_FILE_OCC_PAT_KWD_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FIL_NAME, FULL_PATH, FIL_HASH_KEY, FIL_ENC_KEY, ENC_SUCCESS, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, USR_IDX, GRP_IDX, LIC_KEY_IDX, PLY_IDX, FIL_OCC_PAT_KWD_LOG_LAT_IDX, PAT_ID, CHG_TYPE, MAS_NAME, AGT_EXIST, CURR_DATE, REG_DATE) values (?, ?)	0	2	1	1	1	0.00
delete from AGT_VACCINE_LOG_LATELY where LIC_KEY_IDX=9	0	2	1	1	0	0.00
select AgtFileEncryptLogLately.FIL_ENC_LOG_LAT_IDX as FIL1_109_0_, AgtFileEncryptLogLately.USR_IDX as USR2_109_0_, AgtFileEncryptLogLately.LIC_KEY_IDX as LIC3_109_0_, AgtFileEncryptLogLately.START_FIL_ENC_LOG_IDX as START4_109_0_, AgtFileEncryptLogLately.END_FIL_ENC_LOG_IDX as END5_109_0_, AgtFileEncryptLogLately.CURR_DATE as CURR6_109_0_, AgtFileEncryptLogLately.REG_DATE as REG7_109_0_ from AGT_FILE_ENCRYPT_LOG_LATELY AgtFileEncryptLogLately where LIC_KEY_IDX=? order by REG_DATE desc LIMIT 1	0	2	1	1	0	0.00
select MgtMetaAgtProtectFolder.PRO_FOL_IDX as PRO1_3080_0_, MgtMetaAgtProtectFolder.ACTIVE as ACTIVE3080_0_, MgtMetaAgtProtectFolder.ACT_FAL_CAU_IDX as ACT3_3080_0_, MgtMetaAgtProtectFolder.ACT_FAL_ID as ACT4_3080_0_, MgtMetaAgtProtectFolder.NAME as NAME3080_0_, MgtMetaAgtProtectFolder.FULL_PATH as FULL6_3080_0_, MgtMetaAgtProtectFolder.DESCRPTION as DESCRIPT7_3080_0_, MgtMetaAgtProtectFolder.REG_DATE as REG8_3080_0_ from MGT_META_AGT_PROTECT_FOLDER MgtMetaAgtProtectFolder where ACTIVE=true	0	1	1	1	0	0.00
select this._ERR_CODE_IDX as ERR1_1_0_, this._CODE as CODE1_0_, this._DESCRIPTION as DESCRIPT3_1_0_, this._DISP as DISP1_0_, this._REG_DATE as REG5_1_0_ from CTL_ERR_CODE this_	0	2	0	1	0	0.00
select AgtWhiteListPolicy.WHI_LIS_PLY_IDX as WHI1_21_0_, AgtWhiteListPolicy.WHI_LIS_IDX as WHI2_21_0_, AgtWhiteListPolicy.ACTIVE as ACTIVE21_0_, AgtWhiteListPolicy.ACT_FAL_CAU_IDX as ACT4_21_0_, AgtWhiteListPolicy.PARENT_IDX as PARENT5_21_0_, AgtWhiteListPolicy.ACT_FAL_ID as ACT6_21_0_, AgtWhiteListPolicy.GEN_PLY_IDX as GEN7_21_0_, AgtWhiteListPolicy.ENC_PLY_IDX as ENC8_21_0_, AgtWhiteListPolicy.PRO_PLY_IDX as PRO9_21_0_, AgtWhiteListPolicy.REG_DATE as REG10_21_0_ from AGT_WHITE_LIST_POLICY AgtWhiteListPolicy where ENC_PLY_IDX=? and ACTIVE=?	0	1	1	1	0	0.00
delete from AGT_VACCINE_LOG_LATELY where LIC_KEY_IDX=37	0	2	0	1	0	0.00
delete from AGT_HDD_LOG_LATELY where LIC_KEY_IDX=37	0	1	1	1	0	0.00
/ BATCH / update AGT_FILE_OCC_PAT_KWD_LOG set ID=?, PCID=?, MAC=?, PCNAME=?, PAR_NAME=?, PLY_NAME=?, OS=?, IP=?, LIC_KEY=?, USR_NAME=?, FIL_NAME=?, FULL_PATH=?, FIL_HASH_KEY=?, FIL_ENC_KEY=?, ENC_SUCCESS=?, PAT_NAME=?, PAT_OCC_CNT=?, PAT_CHK_CNT=?, KEYWORD=?, KWD_OCC_CNT=?, KWD_CHK_CNT=?, USR_IDX=?, GRP_IDX=?, LIC_KEY_IDX=?, PLY_IDX=?, FIL_OCC_PAT_KWD_LOG_LAT_IDX=?, PAT_ID=?, CHG_TYPE=?, MAS_NAME=?, AGT_EXIST=?, CURR_DATE=?, REG_DATE=? where FIL_OCC_PAT_KWD_LOG_IDX=?	0	2	0	0	0	0.00
select AgtFileEncryptLogLately2.FIL_ENC_LOG_LAT_IDX as FIL1_110_0_, AgtFileEncryptLogLately2.USR_IDX as USR2_110_0_, AgtFileEncryptLogLately2.LIC_KEY_IDX as LIC3_110_0_, AgtFileEncryptLogLately2.START_FIL_ENC_LOG_IDX as START4_110_0_, AgtFileEncryptLogLately2.END_FIL_ENC_LOG_IDX as END5_110_0_, AgtFileEncryptLogLately2.CURR_DATE as CURR6_110_0_, AgtFileEncryptLogLately2.REG_DATE as REG7_110_0_ from AGT_FILE_ENCRYPT_LOG_LATELY2 AgtFileEncryptLogLately2 where USR_IDX=? and LIC_KEY_IDX=? order by REG_DATE desc LIMIT 1	0	2	0	0	0	0.00
delete from AGT_HDD_LOG_LATELY where LIC_KEY_IDX=568	0	1	1	1	0	0.00
/ BATCH / update AGT_FILE_OCC_PAT_KWD_LOG_LATELY2 set USR_IDX=?, LIC_KEY_IDX=?, START_FIL_OCC_PAT_KWD_LOG_IDX=?, END_FIL_OCC_PAT_KWD_LOG_IDX=?, CURR_DATE=?, REG_DATE=? where FIL_OCC_PAT_KWD_LOG_LAT_IDX=?	0	2	0	0	0	0.00
delete from AGT_VACCINE_LOG_LATELY where LIC_KEY_IDX=352	0	2	0	1	0	0.00
select MgtMetaAgtWhiteList.WHI_LIS_IDX as WHI1_3078_0_, MgtMetaAgtWhiteList.ACTIVE as ACTIVE3078_0_, MgtMetaAgtWhiteList.ACT_FAL_CAU_IDX as ACT3_3078_0_, MgtMetaAgtWhiteList.ACT_FAL_ID as ACT4_3078_0_, MgtMetaAgtWhiteList.NAME as NAME3078_0_, MgtMetaAgtWhiteList.FULL_PATH as FULL6_3078_0_, MgtMetaAgtWhiteList.DESCRPTION as DESCRIPT7_3078_0_, MgtMetaAgtWhiteList.REG_DATE as REG8_3078_0_ from MGT_META_AGT_WHITE_LIST MgtMetaAgtWhiteList where ACTIVE=true	0	1	1	1	0	0.00
delete from AGT_HDD_LOG_LATELY where LIC_KEY_IDX=390	0	1	1	1	0	0.00
select AgtProtectFolderPolicy.PRO_FOL_PLY_IDX as PRO1_25_0_, AgtProtectFolderPolicy.PRO_FOL_IDX as PRO2_25_0_, AgtProtectFolderPolicy.ACTIVE as ACTIVE25_0_, AgtProtectFolderPolicy.ACT_FAL_CAU_IDX as ACT4_25_0_, AgtProtectFolderPolicy.PARENT_IDX as PARENT5_25_0_, AgtProtectFolderPolicy.ACT_FAL_ID as ACT6_25_0_, AgtProtectFolderPolicy.GEN_PLY_IDX as GEN7_25_0_, AgtProtectFolderPolicy.ENC_PLY_IDX as ENC8_25_0_, AgtProtectFolderPolicy.PRO_PLY_IDX as PRO9_25_0_, AgtProtectFolderPolicy.REG_DATE as REG10_25_0_ from AGT_PROTECT_FOLDER_POLICY AgtProtectFolderPolicy where ENC_PLY_IDX=? and ACTIVE=?	0	1	1	1	0	0.00
delete from AGT_PUBLIC_FOLDER_LOG_LATELY where LIC_KEY_IDX=483	0	1	1	1	0	0.00
insert into AGT_PUBLIC_FOLDER_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, PATH, NAME, IS_ENC, USR_IDX, GRP_IDX, LIC_KEY_IDX, CURR_DATE, REG_DATE) values (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)	0	1	0	0	0	0.00
delete from AGT_HDD_LOG_LATELY where LIC_KEY_IDX=621	0	1	0	0	0	0.00
insert into AGT_PUBLIC_FOLDER_LOG_LATELY (USR_IDX, LIC_KEY_IDX, COUNT, START_PUB_FOL_LOG_IDX, END_PUB_FOL_LOG_IDX, CURR_DATE, REG_DATE) values (?, ?, ?, ?, ?, ?)	0	1	0	0	0	0.00
/ BATCH / update AGT_FILE_OCC_PAT_KWD_LOG_LATELY set USR_IDX=?, LIC_KEY_IDX=?, START_FIL_OCC_PAT_KWD_LOG_IDX=?, END_FIL_OCC_PAT_KWD_LOG_IDX=?, CURR_DATE=?, REG_DATE=? where FIL_OCC_PAT_KWD_LOG_LAT_IDX=?	0	3	0	0	0	0.00
delete from AGT_HDD_LOG_LATELY where LIC_KEY_IDX=52	0	1	0	0	0	0.00

71 hits/min on 84 requests

⚠ Detailed statistics http system errors - 1 day

None

⚠ Last http system errors - 1 day

None

🔍 Detailed statistics system errors logs - 1 day

Error	Hits
ERROR [com.dsntech.itcms.service.ServiceTr143182] agtPrintLog.getLicKey() --> 0439-A005-688KG08G-W6L1CC	4,200
ERROR [com.dsntech.itcms.service.ServiceTr119711] --- ServiceTr119711 end --0852-P005-71I3H11-6J7U2X 00000 211.104.172.36	52
ERROR [com.dsntech.itcms.service.ServiceTr119711] --- ServiceTr119711 end --0731-P018-24484C54-82FQC3 00000 118.219.224.249	45
ERROR [com.dsntech.itcms.service.ServiceTr143182] licKey->0439-A005-688KG08G-W6L1CC	28
ERROR [com.dsntech.itcms.service.ServiceTr100002] --- ServiceTr100002 end --416	24
ERROR [com.dsntech.itcms.service.ServiceTr143182] --- ServiceTr143182 end --0439-A005-688KG08G-W6L1CC	14

Monitoring JavaMelody on /itcms_agent.officesafer.com - 1 day

Error	Hits
ERROR [com.dsntech.itcms.service.ServiceTr143182] putLoggingInfo agtPrintLog.getLicKey()->0439-A005-688K0G8G-W6L1CC jsonHandler.getTrid()->143182	14
ERROR [com.dsntech.itcms.service.ServiceTr100003] --- ServiceTr100003 end ---416 00000 36.39.121.66	11
ERROR [com.dsntech.itcms.service.ServiceTr133076] --- ServiceTr133076 end ---416	10
ERROR [com.dsntech.itcms.service.ServiceTr143182] agtPrintLog.getLicKey() --> 0552-A005-74484IH5-66Z4GB	9
ERROR [com.dsntech.itcms.service.ServiceTr100002] --- ServiceTr100002 end ---731	9
ERROR [com.dsntech.itcms.service.ServiceTr110013] -- ServiceTr110013 end --0533-P037-47707E77-WDRINU	7
ERROR [com.dsntech.itcms.service.ServiceTr143972] newAgtHddLog.getLicKey() --> 0416-A150-8559L5I-U1BLWR	7
ERROR [com.dsntech.itcms.service.ServiceTr133025] --- ServiceTr133025 end ---416	7
ERROR [com.dsntech.itcms.service.ServiceTr143182] agtPrintLog.getLicKey() --> 0720-P003-01B1ADB1-UA6LF	6
ERROR [com.dsntech.itcms.service.ServiceTr100003] --- ServiceTr100003 end ---731 00000 118.219.224.249	6
ERROR [com.dsntech.itcms.service.ServiceTr148022] putLoggingInfo agtFileOccPatKwdLog.getLicKey()->0416-P119-50440G10-0P2279 jsonHandler.getTrid()->148022	6
ERROR [com.dsntech.itcms.service.ServiceTr100002] --- ServiceTr100002 end ---408	6
ERROR [com.dsntech.itcms.service.ServiceTr119711] end ---0416-B114-6771GJ7G-Y8YFVJ 00000 36.39.121.66	5
ERROR [com.dsntech.itcms.service.ServiceTr130001] --- ServiceTr130001 end ---416 00000	5
ERROR [com.dsntech.itcms.service.ServiceTr119711] --- ServiceTr119711 end ---0416-A135-3337DG3D-FPO3PF 00000 36.39.121.66	5
ERROR [com.dsntech.itcms.service.ServiceTr143182] putLoggingInfo agtPrintLog.getLicKey()->0416-P046-2660CF6C-VYWOZ5 jsonHandler.getTrid()->143182	5
ERROR [com.dsntech.itcms.service.ServiceTr143972] newAgtHddLog.getLicKey() --> 0416-P006-6115GJ1G-DLHQC8	5
ERROR [com.dsntech.itcms.service.ServiceTr143182] --- ServiceTr143182 end ---0645-P011-34ED44EF-UD0MSQ	5
ERROR [com.dsntech.itcms.service.ServiceTr143182] agtPrintLog.getLicKey() --> 0645-P011-34ED44EF-UD0MSQ	5
ERROR [com.dsntech.itcms.service.ServiceTr143182] agtPrintLog.getLicKey() --> 0416-P092-21551D21-MQKW24	5
ERROR [com.dsntech.itcms.service.ServiceTr100002] --- ServiceTr100002 end ---857	5
ERROR [com.dsntech.itcms.service.ServiceTr143182] putLoggingInfo agtPrintLog.getLicKey()->0720-P003-01B1ADB1-UA6LF jsonHandler.getTrid()->143182	4
ERROR [com.dsntech.itcms.service.ServiceTr148022] agtFileOccPatKwdLog.getLicKey() --> 0720-P004-13C3BEC3-8W2CLT	4
ERROR [com.dsntech.itcms.service.ServiceTr148022] putLoggingInfo agtFileOccPatKwdLog.getLicKey()->0720-P005-40F0EHF0-TMTR3U jsonHandler.getTrid()->148022	4
ERROR [com.dsntech.itcms.service.ServiceTr133111] --- ServiceTr133111 end ---416	4
ERROR [com.dsntech.itcms.service.ServiceTr143182] agtPrintLog.getLicKey() --> 0416-P111-77117I87-1Sj6O9	4
ERROR [com.dsntech.itcms.service.ServiceTr100003] --- ServiceTr100003 end ---403 00000 119.65.101.104	4
ERROR [com.dsntech.itcms.service.ServiceTr143182] --- ServiceTr143182 end ---0857-P002-07B97B8A-H3NQCA	4
ERROR [com.dsntech.itcms.service.ServiceTr148022] --- ServiceTr148022 end ---0720-P012-62H2GJH2-TTSZVJ	4
ERROR [com.dsntech.itcms.service.ServiceTr143182] agtPrintLog.getLicKey() --> 0857-P002-07B97B8A-H3NQCA	4
ERROR [com.dsntech.itcms.service.ServiceTr143182] putLoggingInfo agtPrintLog.getLicKey()->0731-P006-34484D54-UWWB18 jsonHandler.getTrid()->143182	4
ERROR [com.dsntech.itcms.service.ServiceTr143172] agtAuthLog.getLicKey() --> 0857-P009-37E97E8D-NMVXVK	4
ERROR [com.dsntech.itcms.service.ServiceTr148062] putLoggingInfo agtFileOccPatKwdDeleteLog.getLicKey()->0416-P057-85995J65-ZU1IGR jsonHandler.getTrid()->148062	3
ERROR [com.dsntech.itcms.service.ServiceTr100002] --- ServiceTr100002 end ---404	3
ERROR [com.dsntech.itcms.service.ServiceTr148062] agtFileOccPatKwdDeleteLog.getLicKey() --> 0416-A054-8448L4I-662U13	3
ERROR [com.dsntech.itcms.service.ServiceTr143312] agtPublicFolderLog.getLicKey() --> 0175-D001-166F6B67-T5R7PW	3
ERROR [com.dsntech.itcms.service.ServiceTr100002] --- ServiceTr100002 end ---426	3
ERROR [com.dsntech.itcms.service.ServiceTr119711] --- ServiceTr119711 end ---0416-P006-6115GJ1G-DLHQC8 00000 36.39.121.66	3
ERROR [com.dsntech.itcms.service.ServiceTr130002] --- ServiceTr130002 end ---416	3
ERROR [com.dsntech.itcms.service.ServiceTr143962] agtFileEncryptDeleteLog.getLicKey() --> 0552-A002-333733E4-57ECQ2	3
ERROR [com.dsntech.itcms.service.ServiceTr143182] --- ServiceTr143182 end ---0552-A002-333733E4-57ECQ2	3
ERROR [com.dsntech.itcms.service.ServiceTr143972] newAgtHddLog.getLicKey() --> 0416-A135-3337DG3D-FPO3PF	3
ERROR [com.dsntech.itcms.service.ServiceTr130002] --- ServiceTr130002 end ---533	3
ERROR [com.dsntech.itcms.service.ServiceTr143182] org.springframework.dao.DataIntegrityViolationException: Hibernate operation: could not insert: [com.dsntech.itcms.domain.AgtPrintLog]; SQL [insert into AGT_PRINT_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FULL_PATH, FILE_NAME, PAGES, COPY_CNT, PRT_NAME, TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, PAT_ID, CURR_DATE, REG_DATE) values (?, ?)]; (conn=30822918) Incorrect string value: 'x'F0x9FxB8x8B8 xEC...' for column 'FILE_NAME' at row 1; nested exception is java.sql.SQLException: (conn=30822918) Incorrect string value: 'x'F0x9FxB8x8B8 xEC...' for column 'FILE_NAME' at row 1	3
ERROR [com.dsntech.itcms.service.ServiceTr143182] agtPrintLog.getLicKey() --> 0720-P004-13C3BEC3-8W2CLT	3
ERROR [com.dsntech.itcms.service.ServiceTr143182] org.springframework.dao.DataIntegrityViolationException: Hibernate operation: could not insert: [com.dsntech.itcms.domain.AgtPrintLog]; SQL [insert into AGT_PRINT_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FULL_PATH, FILE_NAME, PAGES, COPY_CNT, PRT_NAME, TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, PAT_ID, CURR_DATE, REG_DATE) values (?, ?)]; (conn=30819326) Incorrect string value: 'x'F0x9FxB8x8B8 xEC...' for column 'FILE_NAME' at row 1; nested exception is java.sql.SQLException: (conn=30819326) Incorrect string value: 'x'F0x9FxB8x8B8 xEC...' for column 'FILE_NAME' at row 1	3
ERROR [com.dsntech.itcms.service.ServiceTr148062] putLoggingInfo agtFileOccPatKwdDeleteLog.getLicKey()->0416-P119-50440G10-0P2279 jsonHandler.getTrid()->148062	3
ERROR [com.dsntech.itcms.service.ServiceTr143972] --- ServiceTr143972 end ---0416-P067-8337IL3I-UWCCGC	3
ERROR [com.dsntech.itcms.service.ServiceTr143072] agtVaccineLog.getLicKey() --> 0416-P089-7226HK2H-K2BQ7V	3
ERROR [com.dsntech.itcms.service.ServiceTr143182] putLoggingInfo agtPrintLog.getLicKey()->0416-P110-58228G98-JIKCKY jsonHandler.getTrid()->143182	3
ERROR [com.dsntech.itcms.service.ServiceTr143182] putLoggingInfo agtPrintLog.getLicKey()->0857-P005-25D75D6C-8RF079 jsonHandler.getTrid()->143182	3
ERROR [com.dsntech.itcms.service.ServiceTr143182] agtPrintLog.getLicKey() --> 0416-B038-3660DG6D-NWS63T	3
ERROR [com.dsntech.itcms.service.ServiceTr143182] --- ServiceTr143182 end ---0720-P004-13C3BEC3-8W2CLT	3
ERROR [com.dsntech.itcms.service.ServiceTr143962] putLoggingInfo agtFileEncryptDeleteLog.getLicKey()->0416-A144-2448CF4C-6T4M07 jsonHandler.getTrid()->143962	3
ERROR [com.dsntech.itcms.service.ServiceTr143072] putLoggingInfo agtVaccineLog.getLicKey()->0416-A135-3337DG3D-FPO3PF jsonHandler.getTrid()->143072	3
ERROR [com.dsntech.itcms.service.ServiceTr119711] --- ServiceTr119711 end ---0416-P089-7226HK2H-K2BQ7V 00000 36.39.121.66	2
ERROR [com.dsntech.itcms.service.ServiceTr100003] --- ServiceTr100003 end ---750 00000 106.240.71.194	2
ERROR [com.dsntech.itcms.service.ServiceTr143072] --- ServiceTr143072 end ---0416-P006-6115GJ1G-DLHQC8 00000	2
ERROR [com.dsntech.itcms.service.ServiceTr143172] putLoggingInfo agtAuthLog.getLicKey()->0857-P009-37E97E8D-NMVXVK jsonHandler.getTrid()->143172	2
ERROR [com.dsntech.itcms.service.ServiceTr100003] --- ServiceTr100003 end ---175 00000 221.164.29.134	2
ERROR [com.dsntech.itcms.service.ServiceTr143182] --- ServiceTr143182 end ---0498-A005-0447AEBB-G4R8CP	2
ERROR [com.dsntech.itcms.service.ServiceTr143072] putLoggingInfo agtVaccineLog.getLicKey()->0857-P009-37E97E8D-NMVXVK jsonHandler.getTrid()->143072	2
ERROR [com.dsntech.itcms.service.ServiceTr100002] --- ServiceTr100002 end ---720	2
ERROR [com.dsntech.itcms.service.ServiceTr148062] agtFileOccPatKwdDeleteLog.getLicKey() --> 0416-P012-2559CF5C-QYJX41	2
ERROR [com.dsntech.itcms.service.ServiceTr143182] agtPrintLog.getLicKey() --> 0720-P002-24D4CFD4-NU9U48	2
ERROR [com.dsntech.itcms.service.ServiceTr100002] --- ServiceTr100002 end ---403	2
ERROR [com.dsntech.itcms.service.ServiceTr100002] --- ServiceTr100002 end ---533	2
ERROR [com.dsntech.itcms.service.ServiceTr143182] --- ServiceTr143182 end ---0541-P007-04484A6-G3HDGE	2
ERROR [com.dsntech.itcms.service.ServiceTr143182] agtPrintLog.getLicKey() --> 0175-B003-633K3G34-RVO4SO	2
ERROR [com.dsntech.itcms.service.ServiceTr110013] -- ServiceTr110013 end --0857-P009-37E97E8D-NMVXVK	2
ERROR [com.dsntech.itcms.service.ServiceTr100003] --- ServiceTr100003 end ---739 00000 211.196.223.42	2
ERROR [com.dsntech.itcms.service.ServiceTr143972] newAgtHddLog.getLicKey() --> 0857-P020-66H86H7G-N3MF0D	2
ERROR [com.dsntech.itcms.service.ServiceTr148062] --- ServiceTr148062 end ---0720-P005-40F0EHF0-TMTR3U 00000	2
ERROR [com.dsntech.itcms.service.ServiceTr143972] putLoggingInfo newAgtHddLog.getLicKey()->0857-P020-66H86H7G-N3MF0D jsonHandler.getTrid()->143972	2

Monitoring JavaMelody on /itcms_agent.officesafer.com - 1 day

Error	Hits
ERROR [com.dsntech.itcms.service.ServiceTr143182] --- ServiceTr143182 end --0857-P008-31E3E2D-1VRY7T	2
ERROR [com.dsntech.itcms.service.ServiceTr143182] putLoggingInfo agtPrintLog.getLicKey()->0416-A080-5771F17F-KSBYRH jsonHandler.getTrid()->143182	2
ERROR [com.dsntech.itcms.service.ServiceTr100002] --- ServiceTr100002 end --739	2
ERROR [com.dsntech.itcms.service.ServiceTr110013] -- ServiceTr110013 end --0416-P093-41551F21-JUEGBLW	2
ERROR [com.dsntech.itcms.service.ServiceTr143072] --- ServiceTr143072 end --0857-P009-37E97E8D-NMVXVK 00000	2
ERROR [com.dsntech.itcms.service.ServiceTr143172] agtAuthLog.getLicKey() --> 0416-P073-42662F32-KUD1WU	2
ERROR [com.dsntech.itcms.service.ServiceTr143072] agtVaccineLog.getLicKey() --> 0416-P060-07117B87-T3G1F5	2
ERROR [com.dsntech.itcms.service.ServiceTr148062] agtFileOccPatKwdDeleteLog.getLicKey() --> 0720-A009-48F8EHFH-AUWPNL	2
ERROR [com.dsntech.itcms.service.ServiceTr143182] agtPrintLog.getLicKey() --> 0857-P008-31E3E2D-1VRY7T	2
ERROR [com.dsntech.itcms.service.ServiceTr143072] putLoggingInfo agtVaccineLog.getLicKey()->0416-P006-6115GJ1G-DLHQ8C jsonHandler.getTrid()->143072	2
ERROR [com.dsntech.itcms.service.ServiceTr133076] --- ServiceTr133076 end --533	2
ERROR [com.dsntech.itcms.service.ServiceTr143962] --- ServiceTr143962 end --0552-A002-333733E4-57ECQ2 00000	2
ERROR [com.dsntech.itcms.service.ServiceTr143182] agtPrintLog.getLicKey() --> 0416-A080-5771F17F-KSBYRH	2
ERROR [com.dsntech.itcms.service.ServiceTr143182] agtPrintLog.getLicKey() --> 0739-P006-26606D60-TV68EP	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] org.springframework.dao.DataIntegrityViolationException: Hibernate operation: could not insert: [com.dsntech.itcms.domain.AgtPrintLog]: SQL [insert into AGT_PRINT_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FULL_PATH, FILE_NAME, PAGES, COPY_CNT, PRT_NAME, TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, PAT_ID, CURR_DATE, REG_DATE) values (?, ?)]: (conn=30818431) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1; nested exception is java.sql.SQLException: (conn=30818431) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] org.springframework.dao.DataIntegrityViolationException: Hibernate operation: could not insert: [com.dsntech.itcms.domain.AgtPrintLog]: SQL [insert into AGT_PRINT_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FULL_PATH, FILE_NAME, PAGES, COPY_CNT, PRT_NAME, TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, PAT_ID, CURR_DATE, REG_DATE) values (?, ?)]: (conn=30823147) Incorrect string value: 'xF0x9FwX8Dx8AxEB...' for column 'FILE_NAME' at row 1; nested exception is java.sql.SQLException: (conn=30823147) Incorrect string value: 'xF0x9FwX8Dx8AxEB...' for column 'FILE_NAME' at row 1	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] org.springframework.dao.DataIntegrityViolationException: Hibernate operation: could not insert: [com.dsntech.itcms.domain.AgtPrintLog]: SQL [insert into AGT_PRINT_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FULL_PATH, FILE_NAME, PAGES, COPY_CNT, PRT_NAME, TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, PAT_ID, CURR_DATE, REG_DATE) values (?, ?)]: (conn=30810567) Incorrect string value: 'xF0x9FwX4x8Dx8AxEB...' for column 'FILE_NAME' at row 1; nested exception is java.sql.SQLException: (conn=30810567) Incorrect string value: 'xF0x9FwX4x8Dx8AxEB...' for column 'FILE_NAME' at row 1	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] org.springframework.dao.DataIntegrityViolationException: Hibernate operation: could not insert: [com.dsntech.itcms.domain.AgtPrintLog]: SQL [insert into AGT_PRINT_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FULL_PATH, FILE_NAME, PAGES, COPY_CNT, PRT_NAME, TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, PAT_ID, CURR_DATE, REG_DATE) values (?, ?)]: (conn=30820370) Incorrect string value: 'xF0x9FwX8Dx8AxEB...' for column 'FILE_NAME' at row 1; nested exception is java.sql.SQLException: (conn=30820370) Incorrect string value: 'xF0x9FwX8Dx8AxEB...' for column 'FILE_NAME' at row 1	1
ERROR [com.dsntech.itcms.service.ServiceTr148062] --- ServiceTr148062 end --0857-P002-07B7B8A-H3NQCA 00000	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] putLoggingInfo agtPrintLog.getLicKey()->0416-A099-4004EH0E-R64X8Y jsonHandler.getTrid()->143182	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] org.springframework.dao.DataIntegrityViolationException: Hibernate operation: could not insert: [com.dsntech.itcms.domain.AgtPrintLog]: SQL [insert into AGT_PRINT_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FULL_PATH, FILE_NAME, PAGES, COPY_CNT, PRT_NAME, TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, PAT_ID, CURR_DATE, REG_DATE) values (?, ?)]: (conn=30810230) Incorrect string value: 'xF0x9FwX8Dx8AxEB...' for column 'FILE_NAME' at row 1; nested exception is java.sql.SQLException: (conn=30810230) Incorrect string value: 'xF0x9FwX8Dx8AxEB...' for column 'FILE_NAME' at row 1	1
ERROR [com.dsntech.itcms.service.ServiceTr143962] agtFileEncryptDeleteLog.getLicKey() --> 0416-A080-5771F17F-KSBYRH	1
ERROR [com.dsntech.itcms.service.ServiceTr119712] --- ServiceTr119712 end --0416-P023-4337EH3E-A74PV7	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] org.springframework.dao.DataIntegrityViolationException: Hibernate operation: could not insert: [com.dsntech.itcms.domain.AgtPrintLog]: SQL [insert into AGT_PRINT_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FULL_PATH, FILE_NAME, PAGES, COPY_CNT, PRT_NAME, TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, PAT_ID, CURR_DATE, REG_DATE) values (?, ?)]: (conn=30821411) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1; nested exception is java.sql.SQLException: (conn=30821411) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1	1
ERROR [com.dsntech.itcms.service.ServiceTr148022] agtFileOccPatKwdLog.getLicKey() --> 0416-P095-53773G43-2SSJYM	1
ERROR [com.dsntech.itcms.service.ServiceTr148022] agtFileOccPatKwdLog.getLicKey() --> 0498-A006-722LHLII-KQYMYZ	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] agtPrintLog.getLicKey() --> 0416-P012-2559CF5C-QYJX41	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] org.springframework.dao.DataIntegrityViolationException: Hibernate operation: could not insert: [com.dsntech.itcms.domain.AgtPrintLog]: SQL [insert into AGT_PRINT_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FULL_PATH, FILE_NAME, PAGES, COPY_CNT, PRT_NAME, TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, PAT_ID, CURR_DATE, REG_DATE) values (?, ?)]: (conn=30836172) Incorrect string value: 'xF0x9FwX8Dx8AxEB...' for column 'FILE_NAME' at row 1; nested exception is java.sql.SQLException: (conn=30836172) Incorrect string value: 'xF0x9FwX8Dx8AxEB...' for column 'FILE_NAME' at row 1	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] org.springframework.dao.DataIntegrityViolationException: Hibernate operation: could not insert: [com.dsntech.itcms.domain.AgtPrintLog]: SQL [insert into AGT_PRINT_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FULL_PATH, FILE_NAME, PAGES, COPY_CNT, PRT_NAME, TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, PAT_ID, CURR_DATE, REG_DATE) values (?, ?)]: (conn=30836242) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1; nested exception is java.sql.SQLException: (conn=30836242) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1	1
ERROR [com.dsntech.itcms.service.ServiceTr148022] putLoggingInfo agtFileOccPatKwdLog.getLicKey()->0416-P095-53773G43-2SSJYM jsonHandler.getTrid()->148022	1
ERROR [com.dsntech.itcms.service.ServiceTr100002] --- ServiceTr100002 end --191	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] org.springframework.dao.DataIntegrityViolationException: Hibernate operation: could not insert: [com.dsntech.itcms.domain.AgtPrintLog]: SQL [insert into AGT_PRINT_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FULL_PATH, FILE_NAME, PAGES, COPY_CNT, PRT_NAME, TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, PAT_ID, CURR_DATE, REG_DATE) values (?, ?)]: (conn=30824612) Incorrect string value: 'xF0x9FwX8Dx8AxEB...' for column 'FILE_NAME' at row 1; nested exception is java.sql.SQLException: (conn=30824612) Incorrect string value: 'xF0x9FwX8Dx8AxEB...' for column 'FILE_NAME' at row 1	1
ERROR [com.dsntech.itcms.service.ServiceTr148062] putLoggingInfo agtFileOccPatKwdDeleteLog.getLicKey()->0720-P004-13C3BEC3-8W2CLT jsonHandler.getTrid()->148062	1
ERROR [com.dsntech.itcms.service.ServiceTr147021] --- ServiceTr150021 end --796	1
ERROR [com.dsntech.itcms.service.ServiceTr143312] putLoggingInfo agtPublicFolderLog.getLicKey()->0416-A054-8448IL4I-662U13 jsonHandler.getTrid()->143312	1
ERROR [com.dsntech.itcms.service.ServiceTr143972] --- ServiceTr143972 end --0416-P088-25995D65-UZ7SD4	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] org.springframework.dao.DataIntegrityViolationException: Hibernate operation: could not insert: [com.dsntech.itcms.domain.AgtPrintLog]: SQL [insert into AGT_PRINT_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FULL_PATH, FILE_NAME, PAGES, COPY_CNT, PRT_NAME, TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, PAT_ID, CURR_DATE, REG_DATE) values (?, ?)]: (conn=30836317) Incorrect string value: 'xF0x9FwX8Dx8AxEB...' for column 'FILE_NAME' at row 1; nested exception is java.sql.SQLException: (conn=30836317) Incorrect string value: 'xF0x9FwX8Dx8AxEB...' for column 'FILE_NAME' at row 1	1
ERROR [com.dsntech.itcms.service.ServiceTr143972] --- ServiceTr143972 end --0857-P008-31E3E2D-1VRY7T	1
ERROR [com.dsntech.itcms.service.ServiceTr143972] newAgtHddLog.getLicKey() --> 0416-P060-07117B87-T3G1F5	1
ERROR [com.dsntech.itcms.service.ServiceTr148062] putLoggingInfo agtFileOccPatKwdDeleteLog.getLicKey()->0796-P007-53G6F5GJ-8LIYOG jsonHandler.getTrid()->148062	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] org.springframework.dao.DataIntegrityViolationException: Hibernate operation: could not insert: [com.dsntech.itcms.domain.AgtPrintLog]: SQL [insert into AGT_PRINT_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FULL_PATH, FILE_NAME, PAGES, COPY_CNT, PRT_NAME, TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, PAT_ID, CURR_DATE, REG_DATE) values (?, ?)]: (conn=30819326) Incorrect string value: 'xF0x9FwX4x8Dx8AxEB...' for column 'FILE_NAME' at row 1; nested exception is java.sql.SQLException: (conn=30819326) Incorrect string value: 'xF0x9FwX4x8Dx8AxEB...' for column 'FILE_NAME' at row 1	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] org.springframework.dao.DataIntegrityViolationException: Hibernate operation: could not insert: [com.dsntech.itcms.domain.AgtPrintLog]: SQL [insert into AGT_PRINT_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FULL_PATH, FILE_NAME, PAGES, COPY_CNT, PRT_NAME, TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, PAT_ID, CURR_DATE, REG_DATE) values (?, ?)]: (conn=3083080) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1; nested exception is java.sql.SQLException: (conn=3083080) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] agtPrintLog.getLicKey() --> 0416-P107-2448CF4C-O2D9Q5	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] agtPrintLog.getLicKey() --> 0416-A054-8448IL4I-662U13	1
ERROR [com.dsntech.itcms.service.ServiceTr143972] putLoggingInfo newAgtHddLog.getLicKey()->0416-P064-77117187-2IQTZ4 jsonHandler.getTrid()->143972	1

Monitoring JavaMelody on /itcms_agent.officesafer.com - 1 day

Error	Hits
ERROR [com.dsntech.itcms.service.ServiceTr143182] org.springframework.dao.DataIntegrityViolationException: Hibernate operation: could not insert: [com.dsntech.itcms.domain.AgtPrintLog]: SQL [insert into AGT_PRINT_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FULL_PATH, FILE_NAME, PAGES, COPY_CNT, PRT_NAME, TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, PAT_ID, CURR_DATE, REG_DATE) values (?, ?, ?, ?, ?, ?, ?, ?)]: (conn=30835059) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] --- ServiceTr143182 end ---0175-B003-633K3G34-RVO4SO	1
ERROR [com.dsntech.itcms.service.ServiceTr143312] agtPublicFolderLog.getLicKey() --> 0408-A003-7337HJK-EVK5G1	1
ERROR [com.dsntech.itcms.service.ServiceTr148062] putLoggingInfo agtFileOccPatKwdDeleteLog.getLicKey()->0720-A009-48F8EHFH-AUWPNL jsonHandler.getTrid()->148062	1
ERROR [com.dsntech.itcms.service.ServiceTr143972] --- ServiceTr143972 end ---0416-P021-5004F10F-PL9GIB	1
ERROR [com.dsntech.itcms.service.ServiceTr143972] --- ServiceTr143972 end ---0416-P111-77117187-1SJB09	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] org.springframework.dao.DataIntegrityViolationException: Hibernate operation: could not insert: [com.dsntech.itcms.domain.AgtPrintLog]: SQL [insert into AGT_PRINT_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FULL_PATH, FILE_NAME, PAGES, COPY_CNT, PRT_NAME, TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, PAT_ID, CURR_DATE, REG_DATE) values (?, ?, ?, ?, ?, ?, ?, ?)]: (conn=30823826) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1; nested exception is java.sql.SQLException: (conn=30823826) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1	1
ERROR [com.dsntech.itcms.service.ServiceTr143972] --- ServiceTr143972 end ---0498-P011-2669CGDD-QVK1H7	1
ERROR [com.dsntech.itcms.service.ServiceTr100003] --- ServiceTr100003 end ---774 00000 220.123.166.117	1
ERROR [com.dsntech.itcms.service.ServiceTr143972] --- ServiceTr143972 end ---0416-P128-1337BE3B-LBP558	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] org.springframework.dao.DataIntegrityViolationException: Hibernate operation: could not insert: [com.dsntech.itcms.domain.AgtPrintLog]: SQL [insert into AGT_PRINT_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FULL_PATH, FILE_NAME, PAGES, COPY_CNT, PRT_NAME, TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, PAT_ID, CURR_DATE, REG_DATE) values (?, ?, ?, ?, ?, ?, ?, ?)]: (conn=30836783) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1; nested exception is java.sql.SQLException: (conn=30836783) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1	1
ERROR [com.dsntech.itcms.service.ServiceTr100003] --- ServiceTr100003 end ---645 00000 221.165.63.66	1
ERROR [com.dsntech.itcms.service.ServiceTr143972] newAgtHddLog.getLicKey() --> 0731-P010-71151H21-O5IGOG	1
ERROR [com.dsntech.itcms.service.ServiceTr143972] --- ServiceTr143972 end ---0859-P002-10C4B2B0-Y35NZW	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] org.springframework.dao.DataIntegrityViolationException: Hibernate operation: could not insert: [com.dsntech.itcms.domain.AgtPrintLog]: SQL [insert into AGT_PRINT_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FULL_PATH, FILE_NAME, PAGES, COPY_CNT, PRT_NAME, TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, PAT_ID, CURR_DATE, REG_DATE) values (?, ?, ?, ?, ?, ?, ?, ?)]: (conn=30823862) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1; nested exception is java.sql.SQLException: (conn=30823862) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1	1
ERROR [com.dsntech.itcms.service.ServiceTr148062] --- ServiceTr148062 end ---0720-P004-13C3BEC3-8W2CLT 00000	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] putLoggingInfo agtPrintLog.getLicKey()->0416-P095-5377G343-2SSJYM jsonHandler.getTrid()->143182	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] org.springframework.dao.DataIntegrityViolationException: Hibernate operation: could not insert: [com.dsntech.itcms.domain.AgtPrintLog]: SQL [insert into AGT_PRINT_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FULL_PATH, FILE_NAME, PAGES, COPY_CNT, PRT_NAME, TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, PAT_ID, CURR_DATE, REG_DATE) values (?, ?, ?, ?, ?, ?, ?, ?)]: (conn=30811945) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1; nested exception is java.sql.SQLException: (conn=30811945) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1	1
ERROR [com.dsntech.itcms.service.ServiceTr119711] --- ServiceTr119711 end ---0416-P023-4337EH3E-A74PV7 00000 36.39.121.66	1
ERROR [com.dsntech.itcms.service.ServiceTr143972] putLoggingInfo newAgtHddLog.getLicKey()->0416-A065-7115HK1H-ZONJIO jsonHandler.getTrid()->143972	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] org.springframework.dao.DataIntegrityViolationException: Hibernate operation: could not insert: [com.dsntech.itcms.domain.AgtPrintLog]: SQL [insert into AGT_PRINT_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FULL_PATH, FILE_NAME, PAGES, COPY_CNT, PRT_NAME, TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, PAT_ID, CURR_DATE, REG_DATE) values (?, ?, ?, ?, ?, ?, ?, ?)]: (conn=30818228) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1; nested exception is java.sql.SQLException: (conn=30818228) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1	1
ERROR [com.dsntech.itcms.service.ServiceTr143312] putLoggingInfo agtPublicFolderLog.getLicKey()->0731-P010-71151H21-O5IGOG jsonHandler.getTrid()->143312	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] agtPrintLog.getLicKey() --> 0416-P095-5377G343-2SSJYM	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] org.springframework.dao.DataIntegrityViolationException: Hibernate operation: could not insert: [com.dsntech.itcms.domain.AgtPrintLog]: SQL [insert into AGT_PRINT_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FULL_PATH, FILE_NAME, PAGES, COPY_CNT, PRT_NAME, TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, PAT_ID, CURR_DATE, REG_DATE) values (?, ?, ?, ?, ?, ?, ?, ?)]: (conn=30836242) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1; nested exception is java.sql.SQLException: (conn=30836242) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1	1
ERROR [com.dsntech.itcms.service.ServiceTr143972] putLoggingInfo newAgtHddLog.getLicKey()->0416-P087-17117C87-1O6DFQ jsonHandler.getTrid()->143972	1
ERROR [com.dsntech.itcms.service.ServiceTr143972] newAgtHddLog.getLicKey() --> 0416-P088-25995D65-UZ7SD4	1
ERROR [com.dsntech.itcms.service.ServiceTr143972] newAgtHddLog.getLicKey() --> 0416-P093-7337HK3H-TJNSB3	1
ERROR [com.dsntech.itcms.service.ServiceTr143972] --- ServiceTr143972 end ---0416-P131-5771F17F-5Y2JNM	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] org.springframework.dao.DataIntegrityViolationException: Hibernate operation: could not insert: [com.dsntech.itcms.domain.AgtPrintLog]: SQL [insert into AGT_PRINT_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FULL_PATH, FILE_NAME, PAGES, COPY_CNT, PRT_NAME, TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, PAT_ID, CURR_DATE, REG_DATE) values (?, ?, ?, ?, ?, ?, ?, ?)]: (conn=30836602) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1; nested exception is java.sql.SQLException: (conn=30836602) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] org.springframework.dao.DataIntegrityViolationException: Hibernate operation: could not insert: [com.dsntech.itcms.domain.AgtPrintLog]: SQL [insert into AGT_PRINT_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FULL_PATH, FILE_NAME, PAGES, COPY_CNT, PRT_NAME, TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, PAT_ID, CURR_DATE, REG_DATE) values (?, ?, ?, ?, ?, ?, ?, ?)]: (conn=30836172) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1; nested exception is java.sql.SQLException: (conn=30836172) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1	1
ERROR [com.dsntech.itcms.service.ServiceTr143312] agtPublicFolderLog.getLicKey() --> 0416-P023-4337EH3E-A74PV7	1
ERROR [com.dsntech.itcms.service.ServiceTr143972] newAgtHddLog.getLicKey() --> 0416-P128-1337BE3B-LBP558	1
ERROR [com.dsntech.itcms.service.ServiceTr143972] putLoggingInfo newAgtHddLog.getLicKey()->0416-P079-1882BE8B-RSKVZD jsonHandler.getTrid()->143972	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] --- ServiceTr143182 end ---0857-P009-37E9E8D-NMVXVK	1
ERROR [com.dsntech.itcms.service.ServiceTr143972] newAgtHddLog.getLicKey() --> 0416-P021-5004F10F-PL9GIB	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] org.springframework.dao.DataIntegrityViolationException: Hibernate operation: could not insert: [com.dsntech.itcms.domain.AgtPrintLog]: SQL [insert into AGT_PRINT_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FULL_PATH, FILE_NAME, PAGES, COPY_CNT, PRT_NAME, TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, PAT_ID, CURR_DATE, REG_DATE) values (?, ?, ?, ?, ?, ?, ?, ?)]: (conn=30816898) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1; nested exception is java.sql.SQLException: (conn=30816898) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] org.springframework.dao.DataIntegrityViolationException: Hibernate operation: could not insert: [com.dsntech.itcms.domain.AgtPrintLog]: SQL [insert into AGT_PRINT_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FULL_PATH, FILE_NAME, PAGES, COPY_CNT, PRT_NAME, TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, PAT_ID, CURR_DATE, REG_DATE) values (?, ?, ?, ?, ?, ?, ?, ?)]: (conn=30823147) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1; nested exception is java.sql.SQLException: (conn=30823147) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] org.springframework.dao.DataIntegrityViolationException: Hibernate operation: could not insert: [com.dsntech.itcms.domain.AgtPrintLog]: SQL [insert into AGT_PRINT_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FULL_PATH, FILE_NAME, PAGES, COPY_CNT, PRT_NAME, TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, PAT_ID, CURR_DATE, REG_DATE) values (?, ?, ?, ?, ?, ?, ?, ?)]: (conn=30822918) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1; nested exception is java.sql.SQLException: (conn=30822918) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1	1
ERROR [com.dsntech.itcms.service.ServiceTr143972] --- ServiceTr143972 end ---0416-C132-8660IL6I-GUAFX7	1
ERROR [com.dsntech.itcms.service.ServiceTr143972] putLoggingInfo newAgtHddLog.getLicKey()->0498-P011-2669CGDD-QVK1H7 jsonHandler.getTrid()->143972	1
ERROR [com.dsntech.itcms.service.ServiceTr148022] --- ServiceTr148022 end ---0416-B083-5559F15F-5MA9OI	1
ERROR [com.dsntech.itcms.service.ServiceTr143972] newAgtHddLog.getLicKey() --> 0731-P006-34484D54-UWUWB18	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] org.springframework.dao.DataIntegrityViolationException: Hibernate operation: could not insert: [com.dsntech.itcms.domain.AgtPrintLog]: SQL [insert into AGT_PRINT_LOG (ID, PCID, MAC, PCNAME, PAR_NAME, PLY_NAME, OS, IP, LIC_KEY, USR_NAME, FULL_PATH, FILE_NAME, PAGES, COPY_CNT, PRT_NAME, TYPE, USR_IDX, GRP_IDX, LIC_KEY_IDX, PAT_NAME, PAT_OCC_CNT, PAT_CHK_CNT, KEYWORD, KWD_OCC_CNT, KWD_CHK_CNT, PAT_ID, CURR_DATE, REG_DATE) values (?, ?, ?, ?, ?, ?, ?, ?)]: (conn=30823748) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1; nested exception is java.sql.SQLException: (conn=30823748) Incorrect string value: 'xF0x9FwX91x80xECx9A...' for column 'FILE_NAME' at row 1	1
ERROR [com.dsntech.itcms.service.ServiceTr143182] agtPrintLog.getLicKey() --> 0428-A025-0004A201-TBLUWJ	1
ERROR [com.dsntech.itcms.service.ServiceTr143312] putLoggingInfo agtPublicFolderLog.getLicKey()->0408-A003-7337HJK-EVK5G1 jsonHandler.getTrid()->143312	1
ERROR [com.dsntech.itcms.service.ServiceTr148022] --- ServiceTr148022 end ---0416-P012-2559FC5C-QYJX41	1
ERROR [com.dsntech.itcms.service.ServiceTr143972] --- ServiceTr143972 end ---0731-P010-71151H21-O5IGOG	1
ERROR [com.dsntech.itcms.service.ServiceTr113009] --- ServiceTr113009 end ---0175-D001-166F6B67-T5R7PW	1

Date	Request	Error
26. 6. 3 3:19:18	/json.cmd POST	ERROR [com.dsntech.itcms.service.ServiceTr100003] --- ServiceTr100003 end ---416 00000 36.39.121.66
26. 6. 3 3:22:05	/json.cmd POST	ERROR [com.dsntech.itcms.service.ServiceTr119711] --- ServiceTr119711 end ---0731-P018-24484C54-82FQC3 00000 118.219.224.249
26. 6. 3 3:22:45	/json.cmd POST	ERROR [com.dsntech.itcms.service.ServiceTr100002] --- ServiceTr100002 end ---416
26. 6. 3 3:24:14	/json.cmd POST	ERROR [com.dsntech.itcms.service.ServiceTr119711] --- ServiceTr119711 end ---0852-P005-7113H11-6J7U2X 00000 211.104.172.36
26. 6. 3 3:25:14	/json.cmd POST	ERROR [com.dsntech.itcms.service.ServiceTr119711] --- ServiceTr119711 end ---0852-P005-7113H11-6J7U2X 00000 211.104.172.36
26. 6. 3 3:27:14	/json.cmd POST	ERROR [com.dsntech.itcms.service.ServiceTr119711] --- ServiceTr119711 end ---0852-P005-7113H11-6J7U2X 00000 211.104.172.36
26. 6. 3 3:30:06	/json.cmd POST	ERROR [com.dsntech.itcms.service.ServiceTr100003] --- ServiceTr100003 end ---720 00000 1.215.34.164



Detailed current requests

None



Detailed system information

Host: **agent.officesafer.com@58.229.234.20**

Java memory used: 463 Mb / 1,398 Mb

Nb of http sessions: 0

Nb of active threads (current http requests): 0

Nb of active jdbc connections: 0

Nb of used jdbc connections (opened if no datasource): 0 / 416

System load: 1.08

% System CPU: 26.05

OS: Linux, 3.10.0-1062.9.1.el7.x86_64 , amd64/64 (8 cores)

Java: Java(TM) SE Runtime Environment, 1.8.0_77-b03

JVM: Java HotSpot(TM) 64-Bit Server VM, 25.77-b03, mixed mode

PID of process: 23230

Nb of opened files: 135 / 655,350

Server: Apache Tomcat/8.0.32

Webapp context: /itcms

Start: 26. 6. 2 2:51

JVM arguments:

- Djava.util.logging.config.file=/home/itcms/agent1-apache-tomcat/conf/logging.properties
- Djava.util.logging.manager=org.apache.juli.ClassLoaderLogManager
- Xms512m
- Xmx1424m
- XX:NewSize=256m
- XX:MaxNewSize=256m
- XX:PermSize=256m
- XX:MaxPermSize=256m
- XX:+CMSClassUnloadingEnabled
- XX:+CMSPermGenSweepingEnabled
- XX:+UseConcMarkSweepGC
- Djava.library.path=/home/itcms/agent1-apache-tomcat/webapps/itcms/hyperic-sigar-1.6.4/sigar-bin/lib
- Dmod1=service
- Dmod2=agent1
- Dmod3=
- Djava.endorsed.dirs=/home/itcms/agent1-apache-tomcat/endorsed
- Dcatalina.base=/home/itcms/agent1-apache-tomcat
- Dcatalina.home=/home/itcms/agent1-apache-tomcat
- Djava.io.tmpdir=/home/itcms/agent1-apache-tomcat/temp

Mean age of http sessions (min): -1

Tomcat "http-nio-8080":

- Busy threads = 2 / 200
- Bytes received = 17,245,497
- Bytes sent = 83,265,719
- Request count = 7,885
- Error count = 211
- Sum of processing times (ms) = 577,558
- Max processing time (ms) = 5,370

Memory:

- Non heap memory = 183 Mb (Perm Gen, Code Cache),
- Buffered memory = 0 Mb,
- Loaded classes = 12,518,
- Garbage collection time = 6,631 ms,
- Process cpu time = 725,190 ms,
- Committed virtual memory = 7,404 Mb,
- Free physical memory = 141 Mb,
- Total physical memory = 7,940 Mb,
- Free swap space = 7,483 Mb,
- Total swap space = 8,191 Mb

Free disk space: 25,280 Mb

DataBase:

- jdbc:mariadb://192.168.234.23:3306/agt_487_itcms
- MySQL, 10.1.44-MariaDB
- Driver JDBC:
- MariaDB connector/J, 2.2.6

Monitoring JavaMelody on /itcms_agent.officesafer.com - 1 day

Jdbc DataSource:

```
java:comp/env/jdbc/agt0Itcms:  
maxActive = 8  
poolPreparedStatements = false  
defaultCatalog = null  
defaultAutoCommit = null  
defaultReadOnly = null  
defaultTransactionIsolation = -1  
driverClassName = null  
initialSize = 0  
maxIdle = 8  
maxOpenPreparedStatements = -1  
maxWait = -1  
minEvictableIdleTimeMillis = 1800000  
minIdle = 0  
numTestsPerEvictionRun = 3  
testOnBorrow = true  
testOnReturn = false  
testWhileIdle = false  
timeBetweenEvictionRunsMillis = -1  
validationQuery = null
```

```
java:comp/env/jdbc/adminItcms:  
maxActive = 100  
poolPreparedStatements = false  
defaultCatalog = null  
defaultAutoCommit = null  
defaultReadOnly = null  
defaultTransactionIsolation = -1  
driverClassName = com.mysql.jdbc.Driver  
initialSize = 0  
maxIdle = 30  
maxOpenPreparedStatements = -1  
maxWait = -1  
minEvictableIdleTimeMillis = 1800000  
minIdle = 0  
numTestsPerEvictionRun = 3  
testOnBorrow = true  
testOnReturn = false  
testWhileIdle = false  
timeBetweenEvictionRunsMillis = -1  
validationQuery = null
```

```
java:comp/env/jdbc/otherItcms:  
maxActive = 100  
poolPreparedStatements = false  
defaultCatalog = null  
defaultAutoCommit = null  
defaultReadOnly = null  
defaultTransactionIsolation = -1  
driverClassName = com.mysql.jdbc.Driver  
initialSize = 0  
maxIdle = 30  
maxOpenPreparedStatements = -1  
maxWait = -1  
minEvictableIdleTimeMillis = 1800000  
minIdle = 0  
numTestsPerEvictionRun = 3  
testOnBorrow = true  
testOnReturn = false  
testWhileIdle = false  
timeBetweenEvictionRunsMillis = -1  
validationQuery = null
```

```
java:comp/env/jdbc/agt1Itcms:  
maxActive = 8  
poolPreparedStatements = false  
defaultCatalog = null  
defaultAutoCommit = null  
defaultReadOnly = null  
defaultTransactionIsolation = -1  
driverClassName = null  
initialSize = 0  
maxIdle = 8  
maxOpenPreparedStatements = -1  
maxWait = -1  
minEvictableIdleTimeMillis = 1800000  
minIdle = 0  
numTestsPerEvictionRun = 3  
testOnBorrow = true  
testOnReturn = false  
testWhileIdle = false  
timeBetweenEvictionRunsMillis = -1  
validationQuery = null
```

```
java:comp/env/jdbc/mgtItcms:  
maxActive = 100  
poolPreparedStatements = false  
defaultCatalog = null  
defaultAutoCommit = null  
defaultReadOnly = null  
defaultTransactionIsolation = -1  
driverClassName = com.mysql.jdbc.Driver  
initialSize = 0  
maxIdle = 30  
maxOpenPreparedStatements = -1  
maxWait = -1  
minEvictableIdleTimeMillis = 1800000  
minIdle = 0  
numTestsPerEvictionRun = 3  
testOnBorrow = true  
testOnReturn = false  
testWhileIdle = false  
timeBetweenEvictionRunsMillis = -1  
validationQuery = null
```

```
java:comp/env/jdbc/ctlItcms:  
maxActive = 100  
poolPreparedStatements = false  
defaultCatalog = null  
defaultAutoCommit = null  
defaultReadOnly = null  
defaultTransactionIsolation = -1  
driverClassName = com.mysql.jdbc.Driver  
initialSize = 0  
maxIdle = 30  
maxOpenPreparedStatements = -1  
maxWait = -1  
minEvictableIdleTimeMillis = 1800000  
minIdle = 0  
numTestsPerEvictionRun = 3  
testOnBorrow = true  
testOnReturn = false  
testWhileIdle = false  
timeBetweenEvictionRunsMillis = -1  
validationQuery = null
```

[DataSource reference](#)

Monitoring JavaMelody on /itcms_agent.officesafer.com - 1 day

Dependencies:











240 dependencies :

- HdrHistogram-2.1.6.jar
- Java-WebSocket-1.3.0.jar
- activation-1.1.jar
- antlr-2.7.6.jar
- aopalliance-1.0.jar
- asm-3.1.jar
- aspectjweaver-1.5.4.jar
- aws-java-sdk-1.11.175.jar
- aws-java-sdk-acm-1.11.175.jar
- aws-java-sdk-api-gateway-1.11.175.jar
- aws-java-sdk-applicationautoscaling-1.11.175.jar
- aws-java-sdk-appstream-1.11.175.jar
- aws-java-sdk-athena-1.11.175.jar
- aws-java-sdk-autoscaling-1.11.175.jar
- aws-java-sdk-batch-1.11.175.jar
- aws-java-sdk-budgets-1.11.175.jar
- aws-java-sdk-clouddirectory-1.11.175.jar
- aws-java-sdk-cloudformation-1.11.175.jar
- aws-java-sdk-cloudfront-1.11.175.jar
- aws-java-sdk-cloudhsm-1.11.175.jar
- aws-java-sdk-cloudsearch-1.11.175.jar
- aws-java-sdk-cloudtrail-1.11.175.jar
- aws-java-sdk-cloudwatch-1.11.175.jar
- aws-java-sdk-cloudwatchmetrics-1.11.175.jar
- aws-java-sdk-codebuild-1.11.175.jar
- aws-java-sdk-codecommit-1.11.175.jar
- aws-java-sdk-codedeploy-1.11.175.jar
- aws-java-sdk-codepipeline-1.11.175.jar
- aws-java-sdk-codestar-1.11.175.jar
- aws-java-sdk-cognitoidentity-1.11.175.jar
- aws-java-sdk-cognitooidp-1.11.175.jar
- aws-java-sdk-cognitosync-1.11.175.jar
- aws-java-sdk-config-1.11.175.jar
- aws-java-sdk-core-1.11.175.jar
- aws-java-sdk-costandusagereport-1.11.175.jar
- aws-java-sdk-datapipeline-1.11.175.jar
- aws-java-sdk-dax-1.11.175.jar
- aws-java-sdk-devicefarm-1.11.175.jar
- aws-java-sdk-directconnect-1.11.175.jar
- aws-java-sdk-directory-1.11.175.jar
- aws-java-sdk-discovery-1.11.175.jar
- aws-java-sdk-dms-1.11.175.jar
- aws-java-sdk-dynamodb-1.11.175.jar
- aws-java-sdk-ec2-1.11.175.jar
- aws-java-sdk-ecr-1.11.175.jar
- aws-java-sdk-ecs-1.11.175.jar
- aws-java-sdk-efs-1.11.175.jar
- aws-java-sdk-elasticache-1.11.175.jar
- aws-java-sdk-elasticbeanstalk-1.11.175.jar
- aws-java-sdk-elasticloadbalancing-1.11.175.jar
- aws-java-sdk-elasticloadbalancingv2-1.11.175.jar
- aws-java-sdk-elasticsearch-1.11.175.jar
- aws-java-sdk-elastictranscoder-1.11.175.jar
- aws-java-sdk-emr-1.11.175.jar
- aws-java-sdk-events-1.11.175.jar
- aws-java-sdk-gamelift-1.11.175.jar
- aws-java-sdk-glacier-1.11.175.jar
- aws-java-sdk-greengrass-1.11.175.jar
- aws-java-sdk-health-1.11.175.jar
- aws-java-sdk-iam-1.11.175.jar
- aws-java-sdk-importexport-1.11.175.jar
- aws-java-sdk-inspector-1.11.175.jar
- aws-java-sdk-iot-1.11.175.jar
- aws-java-sdk-kinesis-1.11.175.jar
- aws-java-sdk-kms-1.11.175.jar
- aws-java-sdk-lambda-1.11.175.jar
- aws-java-sdk-lex-1.11.175.jar
- aws-java-sdk-lexmodelbuilding-1.11.175.jar
- aws-java-sdk-lightsail-1.11.175.jar
- aws-java-sdk-logs-1.11.175.jar
- aws-java-sdk-machinelearning-1.11.175.jar
- aws-java-sdk-marketplacecommerceanalytics-1.11.175.jar
- aws-java-sdk-marketplaceentitlement-1.11.175.jar
- aws-java-sdk-marketplacemeteringservice-1.11.175.jar
- aws-java-sdk-mechanicalturkrequester-1.11.175.jar
- aws-java-sdk-models-1.11.175.jar
- aws-java-sdk-opsworks-1.11.175.jar
- aws-java-sdk-opsworkscm-1.11.175.jar
- aws-java-sdk-organizations-1.11.175.jar
- aws-java-sdk-pinpoint-1.11.175.jar
- aws-java-sdk-polly-1.11.175.jar
- aws-java-sdk-rds-1.11.175.jar
- aws-java-sdk-redshift-1.11.175.jar
- aws-java-sdk-rekognition-1.11.175.jar
- aws-java-sdk-resourcegroupstaggingapi-1.11.175.jar
- aws-java-sdk-route53-1.11.175.jar
- aws-java-sdk-s3-1.11.175.jar
- aws-java-sdk-servermigration-1.11.175.jar
- aws-java-sdk-servicecatalog-1.11.175.jar
- aws-java-sdk-ses-1.11.175.jar
- aws-java-sdk-shield-1.11.175.jar
- aws-java-sdk-simpledb-1.11.175.jar
- aws-java-sdk-simpleworkflow-1.11.175.jar
- aws-java-sdk-snowball-1.11.175.jar
- aws-java-sdk-sns-1.11.175.jar
- aws-java-sdk-sqs-1.11.175.jar
- aws-java-sdk-ssm-1.11.175.jar
- aws-java-sdk-stepfunctions-1.11.175.jar
- aws-java-sdk-storagegateway-1.11.175.jar
- aws-java-sdk-sts-1.11.175.jar
- aws-java-sdk-support-1.11.175.jar
- aws-java-sdk-swf-libraries-1.11.22.jar
- aws-java-sdk-waf-1.11.175.jar
- aws-java-sdk-workdocs-1.11.175.jar
- aws-java-sdk-workspaces-1.11.175.jar
- aws-java-sdk-xray-1.11.175.jar
- c3p0-0.9.1.2.jar
- castor-1.2.jar
- cglib-2.2.jar
- commons-beanutils-1.8.0.jar
- commons-cli-1.3.1.jar
- commons-codec-1.5.jar
- commons-collections-3.2.1.jar
- commons-digester-2.1.jar
- commons-fileupload-1.2.2.jar
- commons-httpclient-3.1.jar
- commons-io-2.0.jar
- commons-lang-2.5.jar
- commons-lang3-3.4.jar
- commons-logging-1.1.1.jar
- commons-net-3.1.jar
- commons-pool-1.6.jar
- compress-lzf-1.0.2.jar
- dom4j-1.6.1.jar
- ehcache-core-2.6.6.jar
- ejb3-persistence-3.3.2.Beta1.jar
- elasticsearch-2.1.1.jar
- ezmorph-1.0.6.jar
- gson-2.4.jar
- guava-18.0.jar
- hibernate-commons-annotations-3.2.0.Final.jar
- hibernate-core-3.6.3.Final.jar
- hibernate-jpa-2.0-api-1.0.1.Final.jar
- hibernate-shards-3.0.0.jar
- hppc-0.7.1.jar
- hsqldb-1.7.1.jar
- httpasyncclient-4.1.1.jar

httpclient-4.5.3.jar,
 httpcore-4.4.6.jar,
 httpcore-nio-4.4.4.jar,
 ion-java-1.0.2.jar,
 itcms-common-0.0.1-SNAPSHOT.jar,
 itcms-core-0.0.1-SNAPSHOT.jar,
 itcms-daemon-0.0.1-SNAPSHOT.jar,
 itcms-legacy-0.0.1-SNAPSHOT.jar,
 itcms-parser-0.0.1-SNAPSHOT.jar,
 itcms-persistence-0.0.1-SNAPSHOT.jar,
 itcms-service-0.0.1-SNAPSHOT.jar,
 itext-2.1.7.jar,
 jackson-annotations-2.9.0.jar,
 jackson-core-2.6.2.jar,
 jackson-core-asl-1.9.13.jar,
 jackson-databind-2.9.0.jar,
 jackson-dataformat-cbor-2.6.2.jar,
 jackson-dataformat-smile-2.6.2.jar,
 jackson-dataformat-yaml-2.6.2.jar,
 jackson-mapper-asl-1.9.13.jar,
 JasperReports-5.6.1.jar,
 javamelody-core-1.63.0.jar,
 javassist-3.1.jar,
 javax.websocket-api-1.1.jar,
 jaxen-1.1-beta-8.jar,
 jcommon-1.0.15.jar,
 jdom-1.0.jar,
 jdom-1.1.jar,
 jdtcore-3.1.0.jar,
 jest-2.0.0.jar,
 jest-common-2.0.0.jar,
 jfreechart-1.0.12.jar,
 jimi-9.0.jar,
 jmespath-java-1.11.175.jar,
 joda-convert-1.2.jar,
 joda-time-2.8.2.jar,
 jodconverter-2.2.1.jar,
 jrobin-1.5.9.jar,
 jsch-0.1.51.jar,
 json-20140107.jar,
 json-lib-2.4.jar,
 json-simple-1.1.jar,
 jsr166e-1.1.0.jar,
 jta-1.1.jar,
 juh-2.3.0.jar,
 jurt-2.3.0.jar,
 log4j-1.2.17.jar,
 lucene-analyzers-common-5.3.1.jar,
 lucene-backward-codecs-5.3.1.jar,
 lucene-core-5.3.1.jar,
 lucene-grouping-5.3.1.jar,
 lucene-highlighter-5.3.1.jar,
 lucene-join-5.3.1.jar,
 lucene-memory-5.3.1.jar,
 lucene-misc-5.3.1.jar,
 lucene-queries-5.3.1.jar,
 lucene-queryparser-5.3.1.jar,
 lucene-sandbox-5.3.1.jar,
 lucene-spatial-5.3.1.jar,
 lucene-spatial3d-5.3.1.jar,
 lucene-suggest-5.3.1.jar,
 mail-1.4.4.jar,
 mariadb-java-client-2.2.6.jar,
 mysql-connector-java-5.1.13.jar,
 netty-3.10.5.Final.jar,
 netty-3.2.10.Final.jar,
 ojdbc14-10.2.0.4.0.jar,
 olap4j-1.1.0.jar,
 poi-3.8.jar,
 poi-ooxml-3.8.jar,
 poi-ooxml-schemas-3.8.jar,
 rdl-2.3.0.jar,
 servlet-api-2.5.jar,
 sigar-1.6.4.jar,
 slf4j-api-1.6.1.jar,
 slf4j-log4j12-1.6.1.jar,
 snakeyaml-1.15.jar,
 spatial4j-0.4.1.jar,
 spring-aop-3.0.5.RELEASE.jar,
 spring-asm-3.0.5.RELEASE.jar,
 spring-beans-3.0.5.RELEASE.jar,
 spring-context-3.0.5.RELEASE.jar,
 spring-context-support-3.0.5.RELEASE.jar,
 spring-core-3.0.5.RELEASE.jar,
 spring-dao-1.2.9.jar,
 spring-expression-3.0.5.RELEASE.jar,
 spring-hibernate-1.2.9.jar,
 spring-jdbc-3.0.5.RELEASE.jar,
 spring-orm-3.0.5.RELEASE.jar,
 spring-tx-3.0.5.RELEASE.jar,
 spring-web-3.0.5.RELEASE.jar,
 spring-webmvc-3.0.5.RELEASE.jar,
 stax-api-1.0.1.jar,
 stringtemplate-3.2.1.jar,
 t-digest-3.0.jar,
 unoll-2.3.0.jar,
 xalan-2.7.0.jar,
 xercesImpl-2.6.2.jar,
 xml-apis-1.3.02.jar,
 xmlParserAPIs-2.6.2.jar,
 xmlbeans-2.3.0.jar,
 xmpull-1.1.3.4a.jar,
 xom-1.1.jar

 Detailed threads

Threads on agent.officesafer.com@58.229.234.20: Number = 54, Maximum = 58, Total started = 4,313

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
%0041gent%0049ndex1.data	no	5	 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	39	20
%0041gent%0053ession1.data	no	5	 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	27	20
%0057eb%004cogin%0053ession1.data	no	5	 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	28	20
AgentIndex	yes	5	 TIMED_WAITING	java.lang.Object.wait(Native Method)	9	0
AgentSession	yes	5	 TIMED_WAITING	java.lang.Object.wait(Native Method)	1	0
ajp-nio-8010-Acceptor-0	yes	5	 RUNNABLE	sun.nio.ch.ServerSocketChannellImpl.accept0(Native Method)	0	0
ajp-nio-8010-ClientPoller-0	yes	5	 RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	959	390
ajp-nio-8010-ClientPoller-1	yes	5	 RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	961	400
AlertProcessor	yes	5	 TIMED_WAITING	java.lang.Thread.sleep(Native Method)	78,477	33,120
AsyncFileHandlerWriter-225534817	yes	5	 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	1,029	530

Monitoring JavaMelody on /itcms_agent.officesafer.com - 1 day

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
ContainerBackgroundProcessor[StandardEngine[Catalina]]	yes	5	TIMED_WAITING	java.lang.Thread.sleep(Native Method)	1,612	1,130
Finalizer	yes	8	WAITING	java.lang.Object.wait(Native Method)	174	130
GC Daemon	yes	2	TIMED_WAITING	java.lang.Object.wait(Native Method)	0	0
http-nio-8080-Acceptor-0	yes	5	RUNNABLE	sun.nio.ch.ServerSocketChannellmpl.accept0(Native Method)	809	510
http-nio-8080-ClientPoller-0	yes	5	RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	1,308	660
http-nio-8080-ClientPoller-1	yes	5	RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	1,303	620
http-nio-8080-exec-1	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	40,206	38,730
http-nio-8080-exec-10	yes	5	RUNNABLE	java.lang.Thread.dumpThreads(Native Method)	36,846	35,340
http-nio-8080-exec-2	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	39,104	37,520
http-nio-8080-exec-3	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	41,415	39,910
http-nio-8080-exec-4	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	36,966	35,550
http-nio-8080-exec-5	yes	5	RUNNABLE	java.io.InputStream.readBytes(Native Method)	44,066	42,480
http-nio-8080-exec-6	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	44,477	42,880
http-nio-8080-exec-7	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	42,266	40,720
http-nio-8080-exec-8	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	40,169	38,540
http-nio-8080-exec-9	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	42,689	41,100
http-nio-9443-Acceptor-0	yes	5	RUNNABLE	sun.nio.ch.ServerSocketChannellmpl.accept0(Native Method)	0	0
http-nio-9443-ClientPoller-0	yes	5	RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	933	380
http-nio-9443-ClientPoller-1	yes	5	RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	968	380
javamelody itcms	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	26,731	23,410
main	no	5	RUNNABLE	java.net.PlainSocketImpl.socketAccept(Native Method)	637	600
MariaDb-bulk-1	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	1	0
MariaDb-bulk-2	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	0	0
MariaDb-bulk-4	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	0	0
MariaDb-bulk-5	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	19	10
MariaDb-bulk-7	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	198	120
NioBlockingSelector.BlockPoller-1	yes	5	RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	1,681	740
NioBlockingSelector.BlockPoller-2	yes	5	RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	956	390
NioBlockingSelector.BlockPoller-3	yes	5	RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	969	370
process reaper	yes	10	RUNNABLE	java.lang.UNIXProcess.waitForProcessExit(Native Method)	0	0
Reference Handler	yes	10	WAITING	java.lang.Object.wait(Native Method)	124	100
Replication Thread	yes	5	TIMED_WAITING	java.lang.Thread.sleep(Native Method)	894	360
Replication Thread	yes	5	TIMED_WAITING	java.lang.Thread.sleep(Native Method)	926	400
Replication Thread	yes	5	TIMED_WAITING	java.lang.Thread.sleep(Native Method)	905	390
Scheduler	yes	5	TIMED_WAITING	java.lang.Thread.sleep(Native Method)	5	0
ServiceChecker	yes	5	TIMED_WAITING	java.lang.Thread.sleep(Native Method)	37	30
Signal Dispatcher	yes	9	RUNNABLE		0	0
Thread-10	yes	5	TIMED_WAITING	java.lang.Thread.sleep(Native Method)	385	330
Thread-11	yes	5	TIMED_WAITING	java.lang.Thread.sleep(Native Method)	7	0
Thread-13	yes	5	TIMED_WAITING	java.lang.Thread.sleep(Native Method)	51	30
Thread-14	yes	5	TIMED_WAITING	java.lang.Thread.sleep(Native Method)	1,002	480
Thread-15	yes	5	TIMED_WAITING	java.lang.Thread.sleep(Native Method)	1,003	480
Thread-21	yes	5	TIMED_WAITING	java.lang.Thread.sleep(Native Method)	38	30
Thread-9	yes	5	TIMED_WAITING	java.lang.Thread.sleep(Native Method)	1,286	1,200

The cpu times and user times of these threads are measured from the start of the server

Detailed caches

3 cache(s) on agent.officesafer.com@58.229.234.20

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	Configuration
AgentIndex1	0	0	0	ehcache [maxElementsInMemory = 10000, overflowToDisk = true, maxElementsOnDisk = 0, eternal = true, diskPersistent = false]
AgentSession1	0	0	0	ehcache [maxElementsInMemory = 10000, overflowToDisk = true, maxElementsOnDisk = 0, eternal = true, diskPersistent = false]
WebLoginSession1	0	0	0	ehcache [maxElementsInMemory = 10000, overflowToDisk = true, maxElementsOnDisk = 0, eternal = false, timeToLiveSeconds = 7200, timeToIdleSeconds = 7200, memoryStoreEvictionPolicy = LFU, diskPersistent = false]

Since ehcache v2.1, the caches statistics need to be enabled in order to display the efficiency values.

[Configuration reference](#)

Last collect time: 19 ms
 Display time: 1779 ms
 Memory overhead estimate: < 1 Mb
 Disk usage: 43 Mb

JavaMelody 1.63.0