

 **Memory histogram at 26. 4. 2 4:36**

Heap Classes: 4,405, Instances: 8,067,112, Kilo-Bytes: 543,352

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|--|
| char[] | 247,044 | 45 | 1,728,777 | 21 | |
| byte[] | 55,293 | 10 | 105,685 | 1 | |
| java.lang.String[] | 31,426 | 5 | 1,287,651 | 15 | |
| net.bull.javamelody.CounterRequest | 24,486 | 4 | 241,102 | 2 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| java.lang.String | 23,729 | 4 | 1,012,479 | 12 | |
| java.util.HashMap\$Node | 23,603 | 4 | 755,327 | 9 | |
| int[] | 19,637 | 3 | 170,631 | 2 | |
| java.lang.reflect.Method | 10,269 | 1 | 119,502 | 1 | |
| java.util.HashMap\$Node[] | 9,030 | 1 | 50,961 | 0 | |
| java.util.jar.JarFile\$JarFileEntry | 8,651 | 1 | 92,286 | 1 | |
| java.lang.Object[] | 6,517 | 1 | 172,434 | 2 | |
| java.util.LinkedHashMap\$Entry | 6,420 | 1 | 164,374 | 2 | |
| java.util.concurrent.ConcurrentHashMap\$Node | 5,349 | 0 | 171,181 | 2 | |
| java.lang.String[][] | 5,220 | 0 | 73,298 | 0 | |
| java.util.HashMap | 4,886 | 0 | 104,249 | 1 | |
| boolean[] | 4,438 | 0 | 170,525 | 2 | |
| java.lang.StringBuilder | 3,001 | 0 | 128,058 | 1 | |
| org.hibernate.loader.entity.EntityLoader | 2,733 | 0 | 29,160 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.lang.reflect.Constructor | 2,285 | 0 | 29,258 | 0 | |
| java.lang.Integer | 2,067 | 0 | 132,290 | 1 | |
| org.hibernate.tuple.StandardProperty | 1,837 | 0 | 47,032 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.io.ObjectInputStream\$HandleTable\$HandleList[] | 1,823 | 0 | 962 | 0 | |
| java.util.concurrent.ConcurrentHashMap\$Node[] | 1,803 | 0 | 3,860 | 0 | |
| org.hibernate.persister.entity.SingleTableEntityPersister | 1,435 | 0 | 2,916 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.lang.Class | 1,389 | 0 | 12,673 | 0 | |
| org.hibernate.loader.DefaultEntityAliases | 1,381 | 0 | 35,360 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.security.provider.SHA | 1,214 | 0 | 22,217 | 0 | |
| org.hibernate.property.Dom4jAccessor\$ElementGetter | 1,170 | 0 | 49,948 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.property.Dom4jAccessor\$ElementSetter | 1,170 | 0 | 49,948 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.property.BasicPropertyAccessor\$BasicSetter | 1,170 | 0 | 49,946 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.property.BasicPropertyAccessor\$BasicGetter | 1,170 | 0 | 49,946 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.lang.Class[] | 1,031 | 0 | 61,206 | 0 | |
| java.net.URL | 972 | 0 | 15,554 | 0 | |
| org.hibernate.LockOptions | 911 | 0 | 29,163 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.persister.entity.Loadable[] | 820 | 0 | 34,992 | 0 | |
| org.hibernate.LockMode[] | 820 | 0 | 34,992 | 0 | |
| org.hibernate.type.EntityType[] | 820 | 0 | 34,992 | 0 | |
| org.hibernate.loader.EntityAliases[] | 820 | 0 | 34,992 | 0 | |
| org.hibernate.property.MapAccessor\$MapGetter | 780 | 0 | 49,948 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.property.MapAccessor\$MapSetter | 780 | 0 | 49,948 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.lang.Object | 757 | 0 | 48,491 | 0 | |
| org.hibernate.property.Setter[] | 704 | 0 | 8,748 | 0 | |
| org.hibernate.property.Getter[] | 704 | 0 | 8,748 | 0 | |
| java.security.MessageDigest\$Delegate | 694 | 0 | 22,217 | 0 | |
| sun.nio.ch.FileChannelImpl | 648 | 0 | 10,379 | 0 | |
| java.util.Hashtable\$Entry | 537 | 0 | 17,200 | 0 | |
| sun.security.jca.GetInstance\$Instance | 520 | 0 | 22,213 | 0 | |
| org.hibernate.type.Type[] | 515 | 0 | 8,749 | 0 | |
| org.hibernate.loader.entity.CascadeEntityLoader | 501 | 0 | 5,832 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| int[][] | 472 | 0 | 5,852 | 0 | |
| org.hibernate.engine.CascadeStyle[] | 469 | 0 | 5,832 | 0 | |
| boolean[][] | 469 | 0 | 5,832 | 0 | |
| org.hibernate.engine.ValueInclusion[] | 469 | 0 | 5,832 | 0 | |
| org.apache.catalina.loader.ResourceEntry | 437 | 0 | 9,336 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.lang.Long | 419 | 0 | 17,895 | 0 | |
| java.util.LinkedList\$Node | 415 | 0 | 17,728 | 0 | |
| long[] | 411 | 0 | 10,512 | 0 | |
| org.hibernate.tuple.entity.EntityMetamodel | 410 | 0 | 2,916 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| net.bull.javamelody.RrdNioBackend\$1 | 405 | 0 | 10,376 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| org.hibernate.dialect.lock.SelectLockingStrategy | 364 | 0 | 11,664 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.io.FileDescriptor | 338 | 0 | 10,838 | 0 | |
| java.util.HashSet | 334 | 0 | 21,437 | 0 | |
| java.io.RandomAccessFile | 324 | 0 | 10,382 | 0 | |
| net.bull.javamelody.RrdNioBackend | 324 | 0 | 10,376 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| java.util.Hashtable\$Entry[] | 317 | 0 | 3,283 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|---|
| java.io.ObjectStreamClass | 310 | 0 | 3,060 | 0 | |
| java.util.concurrent.ConcurrentHashMap | 303 | 0 | 4,852 | 0 | |
| sun.nio.ch.NativeThreadSet | 243 | 0 | 10,379 | 0 | |
| org.hibernate.FetchMode[] | 234 | 0 | 2,916 | 0 | |
| org.hibernate.tuple.StandardProperty[] | 234 | 0 | 2,916 | 0 | |
| net.bull.javamelody.CounterError | 229 | 0 | 5,873 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.6.3.0.jar |
| org.hibernate.tuple.entity.PojoEntityTuplizer | 227 | 0 | 2,916 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.engine.ExecuteUpdateResultCheckStyle[] | 205 | 0 | 8,748 | 0 | |
| net.sf.ehcache.store.chm.SelectableConcurrentHashMap\$HashEntry[] | 198 | 0 | 384 | 0 | |
| java.lang.ref.SoftReference | 190 | 0 | 4,883 | 0 | |
| org.hibernate.tuple.entity.Dom4jEntityTuplizer | 182 | 0 | 2,916 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.util.ArrayList | 174 | 0 | 7,447 | 0 | |
| java.io.ObjectStreamClass\$WeakClassKey | 171 | 0 | 5,477 | 0 | |
| java.io.ObjectStreamField | 168 | 0 | 4,326 | 0 | |
| java.lang.reflect.Field | 168 | 0 | 2,395 | 0 | |
| antlr.ANTLRHashString | 163 | 0 | 5,226 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/antlr-2.7.6.jar |
| java.nio.channels.spi.AbstractInterruptibleChannel\$1 | 162 | 0 | 10,391 | 0 | |
| sun.nio.ch.FileDispatcherImpl | 162 | 0 | 10,380 | 0 | |
| org.hibernate.tuple.entity.DynamicMapEntityTuplizer | 159 | 0 | 2,916 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.util.concurrent.locks.ReentrantLock\$NonfairSync | 147 | 0 | 4,712 | 0 | |
| java.lang.ref.WeakReference | 146 | 0 | 4,690 | 0 | |
| java.util.Hashtable | 140 | 0 | 2,998 | 0 | |
| org.jrobin.core.RrdInt | 140 | 0 | 3,588 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/jrobin-1.5.9.jar |
| org.jrobin.core.RrdDouble | 137 | 0 | 2,928 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/jrobin-1.5.9.jar |
| org.hibernate.tuple.IdentifierProperty | 113 | 0 | 2,916 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.type.ManyToOneType | 113 | 0 | 2,916 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.persister.entity.BasicEntityPropertyMapping | 113 | 0 | 2,916 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.util.TimerTask[] | 113 | 0 | 6 | 0 | |
| org.hibernate.proxy.pojo.javassist.JavassistProxyFactory | 112 | 0 | 2,891 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.DelegatingClassLoader | 100 | 0 | 1,430 | 0 | |
| java.io.SerialCallbackContext | 98 | 0 | 4,193 | 0 | |
| org.jrobin.core.RrdLong | 96 | 0 | 2,048 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/jrobin-1.5.9.jar |
| java.util.Vector | 92 | 0 | 2,958 | 0 | |
| org.hibernate.dialect.lock.PessimisticReadSelectLockingStrategy | 91 | 0 | 2,916 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.tuple.PojoInstantiator | 91 | 0 | 2,916 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.dialect.lock.PessimisticWriteSelectLockingStrategy | 91 | 0 | 2,916 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.util.concurrent.ConcurrentHashMap\$Segment | 90 | 0 | 3,840 | 0 | |
| java.util.TreeMap\$Entry | 77 | 0 | 1,982 | 0 | |
| java.util.WeakHashMap\$Entry[] | 74 | 0 | 387 | 0 | |
| java.util.concurrent.atomic.AtomicLong | 71 | 0 | 3,038 | 0 | |
| org.hibernate.tuple.Dom4jInstantiator | 68 | 0 | 2,916 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.dialect.lock.OptimisticForceIncrementLockingStrategy | 68 | 0 | 2,916 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.dialect.lock.OptimisticLockingStrategy | 68 | 0 | 2,916 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.tuple.entity.Dom4jEntityTuplizer\$BasicEntityNameResolver | 68 | 0 | 2,916 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.tuple.DynamicMapInstantiator | 68 | 0 | 2,916 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.util.FilterHelper | 68 | 0 | 2,916 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.dialect.lock.PessimisticForceIncrementLockingStrategy | 68 | 0 | 2,916 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.id.IdentityGenerator\$GetGeneratedKeysDelegate | 68 | 0 | 2,914 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.beans.MethodRef | 67 | 0 | 2,900 | 0 | |
| org.hibernate.hql.ast.tree.Node | 67 | 0 | 1,444 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| com.dsntech.itcms.entity.Message | 65 | 0 | 2,784 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-common-0.0.1-SNAPSHOT.jar |
| java.text.DecimalFormat | 64 | 0 | 458 | 0 | |
| org.jrobin.core.RrdDoubleArray | 62 | 0 | 1,608 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/jrobin-1.5.9.jar |
| java.lang.ref.Finalizer | 61 | 0 | 1,577 | 0 | |
| short[] | 61 | 0 | 760 | 0 | |
| java.util.concurrent.locks.ReentrantReadWriteLock\$NonfairSync | 60 | 0 | 1,282 | 0 | |
| java.io.ObjectStreamClass\$FieldReflectorKey | 59 | 0 | 1,532 | 0 | |
| java.util.jar.Attributes\$Name | 59 | 0 | 2,544 | 0 | |
| java.security.ProtectionDomain | 59 | 0 | 1,515 | 0 | |
| org.hibernate.dialect.function.StandardSQLFunction | 57 | 0 | 2,460 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.util.concurrent.ConcurrentHashMap\$ValuesView | 57 | 0 | 3,649 | 0 | |
| java.beans.MethodDescriptor | 55 | 0 | 1,014 | 0 | |
| java.util.LinkedHashMap | 54 | 0 | 1,005 | 0 | |
| java.text.DecimalFormatSymbols | 53 | 0 | 862 | 0 | |
| java.util.GregorianCalendar | 52 | 0 | 483 | 0 | |
| java.text.DateFormatSymbols | 52 | 0 | 845 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|--|
| net.bull.javamelody.Counter | 49 | 0 | 707 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| java.security.CodeSource | 49 | 0 | 1,573 | 0 | |
| org.jrobin.core.RrdString | 47 | 0 | 1,210 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/jrobin-1.5.9.jar |
| java.util.Date | 46 | 0 | 2,005 | 0 | |
| java.util.concurrent.ConcurrentHashMap\$ValueIterator | 45 | 0 | 840 | 0 | |
| sun.util.calendar.Gregorian\$Date | 45 | 0 | 487 | 0 | |
| org.hibernate.cache.entry.UnstructuredCacheEntry | 45 | 0 | 2,916 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.proxy.map.MapProxyFactory | 45 | 0 | 2,916 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.tuple.entity.EntityEntityModeToTuplizerMapping | 45 | 0 | 2,916 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.engine.IdentifierValue | 45 | 0 | 2,915 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.id.IdentityGenerator | 45 | 0 | 2,914 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.proxy.dom4j.Dom4jProxyFactory | 45 | 0 | 2,891 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.tomcat.util.modeler.AttributeInfo | 42 | 0 | 908 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.springframework.beans.GenericTypeAwarePropertyDescriptor | 40 | 0 | 432 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-beans-3.0.5.RELEASE.jar |
| java.nio.ByteBuffer[] | 40 | 0 | 10 | 0 | |
| sun.reflect.NativeConstructorAccessorImpl | 38 | 0 | 1,642 | 0 | |
| java.io.File | 37 | 0 | 1,196 | 0 | |
| java.beans.PropertyDescriptor | 35 | 0 | 505 | 0 | |
| org.jrobin.core.Archive | 34 | 0 | 880 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/jrobin-1.5.9.jar |
| java.io.ObjectStreamField[] | 34 | 0 | 896 | 0 | |
| java.io.ObjectStreamClass\$ClassDataSlot | 33 | 0 | 1,420 | 0 | |
| char[] | 32 | 0 | 133 | 0 | |
| com.dsntech.itcms.domain.CtlTranCode | 30 | 0 | 657 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-persistence-0.0.1-SNAPSHOT.jar |
| java.util.zip.Inflater | 30 | 0 | 649 | 0 | |
| java.lang.reflect.Method[] | 29 | 0 | 365 | 0 | |
| org.hibernate.engine.query.sql.NativeSQLQueryRootReturn | 29 | 0 | 753 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.util.Collections\$UnmodifiableMap | 29 | 0 | 934 | 0 | |
| sun.reflect.DelegatingConstructorAccessorImpl | 29 | 0 | 1,862 | 0 | |
| org.apache.tomcat.util.digester.CallMethodRule | 28 | 0 | 603 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| com.mysql.jdbc.ConnectionPropertiesImpl\$BooleanConnectionProperty | 27 | 0 | 440 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mysql-connector-java-5.1.13.jar |
| org.jrobin.core.Robin | 27 | 0 | 880 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/jrobin-1.5.9.jar |
| java.text.SimpleDateFormat | 27 | 0 | 440 | 0 | |
| com.lowagie.text.pdf.IntHashtable\$Entry | 27 | 0 | 879 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itext-2.1.7.jar |
| java.math.BigInteger | 27 | 0 | 700 | 0 | |
| sun.util.calendar.ZoneInfo | 26 | 0 | 483 | 0 | |
| sun.security.util.DerInputStream | 26 | 0 | 840 | 0 | |
| sun.security.util.DerValue | 26 | 0 | 840 | 0 | |
| sun.reflect.DelegatingMethodAccessorImpl | 25 | 0 | 1,627 | 0 | |
| org.hibernate.util.SoftLimitMRUCache\$KeyedSoftReference | 25 | 0 | 538 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.util.HashMap\$KeySet | 24 | 0 | 1,589 | 0 | |
| java.lang.Package | 24 | 0 | 452 | 0 | |
| sun.reflect.UnsafeQualifiedStaticObjectFieldAccessorImpl | 24 | 0 | 632 | 0 | |
| javax.management.MBeanAttributeInfo | 24 | 0 | 789 | 0 | |
| net.sf.ehcache.store.chm.SelectableConcurrentHashMap\$Segment | 24 | 0 | 384 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| java.security.Principal[] | 23 | 0 | 1,515 | 0 | |
| java.security.ProtectionDomain\$Key | 23 | 0 | 1,515 | 0 | |
| org.hibernate.engine.query.sql.NativeSQLQuerySpecification | 23 | 0 | 753 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.util.Calendar\$Builder | 22 | 0 | 417 | 0 | |
| java.io.ObjectStreamClass\$ClassDataSlot[] | 21 | 0 | 886 | 0 | |
| net.sf.ehcache.util.ratestatistics.AtomicRateStatistic | 21 | 0 | 390 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| java.util.jar.JarVerifier | 20 | 0 | 242 | 0 | |
| org.jrobin.core.ArcState | 20 | 0 | 880 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/jrobin-1.5.9.jar |
| org.jrobin.core.Robin[] | 20 | 0 | 880 | 0 | |
| org.jrobin.core.ArcState[] | 20 | 0 | 880 | 0 | |
| sun.nio.cs.UTF_8\$Encoder | 20 | 0 | 375 | 0 | |
| java.util.concurrent.locks.ReentrantReadWriteLock\$ReadLock | 20 | 0 | 1,283 | 0 | |
| java.util.concurrent.locks.ReentrantReadWriteLock\$WriteLock | 20 | 0 | 1,283 | 0 | |
| java.util.concurrent.locks.ReentrantReadWriteLock\$Sync\$ThreadLocalHoldCounter | 20 | 0 | 1,283 | 0 | |
| com.lowagie.text.pdf.PdfName | 19 | 0 | 637 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itext-2.1.7.jar |
| sun.security.util.DerInputStream | 19 | 0 | 840 | 0 | |
| sun.security.x509.AVA | 19 | 0 | 829 | 0 | |
| sun.security.x509.RDN | 19 | 0 | 829 | 0 | |
| sun.security.x509.AVA[] | 19 | 0 | 829 | 0 | |
| java.util.concurrent.ConcurrentHashMap\$Segment[] | 18 | 0 | 240 | 0 | |
| java.util.jar.JarFile | 18 | 0 | 290 | 0 | |
| java.sql.Timestamp | 18 | 0 | 576 | 0 | |
| java.util.WeakHashMap | 17 | 0 | 382 | 0 | |
| java.text.DigitList | 17 | 0 | 458 | 0 | |
| com.sun.org.apache.xerces.internal.xni.QName | 17 | 0 | 569 | 0 | |
| org.hibernate.engine.query.sql.NativeSQLQueryReturn[] | 17 | 0 | 753 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|---|
| sun.jvmstat.perfdata.monitor.AliasFileParser\$Token | 17 | 0 | 746 | 0 | |
| java.util.logging.Logger | 17 | 0 | 248 | 0 | |
| java.util.concurrent.CopyOnWriteArrayList | 17 | 0 | 743 | 0 | |
| org.apache.tomcat.util.net.jsse.openssl.Cipher | 17 | 0 | 243 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.apache.catalina.webresources.JarResourceSet | 16 | 0 | 240 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.util.concurrent.locks.ReentrantReadWriteLock | 16 | 0 | 704 | 0 | |
| javax.servlet.jsp.tagext.TagAttributeInfo | 16 | 0 | 416 | 0 | home/itcms/agent2-apache-tomcat/lib/jsp-api.jar |
| java.util.LinkedList | 15 | 0 | 507 | 0 | |
| java.util.zip.ZStreamRef | 15 | 0 | 668 | 0 | |
| org.apache.commons.collections.map.AbstractLinkedMap\$LinkEntry | 15 | 0 | 398 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/commons-collections-3.2.1.jar |
| org.apache.commons.collections.map.AbstractHashMap\$HashEntry[] | 15 | 0 | 30 | 0 | |
| java.util.concurrent.ConcurrentHashMap\$ForwardingNode | 15 | 0 | 492 | 0 | |
| java.util.Collections\$UnmodifiableSet | 15 | 0 | 968 | 0 | |
| net.sf.ehcache.store.chm.SelectableConcurrentHashMap\$SegmentIterator | 15 | 0 | 384 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| net.sf.ehcache.store.disk.HashEntry[] | 15 | 0 | 192 | 0 | |
| org.apache.log4j.Logger | 15 | 0 | 384 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/log4j-1.2.17.jar |
| sun.security.util.ObjectIdentifier | 14 | 0 | 473 | 0 | |
| java.util.HashMap\$EntrySet | 14 | 0 | 908 | 0 | |
| com.sun.activation.registries.MimeTypeEntry | 14 | 0 | 600 | 0 | |
| java.lang.ref.ReferenceQueue | 14 | 0 | 450 | 0 | |
| org.apache.catalina.webresources.JarResource | 13 | 0 | 255 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.util.WeakHashMap\$Entry | 13 | 0 | 352 | 0 | |
| java.util.concurrent.locks.ReentrantLock | 13 | 0 | 868 | 0 | |
| org.apache.tomcat.util.modeler.OperationInfo | 13 | 0 | 289 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| net.sf.ehcache.store.disk.Segment | 13 | 0 | 192 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.hibernate.engine.query.OrdinalParameterDescriptor | 13 | 0 | 563 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.lang.StringBuffer | 12 | 0 | 544 | 0 | |
| java.util.Properties | 12 | 0 | 271 | 0 | |
| java.security.Provider\$Service | 12 | 0 | 226 | 0 | |
| org.apache.log4j.CategoryKey | 12 | 0 | 527 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/log4j-1.2.17.jar |
| java.util.logging.LogManager\$LoggerWeakRef | 11 | 0 | 254 | 0 | |
| java.lang.invoke.MemberName | 11 | 0 | 216 | 0 | |
| sun.security.ssl.CipherSuite | 11 | 0 | 213 | 0 | |
| org.hibernate.hql.ast.HqlSqlWalker | 11 | 0 | 78 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| javax.management.ObjectName\$Property | 11 | 0 | 492 | 0 | |
| javax.management.MBeanOperationInfo | 11 | 0 | 295 | 0 | |
| org.hibernate.loader.custom.sql.SQLCustomQuery | 11 | 0 | 368 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.loader.custom.RootReturn | 11 | 0 | 368 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.util.TreeMap | 11 | 0 | 244 | 0 | |
| sun.nio.cs.UTF_8\$Decoder | 11 | 0 | 292 | 0 | |
| java.lang.Thread | 11 | 0 | 31 | 0 | |
| java.security.Provider\$ServiceKey | 11 | 0 | 480 | 0 | |
| java.util.concurrent.ConcurrentHashMap\$TreeNode | 11 | 0 | 238 | 0 | |
| java.io.FileInputStream | 11 | 0 | 355 | 0 | |
| sun.reflect.UnsafeQualifiedStaticIntegerFieldAccessorImpl | 11 | 0 | 282 | 0 | |
| org.apache.tomcat.util.buf.ByteChunk | 10 | 0 | 230 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util.jar |
| sun.misc.FDBigInteger | 10 | 0 | 341 | 0 | |
| java.util.ResourceBundle\$CacheKey | 10 | 0 | 194 | 0 | |
| java.nio.DirectLongBufferU | 10 | 0 | 193 | 0 | |
| org.hibernate.engine.query.ParameterMetadata | 10 | 0 | 446 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.NativeMethodAccessorImpl | 10 | 0 | 434 | 0 | |
| java.util.zip.ZipCoder | 10 | 0 | 325 | 0 | |
| org.hibernate.hql.ast.tree.IdentNode | 9 | 0 | 127 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.dialect.function.NoArgSQLFunction | 9 | 0 | 420 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.engine.query.OrdinalParameterDescriptor[] | 9 | 0 | 447 | 0 | |
| org.hibernate.hql.ast.tree.FromElement | 9 | 0 | 78 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.security.x509.X500Name | 9 | 0 | 207 | 0 | |
| java.lang.ThreadLocal | 9 | 0 | 614 | 0 | |
| org.apache.tomcat.util.buf.CharChunk | 9 | 0 | 198 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util.jar |
| sun.security.x509.AlgorithmId | 9 | 0 | 296 | 0 | |
| sun.reflect.generics.tree.SimpleClassTypeSignature | 8 | 0 | 379 | 0 | |
| org.springframework.beans.PropertyValue | 8 | 0 | 162 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-beans-3.0.5.RELEASE.jar |
| javax.management.ObjectName\$Property[] | 8 | 0 | 273 | 0 | |
| org.apache.tomcat.util.buf.MessageBytes | 8 | 0 | 186 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util.jar |
| org.hibernate.engine.query.NativeSQLQueryPlan | 8 | 0 | 368 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.xerces.impl.dv.xs.XSSimpleTypeDecl | 8 | 0 | 49 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.apache.catalina.util.LifecycleSupport | 8 | 0 | 355 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.lang.Byte | 8 | 0 | 530 | 0 | |
| com.mysql.jdbc.ConnectionPropertiesImpl\$StringConnectionProperty | 8 | 0 | 132 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mysql-connector-java-5.1.13.jar |
| java.io.ExpiringCache\$Entry | 8 | 0 | 347 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|--|-----------|--------|-----------|-------------|---|
| java.lang.Short | 8 | 0 | 512 | 0 | |
| java.util.ArrayList\$Itr | 7 | 0 | 255 | 0 | |
| java.util.HashMap\$Values | 7 | 0 | 497 | 0 | |
| org.apache.xerces.xni.QName | 7 | 0 | 248 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| sun.security.x509.X509CertImpl | 7 | 0 | 98 | 0 | |
| java.util.ArrayDeque | 7 | 0 | 325 | 0 | |
| com.mysql.jdbc.ConnectionPropertiesImpl\$IntegerConnectionProperty | 7 | 0 | 108 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mysql-connector-java-5.1.13.jar |
| org.springframework.beans.factory.support.GenericBeanDefinition | 7 | 0 | 73 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-beans-3.0.5.RELEASE.jar |
| javax.management.MBeanParameterInfo | 7 | 0 | 236 | 0 | |
| org.hibernate.hql.ast.tree.FromClause | 7 | 0 | 78 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.jvmsstat.perfdata.monitor.PerfLongMonitor | 7 | 0 | 187 | 0 | |
| java.util.regex.Pattern | 7 | 0 | 103 | 0 | |
| org.springframework.beans.factory.support.RootBeanDefinition | 7 | 0 | 51 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-beans-3.0.5.RELEASE.jar |
| com.lowagie.text.pdf.IntHashtable\$Entry[] | 7 | 0 | 6 | 0 | |
| java.lang.ref.ReferenceQueue\$Lock | 7 | 0 | 452 | 0 | |
| java.util.ResourceBundle\$BundleReference | 7 | 0 | 150 | 0 | |
| sun.security.x509.RDN[] | 7 | 0 | 207 | 0 | |
| org.hibernate.hql.ast.tree.SqlNode | 6 | 0 | 127 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.hql.ast.tree.BinaryLogicOperatorNode | 6 | 0 | 127 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.tomcat.util.modeler.ParameterInfo | 6 | 0 | 221 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| java.lang.Class\$ReflectionData | 6 | 0 | 126 | 0 | |
| java.lang.ThreadLocal\$ThreadLocalMap\$Entry | 6 | 0 | 219 | 0 | |
| org.hibernate.hql.ast.tree.LiteralNode | 6 | 0 | 109 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.generics.tree.TypeArgument[] | 6 | 0 | 379 | 0 | |
| java.lang.invoke.LambdaForm\$Name | 6 | 0 | 208 | 0 | |
| java.util.zip.GZIPInputStream | 6 | 0 | 117 | 0 | |
| java.io.ObjectInputStream\$BlockDataInputStream | 6 | 0 | 117 | 0 | |
| java.lang.ThreadLocal\$ThreadLocalMap\$Entry[] | 6 | 0 | 73 | 0 | |
| javax.management.MBeanAttributeInfo[] | 6 | 0 | 93 | 0 | |
| java.util.Collections\$SingletonList | 6 | 0 | 266 | 0 | |
| java.lang.invoke.MethodType | 6 | 0 | 158 | 0 | |
| org.hibernate.hql.ast.HqlToken | 6 | 0 | 156 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.catalina.core.StandardWrapper | 6 | 0 | 26 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.util.ResourceBundle\$LoaderReference | 6 | 0 | 194 | 0 | |
| org.apache.tomcat.util.digester.CallParamRule | 6 | 0 | 154 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| org.hibernate.type.AdaptedImmutableType | 6 | 0 | 256 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.catalina.webresources.EmptyResource | 5 | 0 | 255 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.apache.tomcat.util.modeler.ParameterInfo[] | 5 | 0 | 289 | 0 | |
| org.apache.juli.ClassLoaderLogManager\$LogNode | 5 | 0 | 252 | 0 | home/itcms/agent2-apache-tomcat/bin/tomcat-juli.jar |
| com.sun.jmx.mbeanserver.ConvertingMethod | 5 | 0 | 186 | 0 | |
| java.lang.ref.SoftReference[] | 5 | 0 | 98 | 0 | |
| javax.management.ImmutableDescriptor | 5 | 0 | 245 | 0 | |
| java.io.ByteArrayOutputStream | 5 | 0 | 244 | 0 | |
| java.util.jar.Manifest | 5 | 0 | 243 | 0 | |
| sun.security.util.MemoryCache\$SoftCacheEntry | 5 | 0 | 101 | 0 | |
| java.util.Collections\$SynchronizedSet | 5 | 0 | 235 | 0 | |
| sun.reflect.UnsafeObjectFieldAccessorImpl | 5 | 0 | 176 | 0 | |
| sun.reflect.generics.tree.ClassTypeSignature | 5 | 0 | 352 | 0 | |
| net.bull.javamelody.TransportFormat\$MyObjectInputStream | 5 | 0 | 117 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| java.lang.reflect.Field[] | 5 | 0 | 16 | 0 | |
| sun.security.x509.X509CertInfo | 5 | 0 | 98 | 0 | |
| javax.management.ObjectName | 5 | 0 | 137 | 0 | |
| java.beans.MethodDescriptor[] | 5 | 0 | 37 | 0 | |
| org.jrobin.core.Archive[] | 5 | 0 | 110 | 0 | |
| java.util.zip.ZipEntry | 5 | 0 | 66 | 0 | |
| org.jrobin.core.Datasource | 5 | 0 | 110 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/jrobin-1.5.9.jar |
| java.util.zip.ZipFile\$ZipFileInputStream | 5 | 0 | 94 | 0 | |
| java.nio.DirectByteBuffer | 5 | 0 | 81 | 0 | |
| java.lang.Class\$MethodArray | 5 | 0 | 215 | 0 | |
| java.lang.invoke.MethodType\$ConcurrentWeakInternSet\$WeakEntry | 4 | 0 | 159 | 0 | |
| java.util.regex.Matcher | 4 | 0 | 79 | 0 | |
| com.dsntech.itcms.entity.RequestInfo | 4 | 0 | 105 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-common-0.0.1-SNAPSHOT.jar |
| java.lang.ClassNotFoundException | 4 | 0 | 125 | 0 | |
| org.hibernate.engine.query.QueryPlanCache\$HQLQueryPlanKey | 4 | 0 | 156 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.hql.ast.HqlParser | 4 | 0 | 78 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.hql.ast.QueryTranslatorImpl | 4 | 0 | 78 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.hql.ast.tree.DeleteStatement | 4 | 0 | 78 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.util.concurrent.atomic.AtomicLong[] | 4 | 0 | 12 | 0 | |
| org.hibernate.hql.ast.ErrorCounter | 4 | 0 | 156 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|--|-----------|--------|-----------|-------------|---|
| org.apache.commons.logging.impl.Log4JLogger | 4 | 0 | 206 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/commons-logging-1.1.1.jar |
| org.hibernate.event.EventListeners | 4 | 0 | 32 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.xerces.xni.QName[] | 4 | 0 | 16 | 0 | |
| org.hibernate.stat.ConcurrentStatisticsImpl | 4 | 0 | 30 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.tomcat.util.buf.StringCache\$ByteEntry | 4 | 0 | 200 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util.jar |
| java.util.jar.Attributes | 4 | 0 | 298 | 0 | |
| java.nio.HeapByteBuffer | 4 | 0 | 99 | 0 | |
| java.io.BufferedInputStream | 4 | 0 | 118 | 0 | |
| javax.management.MBeanParameterInfo[] | 4 | 0 | 187 | 0 | |
| java.lang.reflect.Type[] | 4 | 0 | 220 | 0 | |
| com.lowagie.text.RectangleReadOnly | 4 | 0 | 52 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itext-2.1.7.jar |
| org.apache.log4j.ProvisionNode | 4 | 0 | 143 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/log4j-1.2.17.jar |
| org.hibernate.impl.SessionFactoryImpl | 4 | 0 | 30 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| com.mysql.jdbc.JDBC4Connection | 4 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mysql-connector-java-5.1.13.jar |
| java.util.regex.Pattern\$GroupHead[] | 4 | 0 | 79 | 0 | |
| javax.management.MBeanInfo | 4 | 0 | 92 | 0 | |
| org.jrobin.core.Header | 4 | 0 | 110 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/jrobin-1.5.9.jar |
| org.jrobin.core.RrdDb | 4 | 0 | 110 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/jrobin-1.5.9.jar |
| java.net.URLClassLoader\$1 | 4 | 0 | 183 | 0 | |
| org.hibernate.hql.ast.HqlLexer | 4 | 0 | 78 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.lang.Character | 4 | 0 | 256 | 0 | |
| org.hibernate.cfg.Settings | 3 | 0 | 30 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.security.CodeSigner[] | 3 | 0 | 246 | 0 | |
| java.util.concurrent.atomic.AtomicInteger | 3 | 0 | 243 | 0 | |
| org.mariadb.jdbc.internal.util.DefaultOptions | 3 | 0 | 81 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mariadb-java-client-2.2.6.jar |
| java.util.jar.JarVerifier\$3 | 3 | 0 | 242 | 0 | |
| org.apache.tomcat.util.threads.TaskThread | 3 | 0 | 10 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util.jar |
| org.hibernate.util.LRUMap | 3 | 0 | 60 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.net.SocksSocketImpl | 3 | 0 | 34 | 0 | |
| sun.reflect.BootstrapConstructorAccessorImpl | 3 | 0 | 237 | 0 | |
| java.util.LinkedHashMap\$LinkedKeySet | 3 | 0 | 237 | 0 | |
| com.sun.org.apache.xerces.internal.util.XMLStringBuffer | 3 | 0 | 156 | 0 | |
| java.io.DataInputStream | 3 | 0 | 117 | 0 | |
| org.hibernate.engine.query.HQLQueryPlan | 3 | 0 | 78 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.hql.ast.tree.FromElementType | 3 | 0 | 78 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.io.ObjectInputStream\$HandleTable | 3 | 0 | 117 | 0 | |
| org.hibernate.hql.ast.util.ASTPrinter | 3 | 0 | 156 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.tomcat.util.modeler.ManagedBean | 3 | 0 | 66 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.springframework.core.MethodParameter | 3 | 0 | 66 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-core-3.0.5.RELEASE.jar |
| java.util.LinkedHashMap\$LinkedEntrySet | 3 | 0 | 228 | 0 | |
| org.slf4j.impl.Log4jLoggerAdapter | 3 | 0 | 151 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/slf4j-log4j12-1.6.1.jar |
| org.hibernate.dialect.function.TemplateRenderer | 3 | 0 | 150 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.dialect.function.SQLFunctionTemplate | 3 | 0 | 150 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| com.sun.jmx.mbeanserver.MXBeanMapping[] | 3 | 0 | 194 | 0 | |
| sun.security.rsa.RSAPublicKeyImpl | 3 | 0 | 87 | 0 | |
| com.sun.org.apache.xerces.internal.xni.QName[] | 3 | 0 | 36 | 0 | |
| net.bull.javamelody.JRobin | 3 | 0 | 86 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| com.sun.org.apache.xerces.internal.xni.XMLString | 3 | 0 | 142 | 0 | |
| java.util.Collections\$SynchronizedMap | 3 | 0 | 104 | 0 | |
| java.lang.invoke.LambdaForm\$Name[] | 3 | 0 | 73 | 0 | |
| java.lang.invoke.LambdaForm | 3 | 0 | 68 | 0 | |
| com.sun.jmx.mbeanserver.NamedObject | 3 | 0 | 136 | 0 | |
| com.sun.org.apache.xerces.internal.util.XMLAttributesImpl\$Attribute | 3 | 0 | 68 | 0 | |
| org.apache.xerces.util.SymbolTable\$Entry | 3 | 0 | 134 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| java.lang.Object[][] | 3 | 0 | 13 | 0 | |
| javax.management.openmbean.OpenMBeanAttributeInfoSupport | 3 | 0 | 50 | 0 | |
| antlr.LexerSharedInputState | 3 | 0 | 78 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/antlr-2.7.6.jar |
| java.io.StringReader | 3 | 0 | 78 | 0 | |
| java.util.LinkedHashSet | 3 | 0 | 195 | 0 | |
| org.hibernate.hql.ast.exec.BasicExecutor | 3 | 0 | 78 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject | 3 | 0 | 129 | 0 | |
| net.sf.ehcache.concurrent.ReadWriteLockSync | 3 | 0 | 192 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| java.util.regex.Pattern\$Slice | 3 | 0 | 128 | 0 | |
| java.security.Provider\$UString | 2 | 0 | 126 | 0 | |
| org.apache.tomcat.util.digester.SetNextRule | 2 | 0 | 93 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| org.springframework.beans.factory.config.ConstructorArgumentValues | 2 | 0 | 124 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-beans-3.0.5.RELEASE.jar |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|---|
| org.springframework.beans.MutablePropertyValues | 2 | 0 | 124 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-beans-3.0.5.RELEASE.jar |
| java.lang.invoke.MethodHandle[] | 2 | 0 | 28 | 0 | |
| org.apache.tomcat.util.digester.ObjectCreateRule | 2 | 0 | 90 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| javax.management.MBeanOperationInfo[] | 2 | 0 | 82 | 0 | |
| java.lang.invoke.MethodTypeForm | 2 | 0 | 51 | 0 | |
| sun.security.x509.BasicConstraintsExtension | 2 | 0 | 88 | 0 | |
| java.io.ObjectInputStream\$PeekInputStream | 2 | 0 | 117 | 0 | |
| java.util.zip.CheckedInputStream | 2 | 0 | 117 | 0 | |
| sun.net.www.protocol.jar.URLJarFile | 2 | 0 | 35 | 0 | |
| java.beans.PropertyDescriptor[] | 2 | 0 | 35 | 0 | |
| java.util.TimSort | 2 | 0 | 58 | 0 | |
| sun.security.x509.SubjectKeyIdentifierExtension | 2 | 0 | 86 | 0 | |
| sun.reflect.generics.factory.CoreReflectionFactory | 2 | 0 | 112 | 0 | |
| java.lang.invoke.DirectMethodHandle | 2 | 0 | 84 | 0 | |
| net.sf.ehcache.config.CacheConfiguration | 2 | 0 | 12 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| com.dsntech.serverplatform.core.data.MessageInfo | 2 | 0 | 84 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-core-0.0.1-SNAPSHOT.jar |
| org.jrobin.core.Datasource[] | 2 | 0 | 110 | 0 | |
| org.jrobin.core.RrdAllocator | 2 | 0 | 110 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/jrobin-1.5.9.jar |
| org.apache.catalina.webresources.CachedResource | 2 | 0 | 30 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.security.AccessControlContext | 2 | 0 | 65 | 0 | |
| sun.net.www.MimeEntry | 2 | 0 | 54 | 0 | |
| sun.reflect.generics.repository.ClassRepository | 2 | 0 | 79 | 0 | |
| sun.reflect.generics.reflectiveObjects.ParameterizedTypeImpl | 2 | 0 | 105 | 0 | |
| antlr.TokenQueue | 2 | 0 | 78 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/antlr-2.7.6.jar |
| antlr.CharBuffer | 2 | 0 | 78 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/antlr-2.7.6.jar |
| antlr.TokenBuffer | 2 | 0 | 78 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/antlr-2.7.6.jar |
| sun.security.x509.KeyUsageExtension | 2 | 0 | 78 | 0 | |
| antlr.CharQueue | 2 | 0 | 78 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/antlr-2.7.6.jar |
| org.hibernate.hql.ast.SqlASTFactory | 2 | 0 | 78 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.lang.invoke.LambdaForm\$NamedFunction | 2 | 0 | 102 | 0 | |
| java.util.concurrent.ThreadPoolExecutor | 2 | 0 | 34 | 0 | |
| sun.security.util.Cache\$EqualByteArray | 2 | 0 | 101 | 0 | |
| java.lang.Byte[] | 2 | 0 | 16 | 0 | |
| org.apache.juli.logging.DirectJDKLog | 2 | 0 | 151 | 0 | home/itcms/agent2-apache-tomcat/bin/tomcat-juli.jar |
| java.security.Permissions | 2 | 0 | 75 | 0 | |
| sun.security.util.BitArray | 2 | 0 | 98 | 0 | |
| sun.security.x509.CertificateValidity | 2 | 0 | 98 | 0 | |
| java.io.FilePermission | 2 | 0 | 73 | 0 | |
| com.sun.org.apache.xerces.internal.util.AugmentationsImpl\$SmallContainer | 2 | 0 | 73 | 0 | |
| org.apache.xerces.util.SymbolHash\$Entry | 2 | 0 | 95 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| java.util.LinkedHashMap\$LinkedEntryIterator | 2 | 0 | 71 | 0 | |
| java.security.ProtectionDomain[] | 2 | 0 | 52 | 0 | |
| java.util.regex.Pattern\$Start | 2 | 0 | 93 | 0 | |
| com.sun.org.apache.xerces.internal.util.SymbolTable\$Entry | 2 | 0 | 92 | 0 | |
| java.lang.reflect.Constructor[] | 2 | 0 | 92 | 0 | |
| java.lang.Integer[] | 2 | 0 | 4 | 0 | |
| java.util.regex.Pattern\$Curly | 2 | 0 | 67 | 0 | |
| com.mysql.jdbc.VersionedStringProperty | 2 | 0 | 67 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mysql-connector-java-5.1.13.jar |
| sun.security.x509.CertificateExtensions | 2 | 0 | 89 | 0 | |
| org.apache.tomcat.util.modeler.BaseModelMBean | 2 | 0 | 53 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| com.sun.org.apache.xerces.internal.util.SymbolTable\$Entry[] | 2 | 0 | 5 | 0 | |
| sun.misc.URLClassPath\$JarLoader | 2 | 0 | 44 | 0 | |
| sun.util.locale.LocaleObjectCache\$CacheEntry | 2 | 0 | 44 | 0 | |
| org.apache.xerces.impl.dtd.models.ContentModelValidator[] | 2 | 0 | 2 | 0 | |
| java.lang.Long[] | 2 | 0 | 2 | 0 | |
| java.net.URI | 2 | 0 | 26 | 0 | |
| org.apache.xerces.impl.dv.DatatypeValidator[] | 2 | 0 | 2 | 0 | |
| org.apache.catalina.core.StandardWrapperValve | 2 | 0 | 26 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.lang.Short[] | 2 | 0 | 2 | 0 | |
| sun.reflect.generics.tree.FieldTypeSignature[] | 2 | 0 | 98 | 0 | |
| java.util.zip.CRC32 | 1 | 0 | 126 | 0 | |
| java.net.InetAddress\$InetAddressHolder | 1 | 0 | 63 | 0 | |
| org.springframework.beans.factory.support.MethodOverrides | 1 | 0 | 124 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-beans-3.0.5.RELEASE.jar |
| sun.misc.URLClassPath\$JarLoader\$2 | 1 | 0 | 62 | 0 | |
| sun.security.x509.KeyIdentifier | 1 | 0 | 121 | 0 | |
| org.apache.commons.collections.map.LRUMap | 1 | 0 | 30 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/commons-collections-3.2.1.jar |
| java.nio.StringCharBuffer | 1 | 0 | 34 | 0 | |
| sun.reflect.generics.tree.ClassSignature | 1 | 0 | 79 | 0 | |
| org.springframework.beans.factory.config.TypedStringValue | 1 | 0 | 59 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-beans-3.0.5.RELEASE.jar |
| org.hibernate.hql.ast.util.SessionFactoryHelper | 1 | 0 | 78 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.hql.ast.HqlASTFactory | 1 | 0 | 78 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.hql.QueryTranslator[] | 1 | 0 | 78 | 0 | |
| antlr.ParserSharedInputState | 1 | 0 | 78 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/antlr-2.7.6.jar |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|--|-----------|--------|-----------|-------------|--|
| antlr.ANTLRStringBuffer | 1 | 0 | 78 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/antlr-2.7.6.jar |
| sun.reflect.generics.tree.ClassTypeSignature[] | 1 | 0 | 79 | 0 | |
| sun.reflect.generics.scope.ClassScope | 1 | 0 | 78 | 0 | |
| antlr.Token[] | 1 | 0 | 78 | 0 | |
| java.util.regex.Pattern\$GroupTail | 1 | 0 | 78 | 0 | |
| java.io.ObjectInputStream\$ValidationList | 1 | 0 | 117 | 0 | |
| org.hibernate.hql.ast.ParameterTranslationsImpl | 1 | 0 | 78 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.generics.tree.FormalTypeParameter[] | 1 | 0 | 113 | 0 | |
| org.apache.tomcat.dbcp.dbcp2.BasicDataSource | 1 | 0 | 10 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-dbcp.jar |
| sun.security.ec.NamedCurve | 1 | 0 | 46 | 0 | home/itcms/jdk1.8.0_77/jre/lib/ext/sunec.jar |
| java.util.regex.Pattern\$TreeInfo | 1 | 0 | 76 | 0 | |
| byte[][] | 1 | 0 | 9 | 0 | |
| com.sun.org.apache.xerces.internal.impl.XMLNSDocumentScannerImpl | 1 | 0 | 5 | 0 | |
| java.util.regex.Pattern\$GroupHead | 1 | 0 | 75 | 0 | |
| org.apache.tomcat.util.res.StringManager\$1 | 1 | 0 | 32 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util.jar |
| java.nio.HeapCharBuffer | 1 | 0 | 37 | 0 | |
| java.lang.ThreadLocal\$ThreadLocalMap | 1 | 0 | 73 | 0 | |
| java.io.FilePermissionCollection | 1 | 0 | 73 | 0 | |
| sun.security.x509.SerialNumber | 1 | 0 | 108 | 0 | |
| sun.nio.cs.StreamEncoder | 1 | 0 | 36 | 0 | |
| java.lang.Class\$AnnotationData | 1 | 0 | 71 | 0 | |
| java.beans.BeanDescriptor | 1 | 0 | 35 | 0 | |
| java.util.zip.ZipFile\$ZipFileInflaterInputStream | 1 | 0 | 29 | 0 | |
| sun.management.DiagnosticCommandArgumentInfo | 1 | 0 | 40 | 0 | |
| net.sf.ehcache.store.chm.SelectableConcurrentHashMap\$Segment[] | 1 | 0 | 3 | 0 | |
| sun.security.x509.CertificateAlgorithmId | 1 | 0 | 98 | 0 | |
| sun.security.x509.CertificateVersion | 1 | 0 | 98 | 0 | |
| java.util.concurrent.locks.AbstractQueuedSynchronizer\$Node | 1 | 0 | 49 | 0 | |
| sun.security.x509.CertificateSerialNumber | 1 | 0 | 98 | 0 | |
| sun.security.x509.CertificateX509Key | 1 | 0 | 98 | 0 | |
| java.util.PropertyResourceBundle | 1 | 0 | 39 | 0 | |
| org.springframework.beans.BeanWrapperImpl\$PropertyTokenHolder | 1 | 0 | 65 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-beans-3.0.5.RELEASE.jar |
| java.util.TimerThread | 1 | 0 | 4 | 0 | |
| org.dom4j.tree.DefaultElement | 1 | 0 | 48 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/dom4j-1.6.1.jar |
| org.apache.log4j.helpers.PatternParser\$LiteralPatternConverter | 1 | 0 | 47 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/log4j-1.2.17.jar |
| org.apache.xerces.impl.xs.traversers.OneAttr | 1 | 0 | 47 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.springframework.beans.factory.config.RuntimeBeanReference | 1 | 0 | 62 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-beans-3.0.5.RELEASE.jar |
| java.security.spec.EllipticCurve | 1 | 0 | 46 | 0 | |
| double[] | 1 | 0 | 31 | 0 | |
| org.hibernate.dialect.TypeNames | 1 | 0 | 60 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.time.temporal.ValueRange | 1 | 0 | 30 | 0 | |
| java.util.concurrent.LinkedBlockingQueue | 1 | 0 | 30 | 0 | |
| java.net.Inet4Address | 1 | 0 | 59 | 0 | |
| com.sun.org.apache.xerces.internal.impl.XMLDocumentScannerImpl | 1 | 0 | 4 | 0 | |
| org.apache.tomcat.util.descriptor.tld.TagXml | 1 | 0 | 25 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| sun.misc.Cleaner | 1 | 0 | 35 | 0 | |
| sun.security.x509.AuthorityKeyIdentifierExtension | 1 | 0 | 35 | 0 | |
| java.util.regex.Pattern\$Node[] | 1 | 0 | 39 | 0 | |
| java.beans.GenericBeanInfo | 1 | 0 | 35 | 0 | |
| java.net.SocketOutputStream | 1 | 0 | 29 | 0 | |
| java.net.SocketInputStream | 1 | 0 | 29 | 0 | |
| java.util.regex.Pattern\$Single | 1 | 0 | 58 | 0 | |
| sun.misc.FDBigInteger[] | 1 | 0 | 1 | 0 | |
| sun.reflect.generics.repository.MethodRepository | 1 | 0 | 34 | 0 | |
| sun.nio.ch.SocketChannelImpl | 1 | 0 | 12 | 0 | |
| java.security.spec.ECPoint | 1 | 0 | 56 | 0 | |
| org.apache.catalina.WebResource[] | 1 | 0 | 14 | 0 | |
| org.hibernate.hql.ast.ParameterTranslationsImpl\$ParameterInfo[] | 1 | 0 | 78 | 0 | |
| java.math.BigInteger[] | 1 | 0 | 39 | 0 | |
| org.apache.tomcat.util.http.MimeHeaderField | 1 | 0 | 53 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.apache.xerces.impl.xs.traversers.OneAttr[] | 1 | 0 | 41 | 0 | |
| java.util.concurrent.LinkedBlockingDeque\$Node | 1 | 0 | 52 | 0 | |
| antlr.TreeParserSharedInputState | 1 | 0 | 78 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/antlr-2.7.6.jar |
| org.hibernate.hql.ast.util.AliasGenerator | 1 | 0 | 78 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.util.regex.Pattern\$Branch | 1 | 0 | 39 | 0 | |
| org.hibernate.hql.ast.util.LiteralProcessor | 1 | 0 | 78 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.dialect.MySQL5InnoDBDialect | 1 | 0 | 30 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.time.temporal.ChronoField | 1 | 0 | 30 | 0 | |
| net.bull.javamelody.Parameter | 1 | 0 | 50 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| java.beans.PropertyChangeSupport | 1 | 0 | 50 | 0 | |
| org.apache.xerces.util.SymbolHash\$Entry[] | 1 | 0 | 15 | 0 | |
| org.apache.tomcat.util.net.NioBlockingSelector\$BlockPoller | 1 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| com.sun.org.apache.xerces.internal.util.AugmentationsImpl | 1 | 0 | 73 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|---|
| org.springframework.expression.common.LiteralExpression | 1 | 0 | 73 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-expression-3.0.5.RELEASE.jar |
| org.mariadb.jdbc.internal.ColumnType[] | 1 | 0 | 2 | 0 | |
| sun.jvmstat.perfdata.monitor.PerfStringConstantMonitor | 1 | 0 | 29 | 0 | |
| org.hibernate.hql.ast.tree.ParameterNode | 1 | 0 | 18 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| net.sf.ehcache.distribution.RMIAsynchronousCacheReplicator\$ReplicationThread | 1 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.springframework.beans.factory.support.ManagedMap | 1 | 0 | 16 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-beans-3.0.5.RELEASE.jar |
| net.sf.ehcache.CacheManager\$1 | 1 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| java.util.concurrent.ConcurrentHashMap\$TreeBin | 1 | 0 | 24 | 0 | |
| org.apache.catalina.util.ManifestResource | 1 | 0 | 35 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| javax.el.BeanELResolver\$BeanProperty | 1 | 0 | 35 | 0 | home/itcms/agent2-apache-tomcat/lib/el-api.jar |
| org.apache.catalina.mbeans.ContainerMBean | 1 | 0 | 28 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| com.sun.jmx.mbeanserver.MXBeanSupport | 1 | 0 | 28 | 0 | |
| org.apache.xerces.impl.dtd.XMLSimpleType | 1 | 0 | 28 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| java.time.format.DateTimeFormatterBuilder\$DateTimePrinterParser[] | 1 | 0 | 35 | 0 | |
| org.apache.naming.NamingEntry | 1 | 0 | 46 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| sun.reflect.generics.tree.MethodTypeSignature | 1 | 0 | 34 | 0 | |
| java.util.regex.Pattern\$1 | 1 | 0 | 45 | 0 | |
| java.util.Arrays\$ArrayList | 1 | 0 | 45 | 0 | |
| org.mariadb.jdbc.internal.ColumnType | 1 | 0 | 27 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mariadb-java-client-2.2.6.jar |
| org.apache.coyote.ActionCode | 1 | 0 | 45 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| java.util.zip.Deflater | 1 | 0 | 19 | 0 | |
| java.lang.Character[] | 1 | 0 | 2 | 0 | |
| org.dom4j.tree.DefaultAttribute | 1 | 0 | 44 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/dom4j-1.6.1.jar |
| org.dom4j.QName | 1 | 0 | 33 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/dom4j-1.6.1.jar |
| org.apache.catalina.core.StandardContext | 1 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.apache.tomcat.util.modeler.NotificationInfo[] | 1 | 0 | 66 | 0 | |
| org.dom4j.tree.DefaultText | 1 | 0 | 44 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/dom4j-1.6.1.jar |
| java.math.BigDecimal | 1 | 0 | 26 | 0 | |
| org.hibernate.type.TypeResolver | 1 | 0 | 32 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.tomcat.util.digester.ArrayStack | 0 | 0 | 42 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| sun.util.locale.provider.LocaleResources\$ResourceReference | 0 | 0 | 21 | 0 | |
| org.hibernate.connection.DriverManagerConnectionProvider | 0 | 0 | 25 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| com.sun.org.apache.xerces.internal.impl.XMLDTDScannerImpl | 0 | 0 | 5 | 0 | |
| org.apache.tomcat.util.net.jsse.openssl.Cipher[] | 0 | 0 | 1 | 0 | |
| org.apache.xerces.impl.xs.traversers.OneElement | 0 | 0 | 41 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| java.io.File[] | 0 | 0 | 1 | 0 | |
| java.security.Provider\$EngineDescription | 0 | 0 | 30 | 0 | |
| javax.management.MBeanNotificationInfo[] | 0 | 0 | 54 | 0 | |
| sun.nio.ch.FileChannelImpl\$Unmapper | 0 | 0 | 24 | 0 | |
| com.sun.org.apache.xerces.internal.parsers.XIncludeAwareParserConfiguration | 0 | 0 | 5 | 0 | |
| com.mysql.jdbc.ConnectionPropertiesImpl\$MemorySizeConnectionProperty | 0 | 0 | 12 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mysql-connector-java-5.1.13.jar |
| org.apache.catalina.core.StandardPipeline | 0 | 0 | 30 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.hibernate.util.SoftLimitMRUCache | 0 | 0 | 30 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.net.Socket | 0 | 0 | 30 | 0 | |
| net.bull.javamelody.Counter\$CounterErrorComparator | 0 | 0 | 58 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| com.sun.jmx.mbeanserver.WeakIdentityHashMap\$IdentityWeakReference | 0 | 0 | 29 | 0 | |
| sun.management.DiagnosticCommandInfo | 0 | 0 | 19 | 0 | |
| org.springframework.core.convert.TypeDescriptor | 0 | 0 | 19 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-core-3.0.5.RELEASE.jar |
| javax.management.MBeanConstructorInfo[] | 0 | 0 | 54 | 0 | |
| java.security.cert.Certificate[] | 0 | 0 | 38 | 0 | |
| javax.management.openmbean.ArrayType | 0 | 0 | 16 | 0 | |
| com.mysql.jdbc.MySQLIO | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mysql-connector-java-5.1.13.jar |
| java.util.regex.Pattern\$BitClass | 0 | 0 | 37 | 0 | |
| org.apache.tomcat.websocket.pojo.PojoMethodMapping\$MessageHandlerInfo | 0 | 0 | 11 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-websocket.jar |
| com.sun.org.apache.xerces.internal.impl.dtd.XMLNSDTDValidator | 0 | 0 | 5 | 0 | |
| java.io.OutputStreamWriter | 0 | 0 | 36 | 0 | |
| org.apache.tomcat.util.net.NioEndpoint | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.apache.xerces.impl.xs.traversers.SmallContainer | 0 | 0 | 36 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| java.io.FileOutputStream | 0 | 0 | 27 | 0 | |
| sun.reflect.generics.reflectiveObjects.WildcardTypeImpl | 0 | 0 | 27 | 0 | |
| java.util.concurrent.ThreadPoolExecutor\$Worker | 0 | 0 | 18 | 0 | |
| java.lang.NoSuchMethodException | 0 | 0 | 27 | 0 | |
| org.apache.xerces.util.SymbolTable\$Entry[] | 0 | 0 | 2 | 0 | |
| java.util.concurrent.LinkedBlockingQueue\$Node | 0 | 0 | 35 | 0 | |
| java.time.format.DateTimeFormatterBuilder\$CompositePrinterParser | 0 | 0 | 35 | 0 | |
| sun.util.locale.BaseLocale\$Key | 0 | 0 | 21 | 0 | |
| org.apache.tomcat.util.digester.Digester | 0 | 0 | 8 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| net.sf.ehcache.concurrent.ReadWriteLockSync[] | 0 | 0 | 3 | 0 | |
| org.hibernate.type.BasicTypeRegistry | 0 | 0 | 34 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|--|
| org.apache.tomcat.util.buf.StringCache\$ByteEntry[] | 0 | 0 | 1 | 0 | |
| net.sf.ehcache.store.disk.Segment[] | 0 | 0 | 3 | 0 | |
| sun.reflect.generics.scope.MethodScope | 0 | 0 | 34 | 0 | |
| java.util.regex.Pattern\$Ctype | 0 | 0 | 34 | 0 | |
| java.beans.PropertyChangeSupport\$PropertyChangeListenerMap | 0 | 0 | 50 | 0 | |
| javax.naming.Reference | 0 | 0 | 25 | 0 | |
| org.apache.tomcat.util.res.StringManager | 0 | 0 | 33 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util.jar |
| org.apache.catalina.valves.AbstractAccessLogValve\$DateFormatCache\$Cache | 0 | 0 | 11 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| antlr.collections.impl.BitSet | 0 | 0 | 49 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/antlr-2.7.6.jar |
| sun.security.x509.OIDMap\$OIDInfo | 0 | 0 | 24 | 0 | |
| org.apache.xerces.impl.dv.xs.DecimalDV\$XDecimal | 0 | 0 | 16 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.jrobin.core.Sample | 0 | 0 | 24 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/jrobin-1.5.9.jar |
| org.apache.tomcat.util.descriptor.web.MappedNameRule | 0 | 0 | 32 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| com.sun.jmx.mbeanserver.DefaultMXBeanMappingFactory\$IdentityMapping | 0 | 0 | 32 | 0 | |
| java.time.format.DateTimeFormatter | 0 | 0 | 19 | 0 | |
| sun.nio.cs.ISO_8859_1\$Encoder | 0 | 0 | 13 | 0 | |
| java.lang.management.PlatformComponent | 0 | 0 | 15 | 0 | |
| org.springframework.jdbc.support.SQLErrorCodes | 0 | 0 | 10 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-jdbc-3.0.5.RELEASE.jar |
| org.hibernate.cache.impl.bridge.RegionFactoryCacheProviderBridge | 0 | 0 | 30 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.catalina.core.ContainerBase\$StartStopThreadFactory | 0 | 0 | 30 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.hibernate.engine.query.QueryPlanCache | 0 | 0 | 30 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.dialect.function.SQLFunctionRegistry | 0 | 0 | 30 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| com.sun.org.apache.xerces.internal.impl.dtd.XMLSimpleType | 0 | 0 | 18 | 0 | |
| org.hibernate.util.SimpleMRUCache | 0 | 0 | 30 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.xerces.impl.dtd.XMLElementDecl | 0 | 0 | 22 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| com.sun.org.apache.xerces.internal.impl.dtd.XMLDTDValidator | 0 | 0 | 4 | 0 | |
| java.util.Locale | 0 | 0 | 22 | 0 | |
| javax.management.NotificationBroadcasterSupport | 0 | 0 | 29 | 0 | |
| java.util.concurrent.atomic.AtomicBoolean | 0 | 0 | 42 | 0 | |
| org.apache.tomcat.dbcp.pool2.impl.GenericObjectPool | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-dbc.jar |
| sun.util.locale.BaseLocale | 0 | 0 | 21 | 0 | |
| sun.reflect.annotation.AnnotationInvocationHandler | 0 | 0 | 28 | 0 | |
| java.util.regex.Pattern\$Slice | 0 | 0 | 28 | 0 | |
| sun.security.ssl.CipherSuite\$BulkCipher | 0 | 0 | 12 | 0 | |
| net.sf.ehcache.Cache | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| com.sun.jmx.mbeanserver.PerInterface\$MethodAndSig | 0 | 0 | 28 | 0 | |
| sun.reflect.generics.tree.Wildcard | 0 | 0 | 27 | 0 | |
| org.apache.catalina.mapper.Mapper\$MappedWrapper | 0 | 0 | 27 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.net.InetSocketAddress\$InetSocketAddressHolder | 0 | 0 | 27 | 0 | |
| sun.nio.ch.EPollArrayWrapper | 0 | 0 | 9 | 0 | |
| sun.nio.ch.EPollSelectorImpl | 0 | 0 | 9 | 0 | |
| java.io.PrintWriter | 0 | 0 | 16 | 0 | |
| com.dsntech.itcms.domain.CtErrCode | 0 | 0 | 16 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-persistence-0.0.1-SNAPSHOT.jar |
| com.sun.org.apache.xerces.internal.impl.XMLEntityManager | 0 | 0 | 5 | 0 | |
| org.apache.xerces.util.XMLAttributesImpl\$Attribute | 0 | 0 | 16 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| java.lang.invoke.LambdaForm[] | 0 | 0 | 3 | 0 | |
| net.sf.ehcache.statistics.LiveCacheStatisticsImpl | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.apache.catalina.core.StandardWrapperFacade | 0 | 0 | 26 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.util.regex.Pattern\$BranchConn | 0 | 0 | 39 | 0 | |
| org.apache.catalina.util.InstanceSupport | 0 | 0 | 26 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.security.spec.ECFieldF2m | 0 | 0 | 26 | 0 | |
| java.util.regex.Pattern\$CharPropertyNames\$1 | 0 | 0 | 39 | 0 | |
| java.lang.reflect.TypeVariable[] | 0 | 0 | 35 | 0 | |
| short[] | 0 | 0 | 17 | 0 | |
| org.apache.tomcat.util.descriptor.web.ContextResource | 0 | 0 | 11 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| sun.security.x509.URIName | 0 | 0 | 19 | 0 | |
| com.sun.org.apache.xerces.internal.util.XMLResourceIdentifierImpl | 0 | 0 | 19 | 0 | |
| java.util.concurrent.CopyOnWriteArraySet | 0 | 0 | 38 | 0 | |
| java.util.Stack | 0 | 0 | 19 | 0 | |
| sun.management.DiagnosticCommandImpl\$Wrapper | 0 | 0 | 19 | 0 | |
| java.time.format.DateTimeFormatterBuilder\$NumberPrinterParser | 0 | 0 | 19 | 0 | |
| java.util.regex.Pattern\$Loop | 0 | 0 | 15 | 0 | |
| com.sun.org.apache.xerces.internal.jaxp.SAXParserImpl\$JAXPSAXParser | 0 | 0 | 5 | 0 | |
| com.sun.jmx.mbeanserver.PerInterface | 0 | 0 | 15 | 0 | |
| javax.naming.StringRefAddr | 0 | 0 | 25 | 0 | |
| sun.nio.cs.CharsetMapping\$Entry | 0 | 0 | 25 | 0 | |
| org.hibernate.param.PositionalParameterSpecification | 0 | 0 | 18 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.util.Hashtable\$EntrySet | 0 | 0 | 36 | 0 | |
| org.apache.xerces.util.XMLStringBuffer | 0 | 0 | 24 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.apache.log4j.FileAppender | 0 | 0 | 9 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/log4j-1.2.17.jar |
| java.util.Hashtable\$KeySet | 0 | 0 | 36 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|--|-----------|--------|-----------|-------------|---|
| org.springframework.beans.CachedIntrospectionResults | 0 | 0 | 24 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-beans-3.0.5.RELEASE.jar |
| java.lang.reflect.WeakCache\$CacheValue | 0 | 0 | 18 | 0 | |
| org.jrobin.core.RrdDbPool\$RrdEntry | 0 | 0 | 24 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/jrobin-1.5.9.jar |
| org.apache.tomcat.util.net.NioEndpoint\$KeyAttachment | 0 | 0 | 5 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| javax.management.openmbean.CompositeType | 0 | 0 | 10 | 0 | |
| sun.security.x509.GeneralName | 0 | 0 | 35 | 0 | |
| com.sun.org.apache.xerces.internal.impl.dtd.XMLEntityDecl | 0 | 0 | 14 | 0 | |
| sun.invoke.util.Wrapper | 0 | 0 | 10 | 0 | |
| javax.management.openmbean.SimpleType | 0 | 0 | 14 | 0 | |
| sun.reflect.generics.tree.TypeSignature[] | 0 | 0 | 34 | 0 | |
| org.apache.xerces.impl.dtd.DTDGrammar | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| java.lang.invoke.BoundMethodHandle\$Species_L | 0 | 0 | 17 | 0 | |
| java.util.BitSet | 0 | 0 | 22 | 0 | |
| org.dom4j.tree.DefaultComment | 0 | 0 | 22 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/dom4j-1.6.1.jar |
| org.springframework.beans.factory.config.BeanDefinitionHolder | 0 | 0 | 22 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-beans-3.0.5.RELEASE.jar |
| sun.misc.FloatingDecimal\$BinaryToASCIIBuffer | 0 | 0 | 13 | 0 | |
| java.lang.invoke.MethodHandleImpl\$IntrinsicMethodHandle | 0 | 0 | 13 | 0 | |
| sun.net.www.protocol.file.FileURLConnection | 0 | 0 | 5 | 0 | |
| java.time.temporal.ChronoUnit | 0 | 0 | 16 | 0 | |
| org.apache.log4j.helpers.PatternParser\$BasicPatternConverter | 0 | 0 | 16 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/log4j-1.2.17.jar |
| org.apache.xerces.util.AugmentationsImpl\$SmallContainer | 0 | 0 | 16 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| sun.security.ssl.CipherSuite\$KeyExchange | 0 | 0 | 16 | 0 | |
| com.mysql.jdbc.Buffer | 0 | 0 | 16 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mysql-connector-java-5.1.13.jar |
| java.util.AbstractMap\$SimpleImmutableEntry | 0 | 0 | 21 | 0 | |
| sun.security.x509.AVAKeyword | 0 | 0 | 21 | 0 | |
| org.apache.coyote.Request | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.apache.catalina.connector.Request | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| com.sun.org.apache.xerces.internal.util.XMLAttributesIteratorImpl | 0 | 0 | 9 | 0 | |
| com.sun.org.apache.xerces.internal.util.XMLAttributesImpl\$Attribute[] | 0 | 0 | 14 | 0 | |
| sun.management.DiagnosticCommandArgumentInfo[] | 0 | 0 | 19 | 0 | |
| org.hibernate.impl.TypeLocatorImpl | 0 | 0 | 30 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.tomcat.util.net.jsse.openssl.Encryption | 0 | 0 | 20 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.hibernate.context.ThreadLocalSessionContext | 0 | 0 | 30 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.impl.SessionFactoryImpl\$1 | 0 | 0 | 30 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.impl.SessionFactoryImpl\$2 | 0 | 0 | 30 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.engine.jdbc.JdbcSupportImpl | 0 | 0 | 30 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| com.sun.org.apache.xerces.internal.impl.dtd.XMLDTDProcessor | 0 | 0 | 5 | 0 | |
| org.hibernate.hql.ast.ASTQueryTranslatorFactory | 0 | 0 | 30 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.util.Collections\$UnmodifiableRandomAccessList | 0 | 0 | 20 | 0 | |
| org.hibernate.impl.SessionFactoryImpl\$CacheImpl | 0 | 0 | 30 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.transaction.JDBCTransactionFactory | 0 | 0 | 30 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.jdbc.BatchingBatcherFactory | 0 | 0 | 30 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.ch.SocketAdaptor | 0 | 0 | 12 | 0 | |
| org.apache.log4j.helpers.PatternParser\$DatePatternConverter | 0 | 0 | 12 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/log4j-1.2.17.jar |
| sun.nio.ch.SocketOptionRegistry\$RegistryKey | 0 | 0 | 20 | 0 | |
| sun.security.x509.DistributionPoint | 0 | 0 | 15 | 0 | |
| org.hibernate.jdbc.util.SQLStatementLogger | 0 | 0 | 30 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.exception.SQLStateConverter | 0 | 0 | 30 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.cache.NoCacheProvider | 0 | 0 | 30 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.dialect.function.CastFunction | 0 | 0 | 30 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.lang.Boolean[] | 0 | 0 | 15 | 0 | |
| sun.security.x509.GeneralNames | 0 | 0 | 29 | 0 | |
| sun.invoke.util.Wrapper[] | 0 | 0 | 6 | 0 | |
| java.time.Duration | 0 | 0 | 19 | 0 | |
| java.util.Locale\$LocaleKey | 0 | 0 | 19 | 0 | |
| org.hibernate.cfg.Configuration | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.awt.Color | 0 | 0 | 14 | 0 | |
| java.util.Collections\$UnmodifiableCollection | 0 | 0 | 28 | 0 | |
| sun.security.x509.CRLDistributionPointsExtension | 0 | 0 | 14 | 0 | |
| org.apache.catalina.LifecycleState | 0 | 0 | 14 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.apache.tomcat.util.descriptor.web.LifecycleCallbackRule | 0 | 0 | 8 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| java.security.SecureRandom | 0 | 0 | 7 | 0 | |
| org.apache.tomcat.util.descriptor.web.CallMethodMultiRule | 0 | 0 | 8 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| javax.management.openmbean.OpenMBeanParameterInfoSupport | 0 | 0 | 8 | 0 | |
| java.text.Format[] | 0 | 0 | 8 | 0 | |
| java.util.Collections\$SingletonSet | 0 | 0 | 28 | 0 | |
| org.apache.catalina.mbeans.ContextResourceMBean | 0 | 0 | 11 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.io.ObjectStreamClass\$FieldReflector | 0 | 0 | 11 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|--|
| java.util.regex.Pattern\$CharProperty\$1 | 0 | 0 | 18 | 0 | |
| org.hibernate.hql.ast.ParameterTranslationsImpl\$ParameterInfo | 0 | 0 | 18 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| net.bull.javamelody.Parameter[] | 0 | 0 | 2 | 0 | |
| java.text.DateFormat\$Field | 0 | 0 | 18 | 0 | |
| org.apache.xerces.xml.XMLString | 0 | 0 | 18 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.mariadb.jdbc.internal.util.SqlStates | 0 | 0 | 18 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mariadb-java-client-2.2.6.jar |
| org.dom4j.Element[] | 0 | 0 | 2 | 0 | |
| org.apache.catalina.webresources.FileResource | 0 | 0 | 9 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| char[][][] | 0 | 0 | 1 | 0 | |
| java.util.concurrent.ConcurrentHashMap\$KeySetView | 0 | 0 | 18 | 0 | |
| org.hibernate.event.SaveOrUpdateEventListener[] | 0 | 0 | 18 | 0 | |
| java.net.InetSocketAddress | 0 | 0 | 27 | 0 | |
| com.sun.org.apache.xerces.internal.impl.XMLDocumentFragmentScannerImpl\$ElementStack | 0 | 0 | 9 | 0 | |
| org.apache.catalina.InstanceListener[] | 0 | 0 | 26 | 0 | |
| java.lang.invoke.SimpleMethodHandle | 0 | 0 | 13 | 0 | |
| java.util.RegularEnumSet | 0 | 0 | 13 | 0 | |
| org.apache.xerces.impl.XMLNSDocumentScannerImpl | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.apache.log4j.PatternLayout | 0 | 0 | 13 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/log4j-1.2.17.jar |
| org.apache.tomcat.util.http.MimeHeaderField[] | 0 | 0 | 6 | 0 | |
| org.apache.tomcat.util.collections.SynchronizedStack | 0 | 0 | 13 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.hibernate.shards.ShardId | 0 | 0 | 25 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-shards-3.0.0.jar |
| java.lang.invoke.DirectMethodHandle\$Accessor | 0 | 0 | 10 | 0 | |
| java.util.HashMap\$KeyIterator | 0 | 0 | 10 | 0 | |
| sun.nio.cs.ISO_8859_1\$Decoder | 0 | 0 | 10 | 0 | |
| javax.crypto.CryptoPermission | 0 | 0 | 10 | 0 | |
| net.sf.ehcache.config.CacheWriterConfiguration | 0 | 0 | 7 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| com.dsntech.itcms.daemon.child.MgtPasswordChecker | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-daemon-0.0.1-SNAPSHOT.jar |
| com.dsntech.itcms.Environment\$CacheReInitThread | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-common-0.0.1-SNAPSHOT.jar |
| com.dsntech.itcms.daemon.child.CriticalSectionChecker | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-daemon-0.0.1-SNAPSHOT.jar |
| java.util.regex.Pattern\$5 | 0 | 0 | 16 | 0 | |
| com.dsntech.itcms.Environment\$FirstCoreSynchronizedThread | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-common-0.0.1-SNAPSHOT.jar |
| java.lang.ref.Finalizer\$FinalizerThread | 0 | 0 | 1 | 0 | |
| com.dsntech.itcms.dao.util.SharedSessionFactoryPool\$SessionFactoryChecker_0ld | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-persistence-0.0.1-SNAPSHOT.jar |
| java.lang.StringCoding\$StringEncoder | 0 | 0 | 12 | 0 | |
| com.dsntech.itcms.dao.util.SharedSessionFactoryPool\$SessionFactoryChecker_new | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-persistence-0.0.1-SNAPSHOT.jar |
| com.dsntech.itcms.Environment\$LogFileDeleteThread | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-common-0.0.1-SNAPSHOT.jar |
| org.apache.juli.AsyncFileHandler\$LoggerThread | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/bin/tomcat-juli.jar |
| sun.nio.ch.OptionKey | 0 | 0 | 16 | 0 | |
| sun.nio.cs.Surrogate\$Parser | 0 | 0 | 16 | 0 | |
| sun.misc.URLClassPath | 0 | 0 | 8 | 0 | |
| sun.net.www.protocol.jar.URLJarFile\$URLJarFileEntry | 0 | 0 | 4 | 0 | |
| org.apache.log4j.helpers.QuietWriter | 0 | 0 | 12 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/log4j-1.2.17.jar |
| com.dsntech.itcms.daemon.child.LicenseChecker | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-daemon-0.0.1-SNAPSHOT.jar |
| java.util.logging.LogManager\$Cleaner | 0 | 0 | 1 | 0 | |
| org.apache.catalina.startup.Catalina\$CatalinaShutdownHook | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| com.mchange.v2.log.log4j.Log4jMLog\$Log4jMLogger | 0 | 0 | 16 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| com.dsntech.itcms.Environment\$ShardSessionFactoryLookup | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-common-0.0.1-SNAPSHOT.jar |
| org.springframework.beans.factory.support.DefaultListableBeanFactory | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-beans-3.0.5.RELEASE.jar |
| sun.misc.MetaIndex | 0 | 0 | 16 | 0 | |
| sun.security.ssl.SignatureAndHashAlgorithm | 0 | 0 | 12 | 0 | |
| org.apache.coyote.http11.Http11NioProcessor | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.apache.juli.ClassLoaderLogManager\$Cleaner | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/bin/tomcat-juli.jar |
| org.apache.tomcat.dbcp.pool2.impl.BaseGenericObjectPool\$StatsStore | 0 | 0 | 12 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-dbcp.jar |
| java.lang.StringCoding\$StringDecoder | 0 | 0 | 12 | 0 | |
| com.dsntech.itcms.daemon.child.ServiceChecker | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-daemon-0.0.1-SNAPSHOT.jar |
| java.nio.channels.SelectionKey[] | 0 | 0 | 12 | 0 | |
| com.dsntech.itcms.Environment | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-common-0.0.1-SNAPSHOT.jar |
| com.dsntech.itcms.Environment\$ServiceCacheServerReInitThread | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-common-0.0.1-SNAPSHOT.jar |
| com.dsntech.itcms.Environment\$EnvironmentReInitThread | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-common-0.0.1-SNAPSHOT.jar |
| com.sun.jmx.mbeanserver.DefaultMXBeanMappingFactory\$CompositeMapping | 0 | 0 | 8 | 0 | |
| com.lowagie.text.Font | 0 | 0 | 12 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itext-2.1.7.jar |
| java.time.format.DateTimeFormatterBuilder\$CharLiteralPrinterParser | 0 | 0 | 24 | 0 | |
| com.dsntech.itcms.daemon.child.ReportScheduleChecker | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-daemon-0.0.1-SNAPSHOT.jar |
| java.lang.ref.Reference\$ReferenceHandler | 0 | 0 | 1 | 0 | |
| sun.misc.GC\$Daemon | 0 | 0 | 1 | 0 | |
| com.sun.org.apache.xerces.internal.impl.XMLDocumentFragmentScannerImpl\$ElementStack2 | 0 | 0 | 9 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|---|
| java.lang.ProcessEnvironment\$Variable | 0 | 0 | 15 | 0 | |
| javax.management.StandardMBean | 0 | 0 | 15 | 0 | |
| org.apache.xerces.util.SymbolHash | 0 | 0 | 15 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| java.util.regex.Pattern\$Prolog | 0 | 0 | 15 | 0 | |
| java.lang.ProcessEnvironment\$Value | 0 | 0 | 15 | 0 | |
| sun.jvmstat.perfdata.monitor.PerfStringVariableMonitor | 0 | 0 | 9 | 0 | |
| com.sun.org.apache.xerces.internal.impl.validation.ValidationState | 0 | 0 | 9 | 0 | |
| com.sun.org.apache.xerces.internal.impl.dtd.XMLDTDDescription | 0 | 0 | 9 | 0 | |
| org.apache.tomcat.util.net.jsse.openssl.KeyExchange | 0 | 0 | 15 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| java.io.BufferedWriter | 0 | 0 | 9 | 0 | |
| sun.security.ec.ECPublicKeyImpl | 0 | 0 | 9 | 0 | home/itcms/jdk1.8.0_77/jre/lib/ext/sunec.jar |
| javax.websocket.CloseReason\$CloseCodes | 0 | 0 | 15 | 0 | home/itcms/agent2-apache-tomcat/lib/websocket-api.jar |
| org.apache.tomcat.dbcp.dbcp2.PoolableConnectionFactory | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-dbcp.jar |
| sun.net.www.protocol.jar.JarURLConnection | 0 | 0 | 4 | 0 | |
| java.lang.reflect.Proxy\$Key1 | 0 | 0 | 11 | 0 | |
| java.security.cert.PolicyQualifierInfo | 0 | 0 | 11 | 0 | |
| java.security.AlgorithmParameters | 0 | 0 | 11 | 0 | |
| org.apache.xerces.impl.dtd.XMLNSDTDValidator | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.apache.catalina.valves.AbstractAccessLogValve\$DateFormatCache | 0 | 0 | 11 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.apache.xerces.parsers.XML11Configuration | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.mariadb.jdbc.internal.util.DefaultOptions[] | 0 | 0 | 1 | 0 | |
| sun.management.MemoryPoolImpl | 0 | 0 | 6 | 0 | |
| com.lowagie.text.pdf.PdfName[] | 0 | 0 | 9 | 0 | |
| java.lang.invoke.LambdaFormEditor\$Transform\$Kind | 0 | 0 | 14 | 0 | |
| org.apache.catalina.connector.Connector | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| net.sf.ehcache.event.RegisteredEventListeners | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| net.bull.javamelody.Action | 0 | 0 | 14 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| sun.security.x509.DNSName | 0 | 0 | 21 | 0 | |
| com.sun.org.apache.xerces.internal.util.XMLSecurityManager\$State[] | 0 | 0 | 7 | 0 | |
| java.lang.management.PlatformComponent[] | 0 | 0 | 16 | 0 | |
| org.apache.coyote.AsyncStateMachine\$AsyncState | 0 | 0 | 10 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| java.security.spec.ECFieldFp | 0 | 0 | 20 | 0 | |
| com.dsntech.serverplatform.channel.core.DefaultCommandViewMap | 0 | 0 | 10 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-core-0.0.1-SNAPSHOT.jar |
| org.apache.tomcat.util.descriptor.web.CallParamMultiRule | 0 | 0 | 8 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| org.apache.xerces.impl.xpath.regex.RangeToken | 0 | 0 | 8 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| sun.security.x509.CertificatePoliciesExtension | 0 | 0 | 10 | 0 | |
| java.util.concurrent.ScheduledThreadPoolExecutor | 0 | 0 | 4 | 0 | |
| java.util.concurrent.RunnableScheduledFuture[] | 0 | 0 | 4 | 0 | |
| sun.security.ssl.SignatureAndHashAlgorithm\$HashAlgorithm | 0 | 0 | 8 | 0 | |
| java.lang.Thread[] | 0 | 0 | 2 | 0 | |
| org.apache.juli.AsyncFileHandler | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/bin/tomcat-juli.jar |
| com.sun.org.apache.xerces.internal.util.XMLSecurityManager\$Limit | 0 | 0 | 8 | 0 | |
| net.bull.javamelody.PdfFonts | 0 | 0 | 10 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| java.nio.DirectByteBuffer\$Deallocator | 0 | 0 | 10 | 0 | |
| com.sun.org.apache.xerces.internal.impl.XMLEntityScanner | 0 | 0 | 5 | 0 | |
| org.apache.naming.NamingContext | 0 | 0 | 10 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.lang.ClassLoader\$NativeLibrary | 0 | 0 | 8 | 0 | |
| com.sun.org.apache.xerces.internal.impl.XMLEntityManager\$CharacterBuffer[] | 0 | 0 | 10 | 0 | |
| java.lang.OutOfMemoryError | 0 | 0 | 10 | 0 | |
| java.text.MessageFormat | 0 | 0 | 8 | 0 | |
| org.apache.catalina.session.StandardManager | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.apache.log4j.helpers.OnlyOnceErrorHandler | 0 | 0 | 13 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/log4j-1.2.17.jar |
| net.sf.ehcache.config.Configuration | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| java.lang.management.ManagementPermission | 0 | 0 | 13 | 0 | |
| java.lang.RuntimePermission | 0 | 0 | 13 | 0 | |
| net.sf.ehcache.CacheManager | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.apache.tomcat.util.net.SocketProperties | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.apache.log4j.Level | 0 | 0 | 13 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/log4j-1.2.17.jar |
| org.apache.xerces.impl.XMLDTDScannerImpl | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| com.lowagie.text.pdf.Type1Font | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itext-2.1.7.jar |
| java.util.concurrent.SynchronousQueue\$TransferStack\$SNode | 0 | 0 | 9 | 0 | |
| org.hibernate.event.PersistEventListener[] | 0 | 0 | 12 | 0 | |
| sun.security.x509.PolicyInformation | 0 | 0 | 12 | 0 | |
| org.apache.tomcat.util.net.NioEndpoint\$Poller | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| sun.reflect.annotation.AnnotationType | 0 | 0 | 9 | 0 | |
| java.util.concurrent.ConcurrentLinkedQueue\$Node | 0 | 0 | 12 | 0 | |
| sun.nio.ch.ServerSocketChannelImpl | 0 | 0 | 3 | 0 | |
| org.apache.tomcat.util.threads.ThreadPoolExecutor | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util.jar |
| java.lang.invoke.Invokers | 0 | 0 | 12 | 0 | |
| org.apache.tomcat.util.collections.SynchronizedQueue | 0 | 0 | 9 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| java.util.zip.GZIPOutputStream | 0 | 0 | 9 | 0 | |
| org.apache.catalina.loader.WebappClassLoader | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.apache.log4j.helpers.ISO8601DateFormat | 0 | 0 | 12 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/log4j-1.2.17.jar |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|--|-----------|--------|-----------|-------------|---|
| jdk.internal.org.objectweb.asm.Type | 0 | 0 | 9 | 0 | |
| java.util.logging.Level | 0 | 0 | 9 | 0 | |
| org.apache.juli.ClassLoaderLogManager\$RootLogger | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/bin/tomcat-juli.jar |
| com.sun.org.apache.xerces.internal.impl.dtd.XMLRootElementDecl | 0 | 0 | 9 | 0 | |
| org.apache.tomcat.util.net.jsse.openssl.Authentication | 0 | 0 | 12 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.hibernate.event.MergeEventListener[] | 0 | 0 | 12 | 0 | |
| org.apache.coyote.http11.InternalNioInputBuffer | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.apache.xerces.impl.dtd.models.DFACContentModel | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| sun.nio.ch.AllocatedNativeObject | 0 | 0 | 9 | 0 | |
| org.apache.tomcat.dbcp.pool2.impl.DefaultPooledObject | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-dbcp.jar |
| org.apache.coyote.Response | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| sun.security.jca.ProviderConfig | 0 | 0 | 9 | 0 | |
| org.apache.tomcat.dbcp.dbcp2.PoolableConnection | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-dbcp.jar |
| com.mysql.jdbc.ConnectionPropertiesImpl\$LongConnectionProperty | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mysql-connector-java-5.1.13.jar |
| sun.reflect.generics.reflectiveObjects.TypeVariableImpl | 0 | 0 | 9 | 0 | |
| org.springframework.asm.Type | 0 | 0 | 9 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-asm-3.0.5.RELEASE.jar |
| java.util.logging.LogManager\$LogNode | 0 | 0 | 9 | 0 | |
| org.dom4j.tree.ConcurrentReaderHashMap\$Entry[] | 0 | 0 | 2 | 0 | |
| java.util.regex.Pattern\$CharPropertyNames\$4 | 0 | 0 | 18 | 0 | |
| java.lang.Double | 0 | 0 | 12 | 0 | |
| com.sun.org.apache.xerces.internal.jaxp.SAXParserImpl | 0 | 0 | 5 | 0 | |
| sun.nio.ch.SelectionKeyImpl | 0 | 0 | 7 | 0 | |
| org.apache.el.parser.Node[] | 0 | 0 | 11 | 0 | |
| org.apache.tomcat.websocket.pojo.PojoPathParam[] | 0 | 0 | 15 | 0 | |
| java.beans.IndexedPropertyDescriptor | 0 | 0 | 3 | 0 | |
| java.net.StandardSocketOptions\$StdSocketOption | 0 | 0 | 11 | 0 | |
| org.apache.xerces.impl.xpath.regex.Token\$CharToken | 0 | 0 | 11 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.apache.catalina.deploy.NamingResourcesImpl | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.hibernate.LockMode | 0 | 0 | 11 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.jvmstat.perfdata.monitor.v2_0.TypeCode | 0 | 0 | 11 | 0 | |
| org.apache.coyote.RequestInfo | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.hibernate.stat.StatisticsImpl | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.security.x509.Extension | 0 | 0 | 11 | 0 | |
| sun.security.x509.CertificatePolicyId | 0 | 0 | 16 | 0 | |
| sun.misc.ProxyGenerator\$PrimitiveTypeInfo | 0 | 0 | 8 | 0 | |
| javax.management.MBeanNotificationInfo | 0 | 0 | 8 | 0 | |
| javax.management.MBeanConstructorInfo | 0 | 0 | 8 | 0 | |
| org.apache.coyote.http11.Http11NioProtocol | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| float[] | 0 | 0 | 6 | 0 | |
| org.apache.tomcat.util.digester.RulesBase | 0 | 0 | 8 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| org.apache.xerces.util.AugmentationsImpl | 0 | 0 | 16 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| java.util.Random | 0 | 0 | 8 | 0 | |
| java.lang.invoke.LambdaForm\$BasicType[] | 0 | 0 | 8 | 0 | |
| org.apache.tomcat.util.descriptor.web.FilterDef | 0 | 0 | 5 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| sun.nio.ch.Util\$BufferCache | 0 | 0 | 10 | 0 | |
| org.apache.catalina.connector.OutputBuffer | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| sun.nio.cs.CharsetMapping\$Entry[] | 0 | 0 | 2 | 0 | |
| sun.management.MemoryPoolImpl\$CollectionSensor | 0 | 0 | 6 | 0 | |
| org.apache.tomcat.dbcp.pool2.PooledObjectState | 0 | 0 | 10 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-dbcp.jar |
| org.apache.log4j.RollingCalendar | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/log4j-1.2.17.jar |
| sun.management.MemoryPoolImpl\$PoolSensor | 0 | 0 | 6 | 0 | |
| java.io.ObjectOutputStream\$HandleTable | 0 | 0 | 6 | 0 | |
| javax.websocket.server.DefaultServerEndpointConfig | 0 | 0 | 5 | 0 | home/itcms/agent2-apache-tomcat/lib/websocket-api.jar |
| org.apache.tomcat.dbcp.pool2.impl.LinkedBlockingDeque\$Node | 0 | 0 | 10 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-dbcp.jar |
| net.bull.javamelody.Period | 0 | 0 | 5 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| org.apache.coyote.http11.filters.ChunkedInputFilter | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.apache.tomcat.util.descriptor.tld.TldRuleSet\$GenericBooleanRule | 0 | 0 | 10 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| org.apache.xerces.impl.xs.SchemaGrammar\$BuiltinSchemaGrammar | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.apache.xerces.impl.dtd.XMLEntityDecl | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.apache.tomcat.util.log.UserDataHelper | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| com.sun.org.apache.xerces.internal.util.XMLSecurityManager | 0 | 0 | 6 | 0 | |
| net.sf.ehcache.store.disk.DiskStorageFactory | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.apache.tomcat.websocket.pojo.PojoMethodMapping | 0 | 0 | 5 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-websocket.jar |
| java.util.concurrent.ConcurrentLinkedQueue | 0 | 0 | 10 | 0 | |
| net.bull.javamelody.DatabaseInformations\$Database | 0 | 0 | 10 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| java.lang.invoke.BoundMethodHandle\$SpeciesData[] | 0 | 0 | 6 | 0 | |
| org.apache.coyote.http11.InternalNioOutputBuffer | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| com.sun.org.apache.xerces.internal.util.XMLAttributesImpl | 0 | 0 | 5 | 0 | |
| java.security.CryptoPrimitive | 0 | 0 | 10 | 0 | |
| net.sf.ehcache.Cache\$NonstopActiveDelegateHolderImpl | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| net.bull.javamelody.PeriodCounterFactory | 0 | 0 | 14 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|--|-----------|--------|-----------|-------------|--|
| java.util.regex.Pattern\$3 | 0 | 0 | 7 | 0 | |
| sun.security.x509.NetscapeCertTypeExtension | 0 | 0 | 7 | 0 | |
| java.lang.StringBuilder[] | 0 | 0 | 7 | 0 | |
| org.apache.tomcat.util.descriptor.web.WebRuleSet | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| java.text.FieldPosition | 0 | 0 | 7 | 0 | |
| javax.management.openmbean.OpenMBeanOperationInfoSupport | 0 | 0 | 4 | 0 | |
| sun.security.x509.ExtendedKeyUsageExtension | 0 | 0 | 7 | 0 | |
| net.sf.ehcache.store.disk.DiskStore | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.apache.tomcat.util.http.Parameters | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| com.mchange.v2.log.MLevel | 0 | 0 | 9 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| com.sun.org.apache.xerces.internal.impl.dtd.XMLAttributeDecl | 0 | 0 | 9 | 0 | |
| java.io.BufferedOutputStream | 0 | 0 | 9 | 0 | |
| net.bull.javamelody.TomcatInformations | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| com.sun.org.apache.xerces.internal.impl.dtd.DTDGrammarBucket | 0 | 0 | 9 | 0 | |
| org.apache.tomcat.util.net.SocketStatus | 0 | 0 | 9 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| java.util.regex.Pattern\$Ques | 0 | 0 | 9 | 0 | |
| sun.reflect.generics.tree.FormalTypeParameter | 0 | 0 | 9 | 0 | |
| net.sf.ehcache.store.MemoryStore | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.apache.catalina.connector.InputBuffer | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.util.concurrent.ScheduledThreadPoolExecutor\$ScheduledFutureTask | 0 | 0 | 3 | 0 | |
| java.util.logging.Level\$KnownLevel | 0 | 0 | 9 | 0 | |
| sun.util.logging.PlatformLogger\$Level | 0 | 0 | 9 | 0 | |
| sun.util.calendar.ImmutableGregorianDate | 0 | 0 | 2 | 0 | |
| org.apache.xerces.impl.xs.util.SimpleLocator[] | 0 | 0 | 4 | 0 | |
| java.lang.invoke.LambdaForm\$NamedFunction[] | 0 | 0 | 7 | 0 | |
| org.apache.tomcat.websocket.server.WsServerContainer | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-websocket.jar |
| com.sun.xml.internal.stream.XMLEntityStorage | 0 | 0 | 5 | 0 | |
| com.sun.org.apache.xerces.internal.util.SymbolTable | 0 | 0 | 5 | 0 | |
| org.apache.log4j.helpers.PatternParser\$LocationPatternConverter | 0 | 0 | 5 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/log4j-1.2.17.jar |
| org.apache.catalina.mapper.Mapper\$MappedWrapper[] | 0 | 0 | 6 | 0 | |
| org.apache.coyote.ActionCode[] | 0 | 0 | 1 | 0 | |
| java.util.concurrent.LinkedBlockingDeque | 0 | 0 | 5 | 0 | |
| java.text.DateFormat\$Field[] | 0 | 0 | 2 | 0 | |
| com.sun.org.apache.xerces.internal.impl.XMLVersionDetector | 0 | 0 | 5 | 0 | |
| com.sun.org.apache.xerces.internal.impl.XMLEntityManager\$CharacterBufferPool | 0 | 0 | 5 | 0 | |
| java.lang.invoke.BoundMethodHandle\$SpeciesData | 0 | 0 | 5 | 0 | |
| com.sun.org.apache.xerces.internal.impl.XMLErrorReporter | 0 | 0 | 5 | 0 | |
| sun.jvmstat.perfdata.monitor.PerfIntegerMonitor | 0 | 0 | 5 | 0 | |
| java.util.IdentityHashMap | 0 | 0 | 5 | 0 | |
| java.net.URI\$Parser | 0 | 0 | 6 | 0 | |
| org.apache.jasper.EmbeddedServletOptions | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/jasper.jar |
| org.hibernate.event.PostInsertEventListener[] | 0 | 0 | 12 | 0 | |
| org.apache.catalina.connector.Response | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.util.LinkedHashMap\$LinkedValues | 0 | 0 | 12 | 0 | |
| jdk.net.SocketFlow\$Status | 0 | 0 | 8 | 0 | |
| org.apache.log4j.helpers.AppenderAttachableImpl | 0 | 0 | 12 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/log4j-1.2.17.jar |
| net.bull.javamelody.HtmlCoreReport | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| sun.security.provider.Sun | 0 | 0 | 2 | 0 | |
| net.bull.javamelody.JavalnInformations | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| java.util.Collections\$SetFromMap | 0 | 0 | 8 | 0 | |
| org.apache.catalina.util.ParameterMap | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.io.ObjectOutputStream\$PutFieldImpl | 0 | 0 | 6 | 0 | |
| org.apache.xerces.util.XMLResourceIdentifierImpl | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| java.time.format.TextStyle | 0 | 0 | 6 | 0 | |
| net.sf.ehcache.config.CacheConfiguration\$CacheEventListenerFactoryConfiguration | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| net.sf.ehcache.store.disk.ods.FileAllocationTree | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| sun.security.jgss.SunProvider | 0 | 0 | 2 | 0 | |
| javax.servlet.http.Cookie | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/servlet-api.jar |
| org.dom4j.io.SAXContentHandler | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/dom4j-1.6.1.jar |
| net.sf.ehcache.store.chm.SelectableConcurrentHashMap | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.apache.coyote.http11.InputFilter[] | 0 | 0 | 6 | 0 | |
| org.apache.xerces.impl.dtd.XMLDTDProcessor | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.apache.log4j.DailyRollingFileAppender | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/log4j-1.2.17.jar |
| org.hibernate.event.PostUpdateEventListener[] | 0 | 0 | 12 | 0 | |
| org.apache.tomcat.util.digester.SetPropertiesRule | 0 | 0 | 8 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| org.apache.juli.DateFormatCache\$Cache | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/bin/tomcat-juli.jar |
| org.springframework.orm.hibernate3.LocalSessionFactoryBean | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-hibernate-1.2.9.jar |
| java.util.Map[] | 0 | 0 | 4 | 0 | |
| org.apache.tomcat.util.descriptor.web.TaglibLocationRule | 0 | 0 | 8 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| java.math.RoundingMode | 0 | 0 | 8 | 0 | |
| sun.security.provider.NativePRNG\$RandomIO | 0 | 0 | 3 | 0 | |
| org.apache.coyote.http11.OutputFilter[] | 0 | 0 | 6 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|---|
| org.apache.xerces.impl.XMLEntityManager | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| com.lowagie.text.pdf.PdfNumber | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itext-2.1.7.jar |
| javax.servlet.jsp.tagext.TagVariableInfo | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/lib/jsp-api.jar |
| com.lowagie.text.pdf.IntHashtable | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itext-2.1.7.jar |
| java.lang.invoke.MethodHandleImpl\$Intrinsic | 0 | 0 | 8 | 0 | |
| org.hibernate.event.PostDeleteEventListener[] | 0 | 0 | 12 | 0 | |
| javax.crypto.CryptoPermissionCollection | 0 | 0 | 8 | 0 | |
| sun.security.util.MemoryCache | 0 | 0 | 6 | 0 | |
| java.lang.ThreadGroup | 0 | 0 | 4 | 0 | |
| java.lang.invoke.LambdaForm\$BasicType | 0 | 0 | 6 | 0 | |
| javax.el.ELResolver[] | 0 | 0 | 3 | 0 | |
| java.beans.PropertyChangeListener[] | 0 | 0 | 8 | 0 | |
| java.text.NumberFormat\$Field | 0 | 0 | 11 | 0 | |
| org.apache.xerces.impl.xml.util.XInt | 0 | 0 | 11 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.apache.xerces.parsers.SAXParser | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| com.sun.proxy.\$Proxy5 | 0 | 0 | 11 | 0 | |
| org.apache.tomcat.util.descriptor.web.WebXml | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| net.sf.ehcache.store.DiskBackedMemoryStore | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.apache.catalina.connector.CoyoteReader | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.math.BigInteger[] | 0 | 0 | 1 | 0 | |
| com.sun.management.VMOption\$Origin | 0 | 0 | 7 | 0 | |
| sun.security.x509.NetscapeCertTypeExtension\$MapEntry | 0 | 0 | 7 | 0 | |
| com.sun.org.apache.xerces.internal.util.FeatureState | 0 | 0 | 7 | 0 | |
| org.apache.coyote.RequestGroupInfo | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.apache.catalina.mapper.MappingData | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.apache.tomcat.util.net.jsse.openssl.EncryptionLevel | 0 | 0 | 7 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.apache.tomcat.util.net.AbstractEndpoint\$Handler\$SocketState | 0 | 0 | 7 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| sun.jvmsat.monitor.Units | 0 | 0 | 7 | 0 | |
| org.apache.catalina.core.NamingContextListener | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.apache.tomcat.util.descriptor.web.ErrorPage | 0 | 0 | 7 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| java.util.regex.Pattern\$Dollar | 0 | 0 | 7 | 0 | |
| java.io.ObjectOutputStream | 0 | 0 | 3 | 0 | |
| net.sf.ehcache.config.CopyStrategyConfiguration | 0 | 0 | 7 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.apache.tomcat.util.net.NioSelectorPool | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| java.net.NetPermission | 0 | 0 | 7 | 0 | |
| org.apache.tomcat.util.threads.TaskQueue | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util.jar |
| org.hibernate.event.LoadEventListener\$LoadType | 0 | 0 | 7 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.catalina.core.ApplicationFilterConfig[] | 0 | 0 | 3 | 0 | |
| org.apache.catalina.core.StandardHost | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.apache.tomcat.util.net.jsse.openssl.MessageDigest | 0 | 0 | 7 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.apache.el.parser.AstIdentifier | 0 | 0 | 5 | 0 | home/itcms/agent2-apache-tomcat/lib/jasper-el.jar |
| org.apache.xerces.util.XMLAttributesImpl | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.apache.jasper.compiler.JspRuntimeContext | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/jasper.jar |
| org.apache.tomcat.util.descriptor.web.FilterMap | 0 | 0 | 5 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| org.apache.tomcat.util.http.ServerCookie | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| com.sun.org.apache.xerces.internal.impl.XMLNSDocumentScannerImpl\$NSContentDriver | 0 | 0 | 5 | 0 | |
| org.apache.catalina.webresources.StandardRoot | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| com.sun.org.apache.xerces.internal.util.XMLSecurityPropertyManager\$State[] | 0 | 0 | 6 | 0 | |
| sun.security.ssl.CipherSuite\$MacAlg | 0 | 0 | 5 | 0 | |
| org.apache.el.parser.AstDynamicExpression | 0 | 0 | 5 | 0 | home/itcms/agent2-apache-tomcat/lib/jasper-el.jar |
| com.mysql.jdbc.util.ReadAheadInputStream | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mysql-connector-java-5.1.13.jar |
| org.apache.xerces.impl.xml.util.XSComplexTypeDecl[] | 0 | 0 | 2 | 0 | |
| org.apache.catalina.core.ApplicationFilterConfig | 0 | 0 | 5 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.apache.tomcat.dbcp.pool2.impl.LinkedBlockingDeque | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-dbc.jar |
| java.util.LinkedHashMap\$LinkedValueIterator | 0 | 0 | 5 | 0 | |
| org.apache.tomcat.util.threads.TaskThread\$WrappingRunnable | 0 | 0 | 10 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util.jar |
| com.sun.org.apache.xerces.internal.util.NamespaceSupport | 0 | 0 | 5 | 0 | |
| sun.util.locale.provider.LocaleProviderAdapter\$Type | 0 | 0 | 5 | 0 | |
| org.apache.el.parser.AstCompositeExpression | 0 | 0 | 5 | 0 | home/itcms/agent2-apache-tomcat/lib/jasper-el.jar |
| com.sun.org.apache.xerces.internal.util.XMLLimitAnalyzer | 0 | 0 | 4 | 0 | |
| sun.security.ssl.SignatureAndHashAlgorithm\$SignatureAlgorithm | 0 | 0 | 5 | 0 | |
| org.apache.tomcat.util.buf.C2BCConverter | 0 | 0 | 5 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util.jar |
| org.apache.xerces.impl.xml.util.SchemaGrammar\$BuiltinAttrDecl | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| net.bull.javamelody.HtmlReport | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| com.sun.org.apache.xerces.internal.jaxp.SAXParserFactoryImpl | 0 | 0 | 5 | 0 | |
| java.util.Formatter\$Flags | 0 | 0 | 10 | 0 | |
| org.springframework.beans.factory.config.ConstructorArgumentValues\$ValueHolder | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-beans-3.0.5.RELEASE.jar |
| net.bull.javamelody.HtmlCounterReport\$HtmlCounterRequestGraphReport | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| javax.management.StandardEmitterMBean | 0 | 0 | 5 | 0 | |
| org.hibernate.event.ReplicateEventListener[] | 0 | 0 | 6 | 0 | |
| org.hibernate.event.PreLoadEventListener[] | 0 | 0 | 6 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|--|-----------|--------|-----------|-------------|--|
| java.util.regex.Pattern\$Begin | 0 | 0 | 9 | 0 | |
| org.hibernate.event.AutoFlushEventListener[] | 0 | 0 | 6 | 0 | |
| org.apache.catalina.connector.CoyoteWriter | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| com.mchange.v2.c3p0.WrapperConnectionPoolDataSource | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| net.sf.ehcache.pool.impl.UnboundedPool\$UnboundedPoolAccessor | 0 | 0 | 9 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| com.sun.org.apache.xerces.internal.impl.XMLDocumentScannerImpl\$XMLDeclDriver | 0 | 0 | 9 | 0 | |
| org.mariadb.jdbc.internal.util.dao.ClientPrepareResult\$LexState | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mariadb-java-client-2.2.6.jar |
| net.sf.ehcache.store.disk.ods.Region | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| com.sun.activation.registries.MimeTypeFile | 0 | 0 | 6 | 0 | |
| java.nio.channels.spi.AbstractSelector\$1 | 0 | 0 | 9 | 0 | |
| org.hibernate.event.EvictEventListener[] | 0 | 0 | 6 | 0 | |
| org.apache.catalina.mbeans.NamingResourcesMBean | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| net.bull.javamelody.JdbcWrapper\$3 | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| org.mariadb.jdbc.internal.util.constant.HaMode | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mariadb-java-client-2.2.6.jar |
| org.apache.jasper.runtime.PageContextImpl | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/jasper.jar |
| sun.security.ec.ECParameters | 0 | 0 | 9 | 0 | home/itcms/jdk1.8.0_77/jre/lib/ext/sunec.jar |
| com.sun.org.apache.xerces.internal.impl.XMLDocumentScannerImpl\$PrologDriver | 0 | 0 | 9 | 0 | |
| org.apache.tomcat.util.http.MimeHeaders | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| net.sf.ehcache.statistics.sampled.SampledCacheStatisticsWrapper | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.apache.tomcat.util.descriptor.web.ServletDef | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| org.hibernate.event.FlushEntityEventListener[] | 0 | 0 | 6 | 0 | |
| org.hibernate.event.FlushEventListener[] | 0 | 0 | 6 | 0 | |
| org.hibernate.event.PostLoadEventListener[] | 0 | 0 | 6 | 0 | |
| net.sf.ehcache.event.RegisteredEventListener\$ListenerWrapper | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| java.util.concurrent.ConcurrentHashMap\$Traverser | 0 | 0 | 3 | 0 | |
| org.springframework.core.io.FileSystemResource | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-core-3.0.5.RELEASE.jar |
| sun.nio.ch.Util\$2 | 0 | 0 | 9 | 0 | |
| sun.misc.PerfCounter | 0 | 0 | 6 | 0 | |
| org.apache.log4j.helpers.PatternParser | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/log4j-1.2.17.jar |
| com.sun.org.apache.xerces.internal.impl.XMLDocumentScannerImpl\$TrailingMiscDriver | 0 | 0 | 9 | 0 | |
| net.sf.ehcache.statistics.LiveCacheStatisticsWrapper | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| com.sun.org.apache.xerces.internal.util.Status | 0 | 0 | 6 | 0 | |
| sun.security.util.DisabledAlgorithmConstraints\$KeySizeConstraint\$Operator | 0 | 0 | 6 | 0 | |
| org.apache.tomcat.util.descriptor.LocalResolver | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| org.apache.catalina.util.StandardSessionIdGenerator | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.hibernate.event.LockEventListener[] | 0 | 0 | 6 | 0 | |
| java.util.regex.Pattern\$GroupCurly | 0 | 0 | 3 | 0 | |
| net.sf.ehcache.config.CacheConfiguration\$BootstrapCacheLoaderFactory\$Configuration | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| java.nio.HeapIntBuffer | 0 | 0 | 3 | 0 | |
| net.bull.javamelody.Action[] | 0 | 0 | 2 | 0 | |
| java.util.regex.Pattern\$SingleI | 0 | 0 | 6 | 0 | |
| org.apache.coyote.http11.AbstractNioInputBuffer\$HeaderParsePosition | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| net.sf.ehcache.Cache\$CacheStatus | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.apache.catalina.util.Extension | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.lang.Thread\$State | 0 | 0 | 6 | 0 | |
| org.hibernate.event.InitializeCollectionEventListener[] | 0 | 0 | 6 | 0 | |
| java.math.BigDecimal[] | 0 | 0 | 2 | 0 | |
| org.hibernate.event.DeleteEventListener[] | 0 | 0 | 6 | 0 | |
| org.hibernate.event.RefreshEventListener[] | 0 | 0 | 6 | 0 | |
| sun.security.ssl.ProtocolVersion | 0 | 0 | 6 | 0 | |
| org.hibernate.event.DirtyCheckEventListener[] | 0 | 0 | 6 | 0 | |
| java.util.regex.Pattern\$CharPropertyNames\$2 | 0 | 0 | 6 | 0 | |
| org.springframework.mail.javamail.JavaMailSenderImpl | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-context-support-3.0.5.RELEASE.jar |
| org.hibernate.event.LoadEventListener[] | 0 | 0 | 6 | 0 | |
| org.apache.catalina.valves.AccessLogValve | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.time.temporal.ChronoField[] | 0 | 0 | 1 | 0 | |
| sun.security.ssl.CipherSuite\$PRF | 0 | 0 | 4 | 0 | |
| com.dsntech.serverplatform.channel.web.MultipartWebView | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-core-0.0.1-SNAPSHOT.jar |
| java.lang.UNIXProcess\$Platform | 0 | 0 | 4 | 0 | |
| org.apache.catalina.webresources.DirResourceSet | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.apache.catalina.core.ApplicationContext | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.apache.xerces.util.XMLAttributesImpl\$Attribute[] | 0 | 0 | 4 | 0 | |
| org.apache.xerces.xni.QName[] | 0 | 0 | 4 | 0 | |
| sun.nio.cs.ext.DoubleByte\$Encoder_DBCSONLY | 0 | 0 | 2 | 0 | |
| java.text.SimpleDateFormat[] | 0 | 0 | 4 | 0 | |
| net.bull.javamelody.Collector | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| net.bull.javamelody.CompressionServletResponseWrapper | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| com.mysql.jdbc.JDBC4DatabaseMetaData | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mysql-connector-java-5.1.13.jar |
| java.util.concurrent.SynchronousQueue | 0 | 0 | 4 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|--|-----------|--------|-----------|-------------|--|
| org.apache.tomcat.util.net.NioBlockingSelector\$BlockPoller\$3 | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| com.sun.jmx.mbeanserver.DefaultMXBeanMappingFactory\$ArrayMapping | 0 | 0 | 4 | 0 | |
| com.dsntech.serverplatform.channel.handler.StandardWebHandler | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-core-0.0.1-SNAPSHOT.jar |
| org.apache.catalina.loader.WebappLoader | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.lang.Throwable | 0 | 0 | 4 | 0 | |
| org.apache.catalina.mapper.Mapper\$ContextVersion | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.springframework.context.event.AbstractApplicationEventMulticaster\$ListenerRetriever | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-context-3.0.5.RELEASE.jar |
| sun.security.provider.SecureRandom | 0 | 0 | 4 | 0 | |
| java.beans.EventSetDescriptor | 0 | 0 | 2 | 0 | |
| org.apache.catalina.core.StandardEngine | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.apache.juli.ClassLoaderLogManager\$ClassLoaderLogInfo | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/bin/tomcat-juli.jar |
| java.util.concurrent.atomic.AtomicReferenceFieldUpdater\$AtomicReferenceFieldUpdaterImpl | 0 | 0 | 4 | 0 | |
| java.lang.ref.WeakReference[] | 0 | 0 | 4 | 0 | |
| org.apache.catalina.servlets.DefaultServlet | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.io.ExpiringCache\$1 | 0 | 0 | 2 | 0 | |
| java.util.regex.Pattern\$CharPropertyNames\$3 | 0 | 0 | 8 | 0 | |
| java.util.concurrent.ScheduledThreadPoolExecutor\$DelayedWorkQueue | 0 | 0 | 4 | 0 | |
| com.sun.org.apache.xerces.internal.util.XMLSecurityPropertyManager | 0 | 0 | 5 | 0 | |
| org.apache.coyote.http11.filters.IdentityInputFilter | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.apache.tomcat.util.buf.Utf8Decoder | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util.jar |
| java.io.ObjectOutputStream\$BlockDataOutputStream | 0 | 0 | 3 | 0 | |
| java.lang.invoke.MethodHandleImpl\$AsVarargsCollector | 0 | 0 | 3 | 0 | |
| org.apache.tomcat.util.buf.UEncoder | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util.jar |
| java.time.format.SignStyle | 0 | 0 | 5 | 0 | |
| com.sun.org.apache.xerces.internal.util.XMLSecurityPropertyManager\$State | 0 | 0 | 5 | 0 | |
| org.hibernate.CacheMode | 0 | 0 | 5 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| net.sf.ehcache.transaction.manager.selector.Selector[] | 0 | 0 | 3 | 0 | |
| org.springframework.core.io.DefaultResourceLoader\$ClassPathContextResource | 0 | 0 | 5 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-core-3.0.5.RELEASE.jar |
| javax.servlet.DispatcherType | 0 | 0 | 5 | 0 | home/itcms/agent2-apache-tomcat/lib/servlet-api.jar |
| com.sun.org.apache.xerces.internal.util.PropertyState | 0 | 0 | 5 | 0 | |
| com.sun.org.apache.xerces.internal.util.XMLSecurityManager\$State | 0 | 0 | 5 | 0 | |
| com.dsntech.itcms.entity.Config | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-common-0.0.1-SNAPSHOT.jar |
| net.bull.javamelody.Period[] | 0 | 0 | 3 | 0 | |
| sun.net.www.MessageHeader | 0 | 0 | 5 | 0 | |
| java.lang.invoke.BoundMethodHandle\$Species_LL | 0 | 0 | 3 | 0 | |
| org.apache.xerces.impl.xs.traversers.LargeContainer | 0 | 0 | 5 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.springframework.orm.hibernate3.LocalDataSourceConnectionProvider | 0 | 0 | 5 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-hibernate-1.2.9.jar |
| com.sun.org.apache.xerces.internal.impl.validation.ValidationManager | 0 | 0 | 5 | 0 | |
| javax.net.ssl.SSLParameters | 0 | 0 | 3 | 0 | |
| org.hibernate.type.BlobType | 0 | 0 | 5 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| net.sf.ehcache.terracotta.TerracottaClient | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| net.sf.ehcache.TransactionController | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| java.net.InetSocketAddress[] | 0 | 0 | 5 | 0 | |
| net.bull.javamelody.Range | 0 | 0 | 5 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| java.lang.reflect.Proxy\$Key2 | 0 | 0 | 3 | 0 | |
| org.apache.xerces.impl.dv.xs.TypeValidator[] | 0 | 0 | 1 | 0 | |
| org.apache.coyote.AbstractProtocol\$RecycledProcessors | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.apache.catalina.mbeans.ConnectorMBean | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| com.sun.org.apache.xerces.internal.impl.msg.XMLMessageFormatter | 0 | 0 | 5 | 0 | |
| sun.security.jca.ServiceId | 0 | 0 | 5 | 0 | |
| org.springframework.web.context.support.XmlWebApplicationContext | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-web-3.0.5.RELEASE.jar |
| sun.misc.FloatingDecimal\$PreparedASCIItoBinaryBuffer | 0 | 0 | 5 | 0 | |
| org.hibernate.type.MaterializedBlobType | 0 | 0 | 5 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.springframework.beans.factory.support.DisposableBeanAdapter | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-beans-3.0.5.RELEASE.jar |
| sun.nio.ch.FileLockImpl | 0 | 0 | 3 | 0 | |
| org.springframework.core.io.ClassPathResource | 0 | 0 | 5 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-core-3.0.5.RELEASE.jar |
| sun.security.x509.AccessDescription | 0 | 0 | 5 | 0 | |
| org.apache.catalina.valves.AbstractAccessLogValve\$FormatType | 0 | 0 | 5 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| net.sf.ehcache.terracotta.TerracottaClient\$RejoinWorker | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.hibernate.FlushMode | 0 | 0 | 5 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.type.WrappedMaterializedBlobType | 0 | 0 | 5 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| net.sf.ehcache.transaction.manager.DefaultTransactionManagerLookup | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| sun.misc.URLClassPath\$1 | 0 | 0 | 3 | 0 | |
| net.sf.ehcache.distribution.RMIAsynchronousCacheReplicator | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.dom4j.tree.ConcurrentReaderHashMap | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/dom4j-1.6.1.jar |
| java.util.concurrent.atomic.AtomicReference | 0 | 0 | 7 | 0 | |
| org.apache.catalina.startup.ContextConfig | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|---|
| org.apache.tomcat.util.descriptor.tld.TaglibXml | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| org.springframework.context.support.ClassPathXmlApplicationContext | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-context-3.0.5.RELEASE.jar |
| java.util.concurrent.ConcurrentHashMap\$EntrySetView | 0 | 0 | 7 | 0 | |
| java.nio.DirectByteBuffer | 0 | 0 | 2 | 0 | |
| java.lang.invoke.MethodType[] | 0 | 0 | 2 | 0 | |
| org.apache.catalina.webresources.Cache | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.springframework.jndi.JndiObjectFactoryBean | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-context-3.0.5.RELEASE.jar |
| org.apache.xerces.impl.xs.XSDDescription | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.apache.catalina.core.StandardServer | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| net.sf.ehcache.statistics.sampled.NullSampledCacheStatistics | 0 | 0 | 7 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.apache.catalina.valves.AbstractAccessLogValve\$StringElement | 0 | 0 | 7 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.hibernate.util.MarkerObject | 0 | 0 | 7 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.ext.DoubleByte\$Decoder_DBCS_ONLY | 0 | 0 | 2 | 0 | |
| org.apache.jasper.JspCompilationContext | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/jasper.jar |
| org.springframework.expression.spel.support.StandardEvaluationContext | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-expression-3.0.5.RELEASE.jar |
| java.security.CryptoPrimitive[] | 0 | 0 | 2 | 0 | |
| org.apache.tomcat.util.scan.StandardJarScanFilter | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| org.apache.jasper.servlet.JasperLoader | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/jasper.jar |
| org.apache.catalina.realm.LockOutRealm | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| sun.security.ssl.SSLSessionImpl | 0 | 0 | 1 | 0 | |
| org.apache.tomcat.util.http.HttpMessages | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| net.sf.ehcache.pool.impl.UnboundedPool | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.apache.tomcat.dbcp.dbcp2.PoolingDataSource | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-dbcp.jar |
| org.apache.tomcat.util.net.AbstractEndpoint\$Acceptor\$AcceptorState | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.apache.xerces.impl.xs.XSElementDecl[] | 0 | 0 | 2 | 0 | |
| com.sun.org.apache.xerces.internal.impl.XMLDocumentScannerImpl\$ContentDriver | 0 | 0 | 4 | 0 | |
| java.net.Inet6Address | 0 | 0 | 3 | 0 | |
| java.lang.invoke.DirectMethodHandle\$Special | 0 | 0 | 3 | 0 | |
| org.apache.catalina.core.ApplicationFilterChain | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.hibernate.event.def.DefaultDirtyCheckEventListener | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.event.def.DefaultPersistOnFlushEventListener | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.event.def.DefaultSaveOrUpdateCopyEventListener | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| net.sf.ehcache.CacheStoreHelper | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.apache.catalina.WebResourceRoot\$ResourceSetType | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.apache.catalina.core.StandardContextValve | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.apache.tomcat.util.descriptor.web.SetJspConfig | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| org.apache.tomcat.util.descriptor.web.SoapHeaderRule | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| sun.nio.ch.FileKey | 0 | 0 | 3 | 0 | |
| org.hibernate.event.PreCollectionRecreateEventListener[] | 0 | 0 | 6 | 0 | |
| sun.util.locale.provider.LocaleServiceProviderPool | 0 | 0 | 3 | 0 | |
| java.util.TreeMap\$ValueIterator | 0 | 0 | 3 | 0 | |
| sun.nio.cs.StreamDecoder | 0 | 0 | 2 | 0 | |
| org.apache.tomcat.util.descriptor.web.SetLoginConfig | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| org.hibernate.type.PrimitiveCharacterArrayClobType | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.tomcat.util.descriptor.web.SetAuthConstraintRule | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| sun.misc.Launcher\$AppClassLoader | 0 | 0 | 1 | 0 | |
| org.apache.tomcat.util.net.jsse.openssl.Protocol | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.apache.tomcat.util.threads.LimitLatch | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util.jar |
| net.sf.ehcache.transaction.DelegatingTransactionIDFactory | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.apache.coyote.http11.AbstractNioInputBuffer\$HeaderParseData | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.apache.tomcat.util.descriptor.web.AbsoluteOrderingRule | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| org.apache.tomcat.util.descriptor.web.ServiceQnameRule | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| org.apache.xerces.impl.dtd.XMLAttributeDecl | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| sun.util.locale.provider.LocaleResources | 0 | 0 | 3 | 0 | |
| sun.security.ec.SunEC | 0 | 0 | 1 | 0 | home/itcms/jdk1.8.0_77/jre/lib/ext/sunec.jar |
| net.sf.ehcache.transaction.manager.selector.BitronixSelector | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.hibernate.event.PreCollectionUpdateEventListener[] | 0 | 0 | 6 | 0 | |
| com.sun.org.apache.xerces.internal.util.XMLSecurityManager\$NameMap | 0 | 0 | 3 | 0 | |
| sun.nio.ch.SharedFileLockTable\$FileLockReference | 0 | 0 | 3 | 0 | |
| org.apache.tomcat.util.http.ValuesEnumerator | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| sun.security.x509.AuthorityInfoAccessExtension | 0 | 0 | 3 | 0 | |
| org.apache.tomcat.util.buf.B2CConverter | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util.jar |
| org.hibernate.event.def.DefaultInitializeCollectionEventListener | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.tomcat.util.descriptor.web.SetOverrideRule | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| com.sun.crypto.provider.SunJCE | 0 | 0 | 1 | 0 | home/itcms/jdk1.8.0_77/jre/lib/ext/sunjce_provider.jar |
| org.apache.coyote.http11.filters.IdentityOutputFilter | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| sun.security.jca.ProviderList\$1 | 0 | 0 | 1 | 0 | |
| com.mchange.v2.cfg.BasicMultiPropertiesConfig | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| sun.security.x509.SubjectAlternativeNameExtension | 0 | 0 | 3 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|--|-----------|--------|-----------|-------------|--|
| com.sun.jmx.mbeanserver.MBeanIntrospector\$PerInterfaceMap | 0 | 0 | 2 | 0 | |
| org.hibernate.event.PostCollectionUpdateEventListener[] | 0 | 0 | 6 | 0 | |
| com.sun.org.apache.xerces.internal.impl.RevalidationHandler[] | 0 | 0 | 4 | 0 | |
| org.apache.tomcat.util.http.ServerCookie[] | 0 | 0 | 3 | 0 | |
| org.hibernate.event.def.DefaultEvictEventListener | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| long[][] | 0 | 0 | 1 | 0 | |
| org.hibernate.event.PostCollectionRecreateEventListener[] | 0 | 0 | 6 | 0 | |
| java.util.concurrent.CountDownLatch\$Sync | 0 | 0 | 3 | 0 | |
| org.hibernate.event.PostCollectionRemoveEventListener[] | 0 | 0 | 6 | 0 | |
| org.apache.tomcat.util.descriptor.web.NameRule | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| org.apache.xerces.impl.xpath.regex.RegularExpression[] | 0 | 0 | 1 | 0 | |
| org.apache.tomcat.util.descriptor.web.ServletDefCreateRule | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| org.hibernate.event.def.DefaultSaveEventListener | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.event.def.DefaultPreLoadEventListener | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.tomcat.dbcp.dbcp2.SwallowedExceptionLogger | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-dbc.jar |
| java.net.URLClassLoader\$2 | 0 | 0 | 4 | 0 | |
| org.hibernate.event.def.DefaultMergeEventListener | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| javax.servlet.http.Cookie[] | 0 | 0 | 4 | 0 | |
| com.dsntech.serverplatform.channel.core.command.StdCommand | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-core-0.0.1-SNAPSHOT.jar |
| org.apache.catalina.startup.ClassLoaderFactory\$RepositoryType | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/bin/bootstrap.jar |
| org.apache.tomcat.util.threads.LimitLatch\$Sync | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util.jar |
| com.sun.jmx.mbeanserver.DefaultMXBeanMappingFactory\$EnumMapping | 0 | 0 | 3 | 0 | |
| net.sf.ehcache.management.provider.MBeanRegistrationProviderImpl | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| net.sf.ehcache.util.lang.VicariousThreadLocal | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.hibernate.event.PreDeleteEventListener[] | 0 | 0 | 6 | 0 | |
| org.apache.xerces.impl.xpath.regex.Token\$ClosureToken | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.hibernate.tuple.entity.EntityTuplizerFactory | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.event.def.DefaultPostLoadEventListener | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.event.PreInsertEventListener[] | 0 | 0 | 6 | 0 | |
| java.lang.reflect.Proxy\$KeyX | 0 | 0 | 4 | 0 | |
| org.apache.jasper.runtime.JspWriterImpl | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/jasper.jar |
| java.util.Timer | 0 | 0 | 4 | 0 | |
| org.apache.tomcat.util.descriptor.web.SetSessionConfig | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| net.bull.javamelody.TransportFormat | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| com.sun.security.sasl.Provider | 0 | 0 | 1 | 0 | |
| com.mchange.v2.util.DoubleWeakHashMap\$WVAl | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| org.apache.xerces.impl.dtd.DTDGrammar\$QNameHashtable | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| java.util.concurrent.ConcurrentSkipListMap | 0 | 0 | 2 | 0 | |
| org.hibernate.event.PreUpdateEventListener[] | 0 | 0 | 6 | 0 | |
| com.sun.net.ssl.internal.ssl.Provider | 0 | 0 | 1 | 0 | |
| java.util.TaskQueue | 0 | 0 | 4 | 0 | |
| com.sun.jmx.mbeanserver.MBeanIntrospector\$MBeanInfoMap | 0 | 0 | 2 | 0 | |
| org.hibernate.event.def.DefaultRefreshEventListener | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.event.PreCollectionRemoveEventListener[] | 0 | 0 | 6 | 0 | |
| org.apache.coyote.http11.filters.BufferedInputFilter | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| com.mchange.v2.util.DoubleWeakHashMap\$WKey | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| net.bull.javamelody.CompressionResponseStream | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| org.hibernate.type.AlternativeLOBTypes\$ClobTypes | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| net.bull.javamelody.MemoryInformations | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| java.util.WeakHashMap\$EntrySet | 0 | 0 | 6 | 0 | |
| org.apache.coyote.ErrorState | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| net.sf.ehcache.DiskStorePathManager\$DiskStorePath | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| java.net.Inet6Address\$Inet6AddressHolder | 0 | 0 | 3 | 0 | |
| java.time.format.DateTimeFormatterBuilder\$OffsetIdPrinterParser | 0 | 0 | 4 | 0 | |
| java.text.Normalizer\$Form | 0 | 0 | 4 | 0 | |
| net.sf.ehcache.transaction.manager.selector.WeblogicSelector | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.hibernate.event.def.DefaultSaveOrUpdateEventListener | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.security.smartcardio.SunPCSC | 0 | 0 | 1 | 0 | |
| com.dsntech.serverplatform.channel.core.command.UploadCommand | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-core-0.0.1-SNAPSHOT.jar |
| org.hibernate.event.def.DefaultPersistEventListener | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| net.bull.javamelody.CounterResponseStream | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| org.hibernate.engine.Status | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| net.sf.ehcache.config.ElementValueComparatorConfiguration | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| javax.management.openmbean.TabularType | 0 | 0 | 2 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|--|-----------|--------|-----------|-------------|---|
| org.hibernate.event.def.DefaultLockEventListener | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.type.AlternativeBlobTypes\$BlobTypes | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.type.TypeFactory\$TypeScopeImpl | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| net.sf.ehcache.config.CacheConfiguration\$TransactionalMode | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.hibernate.event.def.DefaultFlushEventListener | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| net.bull.javamelody.MonitoringFilter | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| org.hibernate.type.MaterializedClobType | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.time.format.DateTimeFormatterBuilder\$ZonedPrinterParser | 0 | 0 | 4 | 0 | |
| org.apache.tomcat.util.buf.UDEncoder\$DecodeException | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util.jar |
| javax.servlet.jsp.PageContext[] | 0 | 0 | 2 | 0 | |
| org.apache.tomcat.util.log.UserDataHelper\$Config | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.apache.tomcat.util.descriptor.web.RelativeOrderingRule | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| org.hibernate.type.ClobType | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| com.sun.jmx.mbeanserver.DefaultMXBeanMappingFactory\$CollectionMapping | 0 | 0 | 3 | 0 | |
| org.apache.tomcat.websocket.pojo.PojoPathParam | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-websocket.jar |
| org.apache.jasper.servlet.JspServletWrapper | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/jasper.jar |
| sun.net.spi.DefaultProxySelector\$NonProxyInfo | 0 | 0 | 3 | 0 | |
| java.util.logging.ErrorManager | 0 | 0 | 6 | 0 | |
| org.hibernate.type.TypeFactory | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.tomcat.util.descriptor.web.IgnoreAnnotationsRule | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| org.springframework.jdbc.core.JdbcTemplate | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-jdbc-3.0.5.RELEASE.jar |
| com.sun.proxy.\$Proxy10 | 0 | 0 | 6 | 0 | |
| com.mchange.v2.naming.JavaBeanReferenceMaker | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| org.apache.tomcat.util.descriptor.web.VersionRule | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| net.sf.ehcache.config.Configuration\$RuntimeCfg | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| java.io.BufferedReader | 0 | 0 | 2 | 0 | |
| org.apache.catalina.core.DefaultInstanceManager | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| sun.net.www.protocol.jar.JarURLConnection\$JarURLConnection\$InputStream | 0 | 0 | 4 | 0 | |
| sun.nio.ch.ServerSocketAdaptor | 0 | 0 | 3 | 0 | |
| sun.management.GarbageCollectorImpl | 0 | 0 | 2 | 0 | |
| org.jcp.xml.dsig.internal.dom.XMLDSigRI | 0 | 0 | 1 | 0 | |
| java.io.DataOutputStream | 0 | 0 | 3 | 0 | |
| org.apache.tomcat.util.descriptor.web.SetDistributableRule | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| java.time.format.DateTimeFormatterBuilder\$SettingsParser | 0 | 0 | 4 | 0 | |
| org.hibernate.event.def.DefaultLoadEventListener | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.springframework.orm.hibernate3.HibernateTransactionManager | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-hibernate-1.2.9.jar |
| sun.jvmstat.monitor.Variability | 0 | 0 | 4 | 0 | |
| org.apache.tomcat.util.descriptor.web.SetPublicIdRule | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| org.apache.tomcat.dbcp.dbcp2.DriverConnectionFactory | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-dbcp.jar |
| org.hibernate.event.def.DefaultAutoFlushEventListener | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.event.def.DefaultFlushEntityEventListener | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| com.mysql.jdbc.StandardSocketFactory | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mysql-connector-java-5.1.13.jar |
| org.hibernate.event.def.DefaultUpdateEventListener | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.type.CharacterArrayClobType | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.dom4j.io.SAXReader | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/dom4j-1.6.1.jar |
| net.bull.javamelody.JdbcWrapper\$DelegatingInvocationHandler | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| com.sun.org.apache.xerces.internal.parsers.AbstractSAXParser\$LocatorProxy | 0 | 0 | 4 | 0 | |
| org.hibernate.event.def.DefaultDeleteEventListener | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.tomcat.util.threads.TaskThreadFactory | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util.jar |
| org.hibernate.event.def.DefaultReplicateEventListener | 0 | 0 | 6 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| com.mchange.v1.identicator.WeakIdHashKey\$Ref | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| org.apache.tomcat.util.net.jsse.openssl.Encryption[] | 0 | 0 | 1 | 0 | |
| net.sf.ehcache.config.DiskStoreConfiguration\$Env | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.hibernate.cfg.beanvalidation.BeanValidationActivator\$ValidationMode | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.security.rsa.SunRsaSign | 0 | 0 | 1 | 0 | |
| java.net.InetAddress[] | 0 | 0 | 4 | 0 | |
| sun.security.util.ObjectIdentifier[] | 0 | 0 | 1 | 0 | |
| java.lang.Byte[][] | 0 | 0 | 1 | 0 | |
| java.net.URLClassLoader | 0 | 0 | 1 | 0 | |
| com.mchange.v2.c3p0.PoolConfig | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| sun.nio.cs.CharsetMapping | 0 | 0 | 1 | 0 | |
| org.apache.catalina.realm.UserDatabaseRealm | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.net.FactoryURLClassLoader | 0 | 0 | 1 | 0 | |
| sun.misc.Launcher\$ExtClassLoader | 0 | 0 | 1 | 0 | |
| org.mariadb.jdbc.internal.util.SqlStates[] | 0 | 0 | 1 | 0 | |
| org.apache.catalina.core.ApplicationSessionCookieConfig | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|---|
| org.apache.tomcat.util.log.SystemLogHandler | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| javax.websocket.CloseReason\$CloseCodes[] | 0 | 0 | 1 | 0 | |
| org.dom4j.tree.DefaultDocument | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/dom4j-1.6.1.jar |
| java.time.temporal.ChronoUnit[] | 0 | 0 | 1 | 0 | |
| com.dsntech.itcms.dao.impl.HibernateDaoFactory | 0 | 0 | 5 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-persistence-0.0.1-SNAPSHOT.jar |
| org.apache.catalina.realm.MessageDigestCredentialHandler | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.hibernate.annotations.common.reflection.java.JavaReflectionManager | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-commons-annotations-3.2.0.Final.jar |
| com.lowagie.text.pdf.GrayColor | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/text-2.1.7.jar |
| com.sun.org.apache.xerces.internal.impl.dtd.DTDDVFactoryImpl | 0 | 0 | 5 | 0 | |
| java.util.Collections\$SingletonMap | 0 | 0 | 2 | 0 | |
| com.mysql.jdbc.Driver | 0 | 0 | 5 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mysql-connector-java-5.1.13.jar |
| java.util.Locale\$Category | 0 | 0 | 2 | 0 | |
| net.sf.ehcache.util.UpdateChecker | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| sun.net.www.protocol.jar.Handler | 0 | 0 | 5 | 0 | |
| org.apache.jasper.compiler.JspConfig | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/jasper.jar |
| sun.util.calendar.Era | 0 | 0 | 2 | 0 | |
| sun.reflect.UnsafeQualifiedStaticLongFieldAccessorImpl | 0 | 0 | 2 | 0 | |
| org.apache.xerces.impl.XMLVersionDetector | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.apache.jasper.servlet.JspServlet | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/jasper.jar |
| java.util.Collections\$SynchronizedSortedMap | 0 | 0 | 2 | 0 | |
| sun.management.MemoryManagerImpl | 0 | 0 | 2 | 0 | |
| org.apache.tomcat.util.net.jsse.openssl.KeyExchange[] | 0 | 0 | 1 | 0 | |
| org.springframework.orm.hibernate3.LocalSessionFactoryBean\$TransactionAwareInvocationHandler | 0 | 0 | 5 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-hibernate-1.2.9.jar |
| org.hibernate.type.descriptor.java.BooleanTypeDescriptor | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| com.sun.proxy.\$Proxy9 | 0 | 0 | 5 | 0 | |
| org.apache.xerces.impl.validation.ValidationState | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| javax.servlet.DispatcherType[] | 0 | 0 | 2 | 0 | |
| org.hibernate.cfg.annotations.reflection.XMLContext | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.commons.fileupload.servlet.ServletFileUpload | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/commons-fileupload-1.2.2.jar |
| org.apache.catalina.mbeans.ContextMBean | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.security.cert.X509Certificate[] | 0 | 0 | 3 | 0 | |
| com.sun.proxy.\$Proxy4 | 0 | 0 | 5 | 0 | |
| com.sun.proxy.\$Proxy1 | 0 | 0 | 5 | 0 | |
| sun.security.ssl.CipherSuite\$KeyExchange[] | 0 | 0 | 1 | 0 | |
| com.sun.jmx.mbeanserver.DefaultMXBeanMappingFactory\$TabularMapping | 0 | 0 | 2 | 0 | |
| org.apache.xerces.impl.dtd.XMLDTDDescription | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.springframework.context.expression.StandardBeanExpressionResolver | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-context-3.0.5.RELEASE.jar |
| java.util.TreeMap\$Values | 0 | 0 | 5 | 0 | |
| sun.security.provider.DSAPublicKeyImpl | 0 | 0 | 2 | 0 | |
| org.dom4j.tree.NamespaceStack | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/dom4j-1.6.1.jar |
| org.springframework.beans.factory.support.ManagedList | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-beans-3.0.5.RELEASE.jar |
| com.sun.org.apache.xerces.internal.parsers.AbstractSAXParser\$AttributesProxy | 0 | 0 | 5 | 0 | |
| org.apache.xerces.impl.XMLErrorHandler | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.apache.catalina.authenticator.BasicAuthenticator | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.apache.catalina.startup.HostConfig\$DeployedApplication | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| sun.security.provider.NativePRNG | 0 | 0 | 5 | 0 | |
| sun.reflect.misc.MethodUtil | 0 | 0 | 1 | 0 | |
| com.dsntech.serverplatform.channel.core.DefaultApplicationController | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-core-0.0.1-SNAPSHOT.jar |
| java.io.ExpiringCache | 0 | 0 | 2 | 0 | |
| org.apache.juli.OneLineFormatter | 0 | 0 | 5 | 0 | home/itcms/agent2-apache-tomcat/bin/tomcat-juli.jar |
| org.apache.coyote.AsyncStateMachine | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.springframework.core.Constants | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-core-3.0.5.RELEASE.jar |
| java.util.Currency | 0 | 0 | 3 | 0 | |
| org.springframework.expression.TypedValue | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-expression-3.0.5.RELEASE.jar |
| net.sf.ehcache.config.CacheConfiguration\$PoolUsage | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.apache.tomcat.JarScanType | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-api.jar |
| java.util.Base64\$Encoder | 0 | 0 | 3 | 0 | |
| sun.security.jca.ProviderConfig[] | 0 | 0 | 2 | 0 | |
| com.mchange.v2.naming.ReferenceIndirector | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| org.apache.tomcat.util.http.LegacyCookieProcessor | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| sun.nio.ch.SharedFileLockTable | 0 | 0 | 3 | 0 | |
| org.hibernate.jdbc.util.FormatStyle | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.catalina.valves.AbstractAccessLogValve\$AccessLogElement[] | 0 | 0 | 1 | 0 | |
| org.apache.juli.DateFormatCache | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/bin/tomcat-juli.jar |
| org.apache.tomcat.util.net.AbstractEndpoint\$Acceptor[] | 0 | 0 | 3 | 0 | |
| java.lang.invoke.LambdaFormEditor\$Transform\$Kind[] | 0 | 0 | 1 | 0 | |
| java.util.regex.Pattern\$7 | 0 | 0 | 3 | 0 | |
| java.lang.annotation.RetentionPolicy | 0 | 0 | 3 | 0 | |

Monitoring JavaMelody on /itcms_agent.officesafer.com

| Class | Size (Kb) | % size | Instances | % instances | Source |
|--|-----------|--------|-----------|-------------|--|
| org.apache.tomcat.websocket.pojo.PojoMethodMapping\$MethodType | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-websocket.jar |
| net.sf.ehcache.store.disk.DiskStore\$CacheConfigurationListenerAdapter | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| javax.servlet.SessionTrackingMode | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/servlet-api.jar |
| org.apache.tomcat.util.log.UserDataHelper\$Mode | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| javax.management.openmbean.SimpleType[] | 0 | 0 | 1 | 0 | |
| java.net.Proxy\$Type | 0 | 0 | 3 | 0 | |
| org.apache.tomcat.util.net.NioEndpoint\$NioBufferHandler | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| java.time.format.ResolverStyle | 0 | 0 | 3 | 0 | |
| org.apache.coyote.http11.AbstractNioInputBuffer\$HeaderParseStatus | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.apache.tomcat.util.http.ServerCookies | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| sun.misc.FloatingDecimal\$ExceptionalBinaryToASCIIBuffer | 0 | 0 | 3 | 0 | |
| java.security.SecurityPermission | 0 | 0 | 3 | 0 | |
| java.net.URLClassLoader\$3 | 0 | 0 | 3 | 0 | |
| net.sf.ehcache.config.Configuration\$Monitoring | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.apache.tomcat.util.http.parser.SkipResult | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| java.io.RandomAccessFile[] | 0 | 0 | 3 | 0 | |
| net.sf.ehcache.event.CacheManagerEventListenerRegistry | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.apache.catalina.core.StandardService | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.apache.tomcat.util.net.NioEndpoint\$Acceptor | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.apache.coyote.http11.filters.GzipOutputFilter | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.apache.coyote.http11.filters.GzipOutputFilter\$FakeOutputStream | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| net.sf.ehcache.transaction.manager.selector.GenericJndiSelector | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.apache.tomcat.util.net.NioBlockingSelector | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| sun.security.provider.NativePRNG\$Variant | 0 | 0 | 3 | 0 | |
| net.sf.ehcache.TransactionController\$TransactionControllerStatistics | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| net.sf.ehcache.distribution.RMIBootstrapCacheLoader | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| net.sf.ehcache.Element | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.apache.tomcat.util.net.NioEndpoint\$Poller[] | 0 | 0 | 3 | 0 | |
| org.apache.coyote.http11.filters.ChunkedOutputFilter | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| com.mchange.v1.identicator.WeakIdHashKey | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| net.sf.ehcache.store.disk.DiskStorageFactory\$IndexWriteTask | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.hibernate.ScrollMode | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| com.dsntech.itcms.daemon.Scheduler | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-daemon-0.0.1-SNAPSHOT.jar |
| net.sf.ehcache.config.DiskStoreConfiguration | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| java.util.Enumeration[] | 0 | 0 | 3 | 0 | |
| net.sf.ehcache.transaction.manager.selector.AtomikosSelector | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| net.sf.ehcache.terracotta.TerracottaCacheCluster | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| sun.net.www.protocol.http.HttpURLConnection\$TunnelState | 0 | 0 | 3 | 0 | |
| java.lang.UNIXProcess\$LaunchMechanism | 0 | 0 | 3 | 0 | |
| sun.misc.Signal | 0 | 0 | 3 | 0 | |
| java.net.InetAddress\$CacheEntry | 0 | 0 | 3 | 0 | |
| java.io.ObjectOutputStream\$ReplaceTable | 0 | 0 | 3 | 0 | |
| net.sf.ehcache.transaction.manager.selector.GlassfishSelector | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| net.sf.ehcache.transaction.local.LocalRecoveryManager | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| sun.security.ssl.CipherSuite\$CipherType | 0 | 0 | 3 | 0 | |
| net.sf.ehcache.store.disk.DiskStore\$DiskStoreStripedReadWriteLock | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| javax.crypto.CryptoPermissions | 0 | 0 | 3 | 0 | |
| net.sf.ehcache.util.FailSafeTimer | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| net.sf.ehcache.event.NotificationScope | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| com.sun.activation.registries.MimeTypeFile[] | 0 | 0 | 3 | 0 | |
| org.apache.log4j.helpers.FormattingInfo | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/log4j-1.2.17.jar |
| java.util.Collections\$1 | 0 | 0 | 3 | 0 | |
| java.util.logging.LogManager\$RootLogger | 0 | 0 | 1 | 0 | |
| net.sf.ehcache.CacheManager\$CacheRejoinAction | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| java.util.ResourceBundle\$RBClassLoader | 0 | 0 | 1 | 0 | |
| java.sql.DriverInfo | 0 | 0 | 3 | 0 | |
| sun.util.locale.provider.JRELocaleProviderAdapter | 0 | 0 | 1 | 0 | |
| net.sf.ehcache.DiskStorePathManager | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.apache.tomcat.util.net.NioChannel | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.hibernate.cfg.EJB3TDDEntityResolver | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.tomcat.util.net.NioEndpoint\$SocketProcessor | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| sun.security.util.DisabledAlgorithmConstraints | 0 | 0 | 3 | 0 | |
| org.apache.catalina.LifecycleState[] | 0 | 0 | 1 | 0 | |
| org.springframework.mail.javamail.ConfigurableMimeTypeMap | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-context-support-3.0.5.RELEASE.jar |
| org.apache.coyote.ajp.AjpNioProtocol | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| sun.misc.CompoundEnumeration | 0 | 0 | 3 | 0 | |

Monitoring JavaMelody on /itcms_agent.officesafer.com

| Class | Size (Kb) | % size | Instances | % instances | Source |
|--|-----------|--------|-----------|-------------|--|
| net.sf.ehcache.Status | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.apache.tomcat.util.net.AbstractEndpoint\$BindState | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| java.util.concurrent.Executors\$RunnableAdapter | 0 | 0 | 3 | 0 | |
| org.apache.xerces.util.NamespaceSupport | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| java.net.URLClassLoader\$3\$1 | 0 | 0 | 4 | 0 | |
| sun.reflect.generics.tree.TypeVariableSignature | 0 | 0 | 4 | 0 | |
| org.hibernate.cfg.Configuration\$MetadataSourceQueue | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.beans.VetoableChangeListener[] | 0 | 0 | 3 | 0 | |
| java.time.format.DateTimeFormatterBuilder\$TextPrinterParser | 0 | 0 | 2 | 0 | |
| java.lang.ThreadGroup[] | 0 | 0 | 2 | 0 | |
| sun.security.ssl.EphemeralKeyManager\$EphemeralKeyPair | 0 | 0 | 2 | 0 | |
| org.apache.el.parser.AstDotSuffix | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/jasper-el.jar |
| sun.security.ssl.SSLSessionContextImpl | 0 | 0 | 2 | 0 | |
| org.apache.xerces.impl.XMLEntityManager\$ExternalEntity | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.springframework.context.event.SimpleApplicationEventMulticaster | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-context-3.0.5.RELEASE.jar |
| sun.jvmstat.perfdata.monitor.v2_0.TypeCode[] | 0 | 0 | 1 | 0 | |
| org.hibernate.cfg.annotations.reflection.JPAMetadataProvider | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.lang.VirtualMachineError | 0 | 0 | 2 | 0 | |
| java.time.temporal.IsoFields\$Unit | 0 | 0 | 2 | 0 | |
| org.apache.tomcat.util.descriptor.web.LoginConfig | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| net.bull.javamelody.MonitoringController | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| org.apache.jasper.compiler.TldCache | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/jasper.jar |
| java.lang.ref.ReferenceQueue\$Null | 0 | 0 | 2 | 0 | |
| net.bull.javamelody.HttpCookieManager | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| java.util.PropertyPermission | 0 | 0 | 2 | 0 | |
| java.security.BasicPermissionCollection | 0 | 0 | 2 | 0 | |
| org.springframework.context.support.DelegatingMessageSource | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-context-3.0.5.RELEASE.jar |
| org.apache.xerces.impl.dv.DatatypeValidator[] | 0 | 0 | 2 | 0 | |
| org.mariadb.jdbc.internal.util.dao.ClientPrepareResult | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mariadb-java-client-2.2.6.jar |
| com.sun.org.apache.xerces.internal.util.EntityResolver2Wrapper | 0 | 0 | 4 | 0 | |
| org.apache.juli.ClassLoaderLogManager | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/bin/tomcat-juli.jar |
| org.hibernate.cache.access.AccessType | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.util.concurrent.FutureTask | 0 | 0 | 2 | 0 | |
| org.apache.naming.TransactionRef | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| com.mysql.jdbc.log.StandardLogger | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mysql-connector-java-5.1.13.jar |
| java.io.PrintStream | 0 | 0 | 2 | 0 | |
| com.sun.org.apache.xerces.internal.util.XMLSecurityPropertyManager\$Property | 0 | 0 | 2 | 0 | |
| net.sf.ehcache.store.MemoryStoreEvictionPolicy | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.apache.juli.OneLineFormatter\$1\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/bin/tomcat-juli.jar |
| java.lang.annotation.Annotation[] | 0 | 0 | 4 | 0 | |
| sun.security.x509.PrivateKeyUsageExtension | 0 | 0 | 2 | 0 | |
| com.sun.org.apache.xerces.internal.util.ErrorHandlerWrapper | 0 | 0 | 4 | 0 | |
| java.lang.annotation.RetentionPolicy[] | 0 | 0 | 2 | 0 | |
| javax.servlet.SessionTrackingMode[] | 0 | 0 | 2 | 0 | |
| java.lang.reflect.WeakCache\$CacheKey | 0 | 0 | 2 | 0 | |
| sun.reflect.UnsafeBooleanFieldAccessorImpl | 0 | 0 | 2 | 0 | |
| org.apache.tomcat.util.net.jsse.openssl.Authentication[] | 0 | 0 | 1 | 0 | |
| com.dsntech.serverplatform.channel.core.DefaultCommandViewMapResolver | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-core-0.0.1-SNAPSHOT.jar |
| org.xml.sax.InputSource | 0 | 0 | 2 | 0 | |
| org.apache.tomcat.dbcp.pool2.impl.InterruptibleReentrantLock | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-dbcp.jar |
| org.apache.tomcat.util.descriptor.web.WebXmlParser | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| java.lang.UNIXProcess\$LaunchMechanism[] | 0 | 0 | 2 | 0 | |
| com.sun.jndi.ldap.pool.Pool | 0 | 0 | 2 | 0 | |
| org.apache.tomcat.dbcp.pool2.impl.DefaultEvictionPolicy | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-dbcp.jar |
| org.apache.jasper.compiler.TldCache\$TaglibXmlCacheEntry | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/jasper.jar |
| java.lang.RuntimeException | 0 | 0 | 2 | 0 | |
| org.apache.xerces.impl.xpath.regex.RegularExpression | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| javax.security.auth.x500.X500Principal | 0 | 0 | 4 | 0 | |
| org.apache.tomcat.websocket.server.WsWriteTimeout | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-websocket.jar |
| org.apache.xerces.impl.dtd.models.ContentModelValidator[] | 0 | 0 | 2 | 0 | |
| java.lang.String[][] | 0 | 0 | 2 | 0 | |
| org.dom4j.tree.DefaultDocumentType | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/dom4j-1.6.1.jar |
| org.apache.xerces.impl.XMLEntityScanner | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| sun.security.ssl.ProtocolList | 0 | 0 | 2 | 0 | |
| java.util.Timer\$1 | 0 | 0 | 4 | 0 | |
| java.util.concurrent.ConcurrentSkipListMap\$HeadIndex | 0 | 0 | 2 | 0 | |
| org.apache.log4j.ConsoleAppender | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/log4j-1.2.17.jar |
| net.bull.javamelody.CounterStorage | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| java.lang.ClassValue\$Entry | 0 | 0 | 2 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|--|-----------|--------|-----------|-------------|---|
| sun.security.ssl.SSLContextImpl\$TLSContext | 0 | 0 | 1 | 0 | |
| org.apache.catalina.realm.LockOutRealm\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.springframework.util.PropertyPlaceholderHelper | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-core-3.0.5.RELEASE.jar |
| com.dsntech.serverplatform.core.upload.MultiCommonsMultipartResolver | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-core-0.0.1-SNAPSHOT.jar |
| org.apache.coyote.http11.Http11NioProtocol\$Http11ConnectionHandler | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.springframework.context.support.DefaultLifecycleProcessor | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-context-3.0.5.RELEASE.jar |
| org.apache.tomcat.dbcp.pool2.impl.BaseGenericObjectPool\$IdentityWrapper | 0 | 0 | 4 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-dbc.jar |
| org.apache.xerces.impl.dtd.models.MixedContentModel | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.dom4j.tree.ConcurrentReaderHashMap\$Entry | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/dom4j-1.6.1.jar |
| java.util.concurrent.SynchronousQueue\$TransferStack | 0 | 0 | 4 | 0 | |
| sun.security.x509.PolicyMappingsExtension | 0 | 0 | 2 | 0 | |
| java.io.StreamTokenizer | 0 | 0 | 1 | 0 | |
| org.apache.catalina.valves.ErrorReportValve | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.apache.tomcat.util.net.SocketStatus[] | 0 | 0 | 1 | 0 | |
| org.apache.coyote.AsyncStateMachine\$AsyncState[] | 0 | 0 | 1 | 0 | |
| java.util.logging.ConsoleHandler | 0 | 0 | 1 | 0 | |
| org.apache.xerces.impl.xs.SchemaGrammar\$XSAnyType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.apache.catalina.mbeans.MemoryUserDatabaseMBean | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.net.SocketPermission | 0 | 0 | 1 | 0 | |
| sun.jvmstat.perfdata.monitor.protocol.local.LocalVmManager | 0 | 0 | 1 | 0 | |
| sun.util.logging.PlatformLogger\$Level[] | 0 | 0 | 1 | 0 | |
| java.util.concurrent.ConcurrentHashMap\$KeyIterator | 0 | 0 | 1 | 0 | |
| net.bull.javamelody.PdfFonts[] | 0 | 0 | 1 | 0 | |
| com.dsntech.itcms.legacy.mail.Mailer | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-legacy-0.0.1-SNAPSHOT.jar |
| sun.security.rsa.RSAPrivateCrtKeyImpl | 0 | 0 | 1 | 0 | |
| com.mchange.v2.c3p0.ComboPooledDataSource | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| org.apache.tomcat.dbcp.pool2.PooledObjectState[] | 0 | 0 | 1 | 0 | |
| com.lowagie.text.pdf.PdfChunk | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itext-2.1.7.jar |
| org.apache.commons.logging.impl.WeakHashtable | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/commons-logging-1.1.1.jar |
| org.apache.tomcat.util.descriptor.web.FilterMap[] | 0 | 0 | 2 | 0 | |
| com.mchange.v2.c3p0.management.DynamicPooledDataSourceManagerMBean | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| java.lang.invoke.LambdaFormEditor\$Transform | 0 | 0 | 1 | 0 | |
| java.util.Locale[] | 0 | 0 | 1 | 0 | |
| sun.jvmstat.perfdata.monitor.v2_0.PerfDataBuffer | 0 | 0 | 1 | 0 | |
| java.lang Runnable[] | 0 | 0 | 1 | 0 | |
| org.apache.xerces.impl.xs.util.XInt[] | 0 | 0 | 1 | 0 | |
| net.bull.javamelody.DatabaseInformations\$Database[] | 0 | 0 | 1 | 0 | |
| org.apache.catalina.mapper.Mapper\$MappedContext | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.hibernate.cfg.MetadataSourceType | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.FetchMode | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.engine.ValueInclusion | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.lang.StackTraceElement[] | 0 | 0 | 3 | 0 | |
| org.apache.xerces.impl.xs.XSGroupDecl[] | 0 | 0 | 2 | 0 | |
| org.apache.tomcat.util.net.AbstractEndpoint\$Handler\$SocketState[] | 0 | 0 | 1 | 0 | |
| sun.util.resources.TimeZoneNames | 0 | 0 | 1 | 0 | |
| javax.el.ExpressionFactory\$CacheValue | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/el-api.jar |
| sun.security.ssl.SignatureAndHashAlgorithm\$HashAlgorithm[] | 0 | 0 | 1 | 0 | |
| net.sf.ehcache.terracotta.TerracottaClient\$RejoinStatus\$RejoinState | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| java.util.concurrent.ConcurrentSkipListMap\$Node | 0 | 0 | 2 | 0 | |
| java.util.concurrent.Executors\$DefaultThreadFactory | 0 | 0 | 2 | 0 | |
| sun.util.resources.ko.TimeZoneNames_ko | 0 | 0 | 1 | 0 | home/itcms/jdk1.8.0_77/jre/lib/ext/localedata.jar |
| org.apache.catalina.mbeans.UserMBean | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.dom4j.tree.QNameCache | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/dom4j-1.6.1.jar |
| sun.misc.NativeSignalHandler | 0 | 0 | 2 | 0 | |
| org.apache.tomcat.util.net.NioEndpoint\$PollerEvent | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| com.dsntech.itcms.integration.db.DefaultSQLManager | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-core-0.0.1-SNAPSHOT.jar |
| org.hibernate.property.DirectPropertyAccessor\$DirectGetter | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| com.sun.management.VMOption\$Origin[] | 0 | 0 | 1 | 0 | |
| java.beans.VetoableChangeSupport | 0 | 0 | 2 | 0 | |
| org.apache.catalina.connector.CoyoteOutputStream | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.hibernate.id.factory.DefaultIdentifierGeneratorFactory | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.engine.ExecuteUpdateResultCheckStyle | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.catalina.mbeans.RoleMBean | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.springframework.expression.spel.support.ReflectivePropertyAccessor | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-expression-3.0.5.RELEASE.jar |
| net.sf.ehcache.writer.writethrough.WriteThroughManager | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| sun.security.ssl.CipherBox | 0 | 0 | 1 | 0 | |
| org.apache.xerces.impl.dv.dtd.ListDatatypeValidator | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| javax.el.BeanELResolver | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/el-api.jar |
| org.apache.catalina.startup.HostConfig | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|--|
| sun.misc.URLClassPath\$FileLoader | 0 | 0 | 2 | 0 | |
| org.springframework.context.support.AbstractApplicationContext\$ApplicationListenerDetector | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-context-3.0.5.RELEASE.jar |
| org.springframework.context.support.AbstractApplicationContext\$BeanPostProcessorChecker | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-context-3.0.5.RELEASE.jar |
| java.io.ObjectStreamClass\$ExceptionInfo | 0 | 0 | 2 | 0 | |
| java.util.logging.Logger\$LoggerBundle | 0 | 0 | 2 | 0 | |
| java.util.regex.Pattern\$CharPropertyNames\$15 | 0 | 0 | 3 | 0 | |
| java.util.regex.Pattern\$CharPropertyNames\$16 | 0 | 0 | 3 | 0 | |
| org.apache.xerces.util.URI | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| com.sun.jmx.mbeanserver.WeakIdentityHashMap | 0 | 0 | 2 | 0 | |
| com.dsntech.serverplatform.core.parser.StandardWebParser | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-core-0.0.1-SNAPSHOT.jar |
| net.bull.javamelody.JdbcWrapperHelper\$BasicDataSourcesProperties | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| org.apache.tomcat.util.descriptor.tld.TldRuleSet\$1 | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| org.hibernate.cfg.MetadataSourceTypes[] | 0 | 0 | 2 | 0 | |
| org.springframework.beans.factory.annotation.QualifierAnnotationAutowireCandidateResolver | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-beans-3.0.5.RELEASE.jar |
| org.apache.commons.fileupload.disk.DiskFileItemFactory | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/commons-fileupload-1.2.2.jar |
| org.apache.jasper.compiler.TagPluginManager | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/jasper.jar |
| org.apache.tomcat.util.threads.ThreadPoolExecutor\$RejectHandler | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util.jar |
| com.dsntech.serverplatform.core.check.IntegerValidator | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-core-0.0.1-SNAPSHOT.jar |
| org.apache.commons.logging.impl.LogFactoryImpl | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/commons-logging-1.1.1.jar |
| com.mchange.v2.c3p0.impl.AuthMaskingProperties | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| java.text.AttributedCharacterIterator\$Attribute | 0 | 0 | 3 | 0 | |
| org.apache.xerces.impl.xpath.regex.Token\$ParenToken | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.apache.tomcat.util.buf.UDecoder | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util.jar |
| sun.nio.cs.ext.EUC_KR | 0 | 0 | 2 | 0 | |
| sun.security.jca.ProviderList\$3 | 0 | 0 | 2 | 0 | |
| org.apache.tomcat.util.buf.UEncoder\$SafeCharsSet | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util.jar |
| org.apache.catalina.connector.RequestFacade | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| sun.nio.cs.ext.JIS_X_0208_MS5022X | 0 | 0 | 2 | 0 | |
| org.springframework.jndi.JndiTemplate | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-context-3.0.5.RELEASE.jar |
| java.util.Collections\$UnmodifiableCollection\$1 | 0 | 0 | 2 | 0 | |
| com.dsntech.serverplatform.channel.web.JsonView | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-core-0.0.1-SNAPSHOT.jar |
| java.util.concurrent.TimeUnit[] | 0 | 0 | 1 | 0 | |
| java.io.InputStreamReader | 0 | 0 | 2 | 0 | |
| org.mariadb.jdbc.internal.protocol.AsyncMultiReadResult | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mariadb-java-client-2.2.6.jar |
| java.lang.invoke.BoundMethodHandle\$Species_L4 | 0 | 0 | 1 | 0 | |
| java.util.regex.Pattern\$Dot | 0 | 0 | 3 | 0 | |
| sun.security.ssl.SSLAlgorithmConstraints | 0 | 0 | 2 | 0 | |
| sun.util.calendar.Era[] | 0 | 0 | 2 | 0 | |
| net.sf.ehcache.store.disk.DiskStorageFactory\$OnDiskFilter | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.hibernate.property.DirectPropertyAccessor\$DirectSetter | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.security.x509.NetscapeCertTypeExtension\$MapEntry[] | 0 | 0 | 1 | 0 | |
| java.math.RoundingMode[] | 0 | 0 | 1 | 0 | |
| org.apache.log4j.Hierarchy | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/log4j-1.2.17.jar |
| com.sun.beans.util.Cache\$CacheEntry[] | 0 | 0 | 1 | 0 | |
| sun.security.jca.ProviderList | 0 | 0 | 2 | 0 | |
| java.nio.charset.CodingErrorAction | 0 | 0 | 3 | 0 | |
| java.nio.channels.FileChannel\$MapMode | 0 | 0 | 3 | 0 | |
| org.apache.xerces.impl.dv.XSSimpleType[] | 0 | 0 | 1 | 0 | |
| org.apache.tomcat.util.scan.StandardJarScanner | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| sun.net.www.http.KeepAliveCache | 0 | 0 | 1 | 0 | |
| java.util.regex.Pattern\$Bound | 0 | 0 | 2 | 0 | |
| net.sf.ehcache.store.LfuPolicy | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.apache.catalina.core.StandardContext\$ContextFilterMaps | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.lang.management.MemoryUsage | 0 | 0 | 1 | 0 | |
| net.sf.ehcache.config.generator.ConfigurationSource\$URLConfigurationSource | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| net.sf.ehcache.terracotta.TerracottaClient\$RejoinStatus | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.apache.coyote.http11.InternalNioOutputBuffer\$SocketOutputBuffer | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| sun.security.x509.RFC822Name | 0 | 0 | 3 | 0 | |
| sun.security.provider.certpath.X509CertPath | 0 | 0 | 2 | 0 | |
| org.apache.catalina.connector.CoyoteAdapter | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.apache.xerces.util.SymbolTable | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| com.dsntech.serverplatform.core.parser.JsonMessageParser | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-core-0.0.1-SNAPSHOT.jar |
| org.apache.coyote.http11.filters.VoidOutputFilter | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.apache.tomcat.util.descriptor.tld.TldRuleSet\$TagAttributeRule | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| sun.security.x509.CertificatePolicyMap | 0 | 0 | 2 | 0 | |
| org.apache.tomcat.websocket.server.WsServerContainer\$WsThreadFactory | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-websocket.jar |
| java.security.AllPermission | 0 | 0 | 3 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|---|
| net.sf.ehcache.terracotta.TerracottaClient\$RejoinRequestHolder | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| java.security.AllPermissionCollection | 0 | 0 | 2 | 0 | |
| org.apache.catalina.realm.RealmBase\$AllRolesMode | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| javax.el.BeanELResolver\$BeanProperties | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/el-api.jar |
| java.awt.geom.Point2D\$Float | 0 | 0 | 2 | 0 | |
| sun.management.ManagementFactoryHelper\$1 | 0 | 0 | 2 | 0 | |
| org.apache.xerces.impl.XMLDocumentFragmentScannerImpl\$ElementStack | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.hibernate.EntityMode | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.coyote.http11.filters.VoidInputFilter | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.dom4j.io.ElementStack | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/dom4j-1.6.1.jar |
| org.apache.catalina.mapper.MapperListener | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.springframework.core.NamedThreadLocal | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-core-3.0.5.RELEASE.jar |
| org.apache.jasper.compiler.JDTCompiler | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/jasper.jar |
| jdk.net.SocketFlow\$Status[] | 0 | 0 | 1 | 0 | |
| java.net.InetAddress\$Cache\$Type | 0 | 0 | 2 | 0 | |
| org.hibernate.mapping.PropertyGeneration | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.tomcat.util.descriptor.web.SessionConfig | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| sun.security.util.ManifestEntryVerifier | 0 | 0 | 1 | 0 | |
| org.apache.tomcat.util.net.jsse.openssl.MessageDigest[] | 0 | 0 | 1 | 0 | |
| net.sf.ehcache.store.disk.DiskStorageFactory\$DiskExpiryTask | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| java.net.InetAddress\$Cache | 0 | 0 | 2 | 0 | |
| java.util.Base64\$Decoder | 0 | 0 | 3 | 0 | |
| com.dsntech.serverplatform.core.data.DefaultMessageInfoManager | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-core-0.0.1-SNAPSHOT.jar |
| org.springframework.expression.spel.support.StandardTypeLocator | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-expression-3.0.5.RELEASE.jar |
| sun.security.provider.DSAParameters | 0 | 0 | 2 | 0 | |
| org.springframework.beans.factory.config.BeanExpressionContext | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-beans-3.0.5.RELEASE.jar |
| java.time.format.DateTimeFormatterBuilder\$1 | 0 | 0 | 2 | 0 | |
| java.time.format.DateTimeTextProvider\$LocaleStore | 0 | 0 | 2 | 0 | |
| org.springframework.core.io.Resource[] | 0 | 0 | 2 | 0 | |
| org.dom4j.util.SimpleSingleton | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/dom4j-1.6.1.jar |
| net.sf.ehcache.store.DefaultElementValueComparator | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.apache.catalina.connector.ResponseFacade | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.net.StandardProtocolFamily | 0 | 0 | 2 | 0 | |
| org.apache.xerces.impl.validation.ValidationManager | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| com.sun.jmx.mbeanserver.DefaultMXBeanMappingFactory\$Mappings | 0 | 0 | 1 | 0 | |
| org.springframework.context.event.AbstractApplicationEventMulticaster\$ListenerCacheKey | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-context-3.0.5.RELEASE.jar |
| java.beans.WeakIdentityMap\$Entry[] | 0 | 0 | 1 | 0 | |
| com.dsntech.serverplatform.channel.web.JsonErrorView | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-core-0.0.1-SNAPSHOT.jar |
| com.sun.jmx.mbeanserver.ClassLoaderRepositorySupport\$LoaderEntry | 0 | 0 | 2 | 0 | |
| java.lang.reflect.ReflectPermission | 0 | 0 | 2 | 0 | |
| net.sf.ehcache.store.compound.ReadWriteSerializationCopyStrategy | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.apache.catalina.core.StandardEngineValve | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.apache.xerces.impl.dtd.DTDGrammarBucket | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.apache.coyote.http11.InternalNioInputBuffer\$SocketInputBuffer | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| javax.el.Util\$CacheValue | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/el-api.jar |
| java.util.concurrent.CountDownLatch | 0 | 0 | 3 | 0 | |
| com.dsntech.serverplatform.channel.handler.FileUploadHandler | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-core-0.0.1-SNAPSHOT.jar |
| java.sql.SQLPermission | 0 | 0 | 2 | 0 | |
| org.apache.tomcat.util.net.jsse.openssl.EncryptionLevel[] | 0 | 0 | 1 | 0 | |
| org.apache.catalina.mapper.Mapper\$ContextVersion[] | 0 | 0 | 2 | 0 | |
| com.sun.org.apache.xerces.internal.util.XMLSecurityManager\$Limit[] | 0 | 0 | 1 | 0 | |
| sun.text.normalizer.NormalizerBase\$QuickCheckResult | 0 | 0 | 3 | 0 | |
| org.mariadb.jdbc.internal.util.scheduler.MariaDbThreadFactory | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mariadb-java-client-2.2.6.jar |
| org.apache.tomcat.util.descriptor.tld.TldRuleSet\$ScriptVariableRule | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| sun.security.util.DisabledAlgorithmConstraints\$KeySizeConstraint | 0 | 0 | 2 | 0 | |
| org.hibernate.util.XMLHelper | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.xerces.parsers.AbstractSAXParser\$LocatorProxy | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| java.util.concurrent.CopyOnWriteArrayList\$COWIterator | 0 | 0 | 2 | 0 | |
| net.sf.ehcache.concurrent.LockType | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| java.io.File\$PathStatus | 0 | 0 | 2 | 0 | |
| java.util.concurrent.locks.ReentrantReadWriteLock\$FairSync | 0 | 0 | 1 | 0 | |
| org.apache.tomcat.util.descriptor.web.SetDenyUncoveredHttpMethodsRule | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| net.sf.ehcache.config.SizeOfPolicyConfiguration\$MaxDepthExceededBehavior | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| net.sf.ehcache.store.disk.DiskStorageFactory\$1 | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.apache.xerces.impl.msg.XMLMessageFormatter | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |

Monitoring JavaMelody on /itcms_agent.officesafer.com

| Class | Size (Kb) | % size | Instances | % instances | Source |
|--|-----------|--------|-----------|-------------|--|
| net.sf.ehcache.store.disk.DiskStore\$KeySet | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| javax.activation.MimetypesFileTypeMap | 0 | 0 | 3 | 0 | |
| java.nio.charset.CoderResult | 0 | 0 | 2 | 0 | |
| sun.nio.cs.ext.JIS_X_0212_MS5022X | 0 | 0 | 2 | 0 | |
| org.apache.xerces.impl.XMLNSDocumentScannerImpl\$NSContentDispatcher | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.dom4j.Namespace | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/dom4j-1.6.1.jar |
| org.apache.tomcat.util.descriptor.tld.TldResourcePath | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| java.lang.invoke.MethodHandleImpl\$Intrinsic[] | 0 | 0 | 1 | 0 | |
| org.apache.catalina.core.ApplicationContextFacade | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| net.sf.ehcache.store.chm.SelectableConcurrentHashMap\$PinnedKeySet | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| sun.jvmstat.monitor.Units[] | 0 | 0 | 1 | 0 | |
| java.lang.invoke.MethodHandles\$Lookup | 0 | 0 | 2 | 0 | |
| org.hibernate.util.XMLHelper\$ErrorLogger | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.net.www.protocol.http.Handler | 0 | 0 | 2 | 0 | |
| com.mchange.v2.c3p0.DriverManagerDataSource | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| org.hibernate.ConnectionReleaseMode | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.xerces.impl.dtd.XMLContentSpec | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.apache.catalina.connector.CoyoteInputStream | 0 | 0 | 3 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.hibernate.shards.session.ShardedSessionFactoryImpl | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-shards-3.0.0.jar |
| com.dsntech.serverplatform.core.upload.DefaultFileUploadManager | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-core-0.0.1-SNAPSHOT.jar |
| com.sun.org.apache.xerces.internal.impl.dv.dtd.ListDatatypeValidator | 0 | 0 | 3 | 0 | |
| java.security.CodeSigner | 0 | 0 | 2 | 0 | |
| java.util.regex.Pattern\$All | 0 | 0 | 3 | 0 | |
| org.apache.catalina.users.MemoryUserDatabase | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| com.dsntech.serverplatform.core.parameter.DefaultConfigurationManager | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-core-0.0.1-SNAPSHOT.jar |
| org.apache.jasper.runtime.JspFactoryImpl\$PageContextPool | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/jasper.jar |
| org.apache.catalina.core.StandardHostValve | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.apache.xerces.impl.xpath.regex.Token\$UnionToken | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| javax.el.BeanELResolver\$ConcurrentCache | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/el-api.jar |
| com.lowagie.text.Chunk | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itext-2.1.7.jar |
| java.util.ComparableTimSort | 0 | 0 | 1 | 0 | |
| java.time.format.DateTimeFormatterBuilder | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.ExtendedCharsets | 0 | 0 | 1 | 0 | |
| net.bull.javamelody.Log4JAppender | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| sun.tools.attach.LinuxVirtualMachine | 0 | 0 | 1 | 0 | |
| com.sun.org.apache.xerces.internal.dom.DOMImplementationImpl | 0 | 0 | 1 | 0 | |
| org.apache.tomcat.util.descriptor.web.SecurityCollection | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| com.sun.jmx.interceptor.DefaultMBeanServerInterceptor | 0 | 0 | 1 | 0 | |
| net.bull.javamelody.LoggingHandler | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| com.sun.jmx.mbeanserver.JmxMBeanServer | 0 | 0 | 1 | 0 | |
| java.lang.invoke.LambdaForm\$Name[] | 0 | 0 | 1 | 0 | |
| javax.crypto.CryptoAllPermission | 0 | 0 | 1 | 0 | |
| org.apache.catalina.users.MemoryUser | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| com.sun.jmx.mbeanserver.ClassLoaderRepositorySupport\$LoaderEntry[] | 0 | 0 | 2 | 0 | |
| sun.awt.resources.awt | 0 | 0 | 1 | 0 | |
| sun.util.logging.resources.logging | 0 | 0 | 1 | 0 | |
| org.mariadb.jdbc.internal.util.constant.HaMode[] | 0 | 0 | 1 | 0 | |
| net.bull.javamelody.FilterContext\$CollectTimerTask | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| org.apache.catalina.valves.AbstractAccessLogValve\$FormatType[] | 0 | 0 | 1 | 0 | |
| sun.security.util.AuthResources | 0 | 0 | 1 | 0 | |
| java.beans.EventSetDescriptor[] | 0 | 0 | 2 | 0 | |
| java.lang.management.MemoryPoolMXBean[] | 0 | 0 | 1 | 0 | |
| net.bull.javamelody.UpdateChecker\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| sun.nio.cs.StandardCharsets\$Classes | 0 | 0 | 1 | 0 | |
| org.apache.coyote.http11.AbstractNioInputBuffer\$HeaderParsePosition[] | 0 | 0 | 1 | 0 | |
| org.apache.log4j.spi.RootLogger | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/log4j-1.2.17.jar |
| sun.management.DiagnosticCommandImpl | 0 | 0 | 1 | 0 | |
| java.beans.WeakIdentityMap\$Entry | 0 | 0 | 1 | 0 | |
| sun.util.locale.provider.LocaleProviderAdapter\$Type[] | 0 | 0 | 1 | 0 | |
| org.springframework.web.filter.CharacterEncodingFilter | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-web-3.0.5.RELEASE.jar |
| org.mariadb.jdbc.internal.com.read.resultset.ColumnInformation | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mariadb-java-client-2.2.6.jar |
| org.apache.catalina.mbeans.ServiceMBean | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| com.sun.org.apache.xerces.internal.dom.CoreDOMImplementationImpl | 0 | 0 | 1 | 0 | |
| sun.security.util.AuthResources_ko | 0 | 0 | 1 | 0 | |
| sun.util.logging.resources.logging_ko | 0 | 0 | 1 | 0 | |
| com.sun.org.apache.xml.internal.serialize.EncodingInfo | 0 | 0 | 1 | 0 | |
| com.sun.org.apache.xerces.internal.util.Status[] | 0 | 0 | 1 | 0 | |
| org.apache.tomcat.util.modeler.Registry | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| com.sun.jmx.mbeanserver.MBeanServerDelegateImpl | 0 | 0 | 1 | 0 | |
| org.apache.tomcat.util.descriptor.web.SecurityConstraint[] | 0 | 0 | 2 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|--|
| org.mariadb.jdbc.internal.util.dao.ClientPrepareResult\$LexState[] | 0 | 0 | 1 | 0 | |
| sun.security.jca.ServiceId[] | 0 | 0 | 1 | 0 | |
| com.sun.beans.finder.MethodFinder\$1 | 0 | 0 | 1 | 0 | |
| sun.jvmstat.perfdata.monitor.protocol.local.MonitoredHostProvider | 0 | 0 | 1 | 0 | |
| java.time.format.TextStyle[] | 0 | 0 | 1 | 0 | |
| sun.security.ssl.SignatureAndHashAlgorithm\$SignatureAlgorithm[] | 0 | 0 | 1 | 0 | |
| java.time.format.SignStyle[] | 0 | 0 | 1 | 0 | |
| sun.security.util.DisabledAlgorithmConstraints\$KeySizeConstraint\$Operator[] | 0 | 0 | 1 | 0 | |
| sun.nio.cs.StandardCharsets\$Aliases | 0 | 0 | 1 | 0 | |
| sun.nio.cs.StandardCharsets\$Cache | 0 | 0 | 1 | 0 | |
| sun.awt.resources.awt_ko | 0 | 0 | 1 | 0 | |
| java.lang.Thread\$State[] | 0 | 0 | 1 | 0 | |
| com.mchange.v2.util.DoubleWeakHashMap | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| java.net.URISyntaxException | 0 | 0 | 1 | 0 | |
| sun.misc.URLClassPath\$2 | 0 | 0 | 1 | 0 | |
| com.dsntech.itcms.daemon.handler.AlertHandler | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-daemon-0.0.1-SNAPSHOT.jar |
| org.apache.log4j.helpers.PatternParser\$CategoryPatternConverter | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/log4j-1.2.17.jar |
| org.apache.log4j.helpers.PatternParser\$ClassNamePatternConverter | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/log4j-1.2.17.jar |
| java.util.ServiceLoader\$LazyIterator | 0 | 0 | 1 | 0 | |
| java.util.ResourceBundle\$1 | 0 | 0 | 1 | 0 | |
| com.sun.beans.WeakCache | 0 | 0 | 2 | 0 | |
| java.lang.OutOfMemoryError[] | 0 | 0 | 1 | 0 | |
| org.apache.xerces.parsers.AbstractSAXParser\$AttributesProxy | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| net.bull.javamelody.TransportFormat[] | 0 | 0 | 1 | 0 | |
| org.apache.catalina.util.CharsetMapper | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| com.dsntech.serverplatform.channel.core.DefaultCommandProcessor | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-core-0.0.1-SNAPSHOT.jar |
| org.apache.catalina.realm.X509SubjectDnRetriever | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| net.sf.ehcache.event.NotificationScope[] | 0 | 0 | 1 | 0 | |
| org.apache.catalina.connector.Connector[] | 0 | 0 | 1 | 0 | |
| com.dsntech.serverplatform.core.check.DefaultValidationManager | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-core-0.0.1-SNAPSHOT.jar |
| java.time.format.DateTimeFormatterBuilder\$StringLiteralPrinterParser | 0 | 0 | 2 | 0 | |
| java.util.TreeSet | 0 | 0 | 2 | 0 | |
| org.dom4j.tree.ConcurrentReaderHashMap\$BarrierLock | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/dom4j-1.6.1.jar |
| javax.el.MapELResolver | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/el-api.jar |
| org.apache.catalina.core.StandardContext\$NoPluggabilityServletContext | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| sun.security.ssl.SSLAlgorithmDecomposer | 0 | 0 | 2 | 0 | |
| org.hibernate.property.DirectPropertyAccessor | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.StandardCharsets | 0 | 0 | 1 | 0 | |
| org.hibernate.cfg.Configuration\$ObjectNameNormalizerImpl | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.security.x509.IssuerAlternativeNameExtension | 0 | 0 | 1 | 0 | |
| org.apache.tomcat.util.log.UserDataHelper\$Mode[] | 0 | 0 | 1 | 0 | |
| java.util.regex.Pattern\$BnM | 0 | 0 | 1 | 0 | |
| sun.security.ssl.CipherSuite\$PRF[] | 0 | 0 | 1 | 0 | |
| org.springframework.expression.spel.support.StandardTypeComparator | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-expression-3.0.5.RELEASE.jar |
| org.springframework.beans.support.ResourceEditorRegistrar | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-beans-3.0.5.RELEASE.jar |
| org.apache.tomcat.websocket.server.WsSci | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-websocket.jar |
| net.sf.ehcache.DefaultElementEvictionData | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| com.sun.jmx.mbeanserver.Repository | 0 | 0 | 1 | 0 | |
| sun.security.provider.AuthPolicyFile | 0 | 0 | 1 | 0 | |
| org.apache.tomcat.websocket.server.WsWriteTimeout\$EndpointComparator | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-websocket.jar |
| com.lowagie.text.pdf.PdfEncodings\$SymbolConversion | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itext-2.1.7.jar |
| com.dsntech.itcms.dao.util.ShardedSessionFactoryPool | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-persistence-0.0.1-SNAPSHOT.jar |
| java.lang.NullPointerException | 0 | 0 | 1 | 0 | |
| javax.el.ResourceBundleELResolver | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/el-api.jar |
| java.time.format.DateTimeFormatterBuilder\$FractionPrinterParser | 0 | 0 | 1 | 0 | |
| sun.security.validator.SimpleValidator | 0 | 0 | 1 | 0 | |
| java.net.Proxy\$Type[] | 0 | 0 | 1 | 0 | |
| org.apache.catalina.valves.AbstractAccessLogValve\$DateAndTimeElement | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.lang.ArithmeticException | 0 | 0 | 1 | 0 | |
| org.apache.el.parser.AstValue | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/jasper-el.jar |
| org.apache.xerces.util.EntityResolverWrapper | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.apache.jasper.el.JasperELResolver | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/jasper.jar |
| org.apache.tomcat.websocket.server.WsFilter | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-websocket.jar |
| com.sun.beans.util.Cache\$Kind[] | 0 | 0 | 1 | 0 | |
| com.lowagie.text.FontFactoryImp | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itext-2.1.7.jar |
| java.util.concurrent.ConcurrentSkipListSet | 0 | 0 | 2 | 0 | |
| org.apache.tomcat.util.descriptor.web.ApplicationParameter[] | 0 | 0 | 2 | 0 | |
| org.apache.tomcat.util.net.jsse.JSSEImplementation | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| com.dsntech.serverplatform.core.ApplicationContextProvider | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-core-0.0.1-SNAPSHOT.jar |
| org.springframework.beans.factory.support.CglibSubclassingInstantiationStrategy | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-beans-3.0.5.RELEASE.jar |
| net.sf.ehcache.config.CacheConfiguration\$TransactionalMode[] | 0 | 0 | 1 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|--|-----------|--------|-----------|-------------|---|
| org.apache.coyote.http11.AbstractNioInputBuffer\$HeaderParseStatus[] | 0 | 0 | 1 | 0 | |
| java.time.format.ResolverStyle[] | 0 | 0 | 1 | 0 | |
| java.io.UnixFileSystem | 0 | 0 | 1 | 0 | |
| org.apache.tomcat.util.net.jsse.openssl.Protocol[] | 0 | 0 | 1 | 0 | |
| org.apache.jasper.servlet.JasperInitializer | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/jasper.jar |
| javax.crypto.spec.RC5ParameterSpec | 0 | 0 | 1 | 0 | |
| org.hibernate.annotations.common.reflection.java.generics.TypeEnvironmentFactory | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-commons-annotations-3.2.0.Final.jar |
| net.bull.javamelody.HttpAuth | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| sun.jvmstat.monitor.VmlIdentifier | 0 | 0 | 2 | 0 | |
| org.apache.xerces.impl.XMLDocumentScannerImpl\$XMLDeclDispatcher | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| sun.nio.fs.UnixPath | 0 | 0 | 1 | 0 | |
| org.apache.coyote.ErrorState[] | 0 | 0 | 1 | 0 | |
| net.sf.ehcache.config.CacheConfiguration\$PoolUsage[] | 0 | 0 | 1 | 0 | |
| java.text.Normalizer\$Form[] | 0 | 0 | 1 | 0 | |
| org.hibernate.engine.LoadQueryInfluencers | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.springframework.context.support.ApplicationContextAwareProcessor | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-context-3.0.5.RELEASE.jar |
| org.apache.catalina.core.StandardHost\$MemoryLeakTrackingListener | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| com.dsntech.serverplatform.channel.legacy.NoneLegacyGateway | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-core-0.0.1-SNAPSHOT.jar |
| org.springframework.expression.spel.support.StandardOperatorOverloader | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-expression-3.0.5.RELEASE.jar |
| org.hibernate.annotations.common.reflection.java.JavaMetadataProvider | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-commons-annotations-3.2.0.Final.jar |
| sun.misc.GC\$LatencyRequest | 0 | 0 | 1 | 0 | |
| org.apache.catalina.mapper.Mapper\$MappedHost | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.apache.xerces.impl.xpath.regex.Token | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| com.lowagie.text.pdf.PdfLiteral | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itext-2.1.7.jar |
| org.hibernate.property.BasicPropertyAccessor | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.tomcat.websocket.server.WsContextListener | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-websocket.jar |
| com.dsntech.serverplatform.auth.DefaultWebUserManager | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-core-0.0.1-SNAPSHOT.jar |
| org.apache.tomcat.JarScanType[] | 0 | 0 | 1 | 0 | |
| org.apache.jasper.runtime.BodyContentImpl[] | 0 | 0 | 2 | 0 | |
| org.apache.xerces.impl.XMLDocumentScannerImpl\$PrologDispatcher | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| java.util.logging.LogManager\$SystemLoggerContext | 0 | 0 | 1 | 0 | |
| org.springframework.context.expression.StandardBeanExpressionResolver\$1 | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-context-3.0.5.RELEASE.jar |
| org.springframework.context.expression.BeanFactoryResolver | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-context-3.0.5.RELEASE.jar |
| com.dsntech.serverplatform.core.parameter.FileConfigurationLoader | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-core-0.0.1-SNAPSHOT.jar |
| com.dsntech.serverplatform.channel.core.command.LoginCommand | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-core-0.0.1-SNAPSHOT.jar |
| net.sf.ehcache.CacheException | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| com.mchange.v2.c3p0.impl.DefaultConnectionTester | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| java.time.temporal.IsoFields\$Field[] | 0 | 0 | 1 | 0 | |
| org.springframework.web.context.request.SessionScope | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-web-3.0.5.RELEASE.jar |
| java.util.jar.Manifest\$FastInputStream | 0 | 0 | 1 | 0 | |
| org.springframework.util.AntPathMatcher | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-core-3.0.5.RELEASE.jar |
| org.hibernate.cfg.beanvalidation.BeanValidationActivator\$ValidationMode[] | 0 | 0 | 1 | 0 | |
| java.lang.ClassCastException | 0 | 0 | 1 | 0 | |
| net.sf.ehcache.store.disk.HashEntry | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| org.apache.xerces.impl.XMLDocumentScannerImpl\$DTDDispatcher | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| java.lang.Float | 0 | 0 | 2 | 0 | |
| java.text.DontCareFieldPosition | 0 | 0 | 1 | 0 | |
| java.util.TreeMap\$KeySet | 0 | 0 | 2 | 0 | |
| org.apache.catalina.startup.ClassLoaderFactory\$RepositoryType[] | 0 | 0 | 1 | 0 | |
| org.springframework.ui.context.support.ResourceBundleThemeSource | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-context-3.0.5.RELEASE.jar |
| org.apache.catalina.startup.Bootstrap | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/bin/bootstrap.jar |
| javax.el.ListELResolver | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/el-api.jar |
| java.util.concurrent.atomic.AtomicLongFieldUpdater\$CASUpdater | 0 | 0 | 1 | 0 | |
| java.util.ServiceLoader | 0 | 0 | 1 | 0 | |
| org.apache.catalina.startup.ContextConfig\$DefaultWebXmlCacheEntry | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| net.bull.javamelody.FilterContext | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| org.springframework.context.expression.BeanExpressionContextAccessor | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-context-3.0.5.RELEASE.jar |
| org.apache.tomcat.websocket.pojo.PojoMethodMapping\$MethodType[] | 0 | 0 | 1 | 0 | |
| org.springframework.context.expression.MapAccessor | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-context-3.0.5.RELEASE.jar |
| org.apache.tomcat.websocket.server.WsSessionListener | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-websocket.jar |
| org.apache.tomcat.util.descriptor.tld.TldRuleSet | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| java.nio.ByteOrder | 0 | 0 | 2 | 0 | |
| org.apache.catalina.startup.Catalina | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.io.ByteArrayInputStream | 0 | 0 | 1 | 0 | |

Monitoring JavaMelody on /itcms_agent.officesafer.com

| Class | Size (Kb) | % size | Instances | % instances | Source |
|--|-----------|--------|-----------|-------------|---|
| org.apache.xerces.impl.dv.xs.QNameDV | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| net.sf.ehcache.Status[] | 0 | 0 | 1 | 0 | |
| java.lang.Boolean | 0 | 0 | 2 | 0 | |
| com.mchange.v1.identicator.IdWeakHashMap | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| org.apache.commons.logging.impl.WeakHashtable\$WeakKey | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/commons-logging-1.1.1.jar |
| sun.security.provider.NativePRNG\$Variant[] | 0 | 0 | 1 | 0 | |
| java.awt.GradientPaint | 0 | 0 | 1 | 0 | |
| org.apache.el.stream.StreamELResolverImpl | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/jasper-el.jar |
| sun.jvmsstat.perfdata.monitor.protocol.local.LocalMonitoredVm | 0 | 0 | 1 | 0 | |
| sun.reflect.UnsafeIntegerFieldAccessorImpl | 0 | 0 | 1 | 0 | |
| org.hibernate.cfg.SettingsFactory | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.tomcat.util.log.UserDataHelper\$Config[] | 0 | 0 | 1 | 0 | |
| net.sf.ehcache.config.DiskStoreConfiguration\$Env[] | 0 | 0 | 1 | 0 | |
| org.hibernate.cfg.Configuration\$1 | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.tomcat.util.net.AbstractEndpoint\$BindState[] | 0 | 0 | 1 | 0 | |
| java.lang.Shutdown\$Lock | 0 | 0 | 2 | 0 | |
| org.apache.xerces.impl.dv.dtd.ENTITYDatatypeValidator | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.apache.tomcat.util.descriptor.web.SecurityConstraint | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| net.sf.ehcache.config.Configuration\$Monitoring[] | 0 | 0 | 1 | 0 | |
| sun.security.ssl.X509TrustManagerImpl | 0 | 0 | 1 | 0 | |
| java.lang.NumberFormatException | 0 | 0 | 1 | 0 | |
| org.apache.tomcat.util.descriptor.tld.TldParser | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| sun.jvmsstat.monitor.HostIdentifier | 0 | 0 | 2 | 0 | |
| com.sun.proxy.\$Proxy7 | 0 | 0 | 2 | 0 | |
| com.sun.proxy.\$Proxy8 | 0 | 0 | 2 | 0 | |
| com.sun.proxy.\$Proxy6 | 0 | 0 | 2 | 0 | |
| java.io.CharArrayWriter | 0 | 0 | 1 | 0 | |
| com.lowagie.text.pdf.PdfFont | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itext-2.1.7.jar |
| org.apache.xerces.impl.XMLDocumentScannerImpl\$TrailingMiscDispatcher | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| com.sun.beans.finder.BeanInfoFinder | 0 | 0 | 1 | 0 | |
| java.beans.ThreadGroupContext\$1 | 0 | 0 | 1 | 0 | |
| java.util.AbstractList\$Itr | 0 | 0 | 1 | 0 | |
| org.apache.jasper.runtime.JspApplicationContextImpl | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/jasper.jar |
| org.springframework.expression.spel.SpelParserConfiguration | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-expression-3.0.5.RELEASE.jar |
| com.sun.org.apache.xerces.internal.impl.dv.dtd.ENTITYDatatypeValidator | 0 | 0 | 2 | 0 | |
| org.apache.xerces.util.ErrorHandlerWrapper | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| sun.nio.fs.LinuxFileSystem | 0 | 0 | 1 | 0 | |
| java.lang.UNIXProcess\$Platform[] | 0 | 0 | 1 | 0 | |
| javax.el.StaticFieldELResolver | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/el-api.jar |
| com.sun.org.apache.xerces.internal.impl.XMLEntityScanner\$1 | 0 | 0 | 1 | 0 | |
| java.lang.ArrayIndexOutOfBoundsException | 0 | 0 | 1 | 0 | |
| com.sun.org.apache.xerces.internal.util.XMLSecurityManager\$NameMap[] | 0 | 0 | 1 | 0 | |
| org.apache.coyote.ajp.AjpNioProtocol\$AjpConnectionHandler | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.apache.log4j.spi.LocationInfo | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/log4j-1.2.17.jar |
| org.apache.catalina.core.JreMemoryLeakPreventionListener | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| sun.net.www.protocol.http.HttpURLConnection\$TunnelState[] | 0 | 0 | 1 | 0 | |
| javax.el.ArrayELResolver | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/lib/el-api.jar |
| org.springframework.core.OrderComparator | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-core-3.0.5.RELEASE.jar |
| org.springframework.expression.spel.standard.SpelExpressionParser | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-expression-3.0.5.RELEASE.jar |
| org.springframework.context.expression.BeanFactoryAccessor | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-context-3.0.5.RELEASE.jar |
| org.apache.catalina.WebResourceRoot\$ResourceSetType[] | 0 | 0 | 1 | 0 | |
| org.springframework.core.LocalVariableTableParameterNameDiscoverer | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-core-3.0.5.RELEASE.jar |
| sun.nio.ch.SocketDispatcher | 0 | 0 | 2 | 0 | |
| java.time.format.DateTimeFormatterBuilder\$SettingsParser[] | 0 | 0 | 1 | 0 | |
| sun.security.util.DisabledAlgorithmConstraints\$KeySizeConstraints | 0 | 0 | 2 | 0 | |
| java.beans.VetoableChangeSupport\$VetoableChangeListenerMap | 0 | 0 | 2 | 0 | |
| java.beans.ThreadGroupContext | 0 | 0 | 1 | 0 | |
| org.apache.tomcat.util.http.parser.SkipResult[] | 0 | 0 | 1 | 0 | |
| org.apache.tomcat.util.net.AbstractEndpoint\$Acceptor\$AcceptorState[] | 0 | 0 | 1 | 0 | |
| net.bull.javamelody.MBeans | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| org.apache.xerces.impl.dv.dtd.DTDDVFactoryImpl | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| com.sun.jndi ldap.pool.Pool[] | 0 | 0 | 1 | 0 | |
| java.lang.management.MemoryManagerMXBean[] | 0 | 0 | 1 | 0 | |
| net.bull.javamelody.JdbcWrapper | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| java.lang.reflect.WeakCache | 0 | 0 | 1 | 0 | |
| sun.security.ssl.CipherSuite\$CipherType[] | 0 | 0 | 1 | 0 | |
| com.dsntech.serverplatform.channel.core.command.LogoutCommand | 0 | 0 | 2 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-core-0.0.1-SNAPSHOT.jar |
| sun.jvmsstat.monitor.Variability[] | 0 | 0 | 1 | 0 | |
| sun.net.www.protocol.file.Handler | 0 | 0 | 2 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|--|
| net.bull.javamelody.HtmlController | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| sun.net.www.http.KeepAliveStreamCleaner | 0 | 0 | 1 | 0 | |
| com.mysql.jdbc.SingleByteCharsetConverter | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mysql-connector-java-5.1.13.jar |
| sun.nio.cs.ext.IBM918 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.Big5 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.java.ClobTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.ext.MacCentralEurope | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.java.CurrencyTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.xerces.impl.Constants\$ArrayEnumeration | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| sun.nio.cs.ext.IBM943 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM942 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM949 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM948 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM950 | 0 | 0 | 1 | 0 | |
| java.util.Locale\$Cache | 0 | 0 | 1 | 0 | |
| java.lang.invoke.MethodHandleImpl\$4 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM922 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM921 | 0 | 0 | 1 | 0 | |
| java.lang.ClassValue\$Version | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM933 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM1098 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM1097 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM935 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM930 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM937 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM939 | 0 | 0 | 1 | 0 | |
| javax.net.ssl.SSLContext | 0 | 0 | 1 | 0 | |
| sun.nio.cs.IBM866 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.IBM862 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.IBM855 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.IBM850 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.IBM852 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.IBM857 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.IBM858 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM964 | 0 | 0 | 1 | 0 | |
| java.io.StringWriter | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM970 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.BigDecimalType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.type.descriptor.java.BigDecimalTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.ext.MS50220 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.MS50221 | 0 | 0 | 1 | 0 | |
| sun.management.OperatingSystemImpl | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.ISCII91 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.java.SerializableTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.ext.MacGreek | 0 | 0 | 1 | 0 | |
| com.dsntech.itcms.core.cache.AgentIndex | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-service-0.0.1-SNAPSHOT.jar |
| java.net.Inet6AddressImpl | 0 | 0 | 1 | 0 | |
| org.hibernate.dialect.function.StandardAnsiSqlAggregationFunctions\$SumFunction | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.util.locale.provider.DateFormatProviderImpl | 0 | 0 | 1 | 0 | |
| sun.nio.cs.IBM874 | 0 | 0 | 1 | 0 | |
| sun.management.RuntimeImpl | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM1122 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM1124 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM1123 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM1112 | 0 | 0 | 1 | 0 | |
| sun.security.ssl.SunX509KeyManagerImpl | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.ISO_8859_11 | 0 | 0 | 1 | 0 | |
| com.dsntech.serverplatform.channel.web.SPWebFrontServlet | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-core-0.0.1-SNAPSHOT.jar |
| java.util.Collections\$EmptyMap | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM1166 | 0 | 0 | 1 | 0 | |
| sun.security.validator.EndEntityChecker | 0 | 0 | 1 | 0 | |
| sun.nio.cs.UTF_16LE_BOM | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM1140 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM1142 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM1141 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM1144 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM1143 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM1146 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM1145 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM1148 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM1147 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM1149 | 0 | 0 | 1 | 0 | |
| java.util.Collections\$SynchronizedList | 0 | 0 | 1 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|--|
| sun.nio.cs.ext.MacThai | 0 | 0 | 1 | 0 | |
| sun.util.logging.PlatformLogger\$JavaLoggerProxy | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.java.CalendarDateTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.type.IntegerType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.time.temporal.IsoFields\$Unit[] | 0 | 0 | 1 | 0 | |
| java.io.File\$PathStatus[] | 0 | 0 | 1 | 0 | |
| com.dsntech.itcms.core.cache.AgentSession | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-service-0.0.1-SNAPSHOT.jar |
| sun.nio.cs.ext.MSISO2022JP | 0 | 0 | 1 | 0 | |
| org.hibernate.type WrapperBinaryType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.catalina.security.SecurityConfig | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| sun.nio.cs.UTF_32 | 0 | 0 | 1 | 0 | |
| sun.util.locale.provider.CalendarProviderImpl | 0 | 0 | 1 | 0 | |
| sun.util.locale.provider.CalendarDataProviderImpl | 0 | 0 | 1 | 0 | |
| sun.nio.cs.UTF_16 | 0 | 0 | 1 | 0 | |
| org.hibernate.shards.strategy.ShardStrategyImpl | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-shards-3.0.0.jar |
| sun.net.ProgressMonitor | 0 | 0 | 1 | 0 | |
| org.hibernate.type.LocaleType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.type.descriptor.java.UUIDTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| com.dsntech.itcms.daemon.AlertProcessor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-daemon-0.0.1-SNAPSHOT.jar |
| org.hibernate.type.UriType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.ext.IBM277 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM278 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM273 | 0 | 0 | 1 | 0 | |
| sun.util.locale.BaseLocale\$Cache | 0 | 0 | 1 | 0 | |
| sun.misc.FileURLMapper | 0 | 0 | 1 | 0 | |
| javax.crypto.spec.RC2ParameterSpec | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.java.DoubleTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| net.sf.ehcache.config.CacheWriterConfiguration\$WriteMode\$2 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| sun.nio.cs.ext.IBM280 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM284 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM285 | 0 | 0 | 1 | 0 | |
| net.sf.ehcache.config.CacheWriterConfiguration\$WriteMode\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| sun.nio.cs.ext.IBM290 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM297 | 0 | 0 | 1 | 0 | |
| sun.util.locale.provider.TimeZoneNameProviderImpl | 0 | 0 | 1 | 0 | |
| org.springframework.web.context.support.ServletContextAwareProcessor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-web-3.0.5.RELEASE.jar |
| java.lang.Class\$1 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.ClassType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.dom4j.DocumentFactory | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/dom4j-1.6.1.jar |
| net.sf.ehcache.store.disk.ods.AATreeSet\$TerminalNode | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| sun.nio.cs.ext.COMPOUND_TEXT | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.java.PrimitiveByteArrayTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| com.sun.jmx.mbeanserver.ClassLoaderRepositorySupport | 0 | 0 | 1 | 0 | |
| org.apache.jsp.index_jsp | 0 | 0 | 1 | 0 | |
| sun.util.logging.PlatformLogger | 0 | 0 | 1 | 0 | |
| org.hibernate.type.CharacterArrayType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.type.descriptor.java.ByteArrayTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.type.ByteType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.ext.EUC_JP | 0 | 0 | 1 | 0 | |
| net.sf.ehcache.config.SizeOfPolicyConfiguration\$MaxDepthExceededBehavior[] | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.Big5_Solaris | 0 | 0 | 1 | 0 | |
| org.hibernate.type.ObjectType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.ext.MacCroatian | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ISO_8859_4 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ISO_8859_5 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ISO_8859_2 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ISO_8859_1 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ISO_8859_7 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ISO_8859_9 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.MS932_0213 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.MS1258 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.EUC_TW | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.MS1256 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.MS1255 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.java.LongTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.net.ServerSocket | 0 | 0 | 1 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|---|
| org.hibernate.type.descriptor.java.ShortTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.dialect.function.StandardAnsiSqlAggregationFunctions\$AvgFunction | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.MS1257 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.MS1254 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.MS1253 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.MS1252 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.MS1251 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.MS1250 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.java.PrimitiveCharacterArrayTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.security.action.GetPropertyAction | 0 | 0 | 1 | 0 | |
| org.hibernate.shards.loadbalance.RoundRobinShardLoadBalancer | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-shards-3.0.0.jar |
| org.hibernate.type.ImageType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.ext.Big5_HKSCS_2001 | 0 | 0 | 1 | 0 | |
| java.util.Locale\$Category[] | 0 | 0 | 1 | 0 | |
| org.apache.catalina.util.ResourceSet | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.net.StandardProtocolFamily[] | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM1364 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.ISO2022_JP_2 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.DateType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| net.sf.ehcache.config.FactoryConfiguration | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| java.time.format.DecimalStyle | 0 | 0 | 1 | 0 | |
| org.hibernate.type.UUIDCharType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.ext.EUC_CN | 0 | 0 | 1 | 0 | |
| org.hibernate.type.TrueFalseType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.ext.ISO_8859_6 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.ISO_8859_8 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.ISO_8859_3 | 0 | 0 | 1 | 0 | |
| org.apache.tomcat.util.descriptor.web.SecurityCollection[] | 0 | 0 | 1 | 0 | |
| sun.management.MemoryImpl | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM1381 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM1383 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.CalendarDateType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.misc.Perf\$1 | 0 | 0 | 1 | 0 | |
| java.net.URLClassLoader\$6 | 0 | 0 | 1 | 0 | |
| java.util.logging.LogManager\$LoggerContext | 0 | 0 | 1 | 0 | |
| org.hibernate.type.UUIDBinaryType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.commons.logging.impl.WeakHashtable\$Referenced | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/commons-logging-1.1.1.jar |
| sun.management.ThreadImpl | 0 | 0 | 1 | 0 | |
| org.hibernate.id.IncrementGenerator | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.ext.IBM834 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM833 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM838 | 0 | 0 | 1 | 0 | |
| javax.el.Util\$CacheKey | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/el-api.jar |
| sun.nio.cs.ext.IBM860 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM861 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM868 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM869 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM864 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM863 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM865 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM871 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM870 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.MS874 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM875 | 0 | 0 | 1 | 0 | |
| javax.websocket.CloseReason | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/websocket-api.jar |
| org.hibernate.type.DbTimestampType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.ext.IBM856 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.ISO2022_CN_CNS | 0 | 0 | 1 | 0 | |
| com.sun.beans.util.Cache\$Kind\$2 | 0 | 0 | 1 | 0 | |
| com.sun.beans.util.Cache\$Kind\$3 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.UTF_32BE_BOM | 0 | 0 | 1 | 0 | |
| com.sun.beans.util.Cache\$Kind\$1 | 0 | 0 | 1 | 0 | |
| com.dsntech.itcms.entity.CacheConnectionInfo | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-common-0.0.1-SNAPSHOT.jar |
| org.apache.catalina.mapper.Mapper\$MappedContext[] | 0 | 0 | 1 | 0 | |
| org.hibernate.type.FloatType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.type.descriptor.java.BlobTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| com.sun.org.apache.xerces.internal.impl.Constants\$ArrayEnumeration | 0 | 0 | 1 | 0 | |
| sun.nio.cs.UTF_32BE | 0 | 0 | 1 | 0 | |
| org.hibernate.type.TimestampType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|---|
| sun.nio.cs.ext.MacHebrew | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.java.FloatTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.ext.MS936 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.MS932 | 0 | 0 | 1 | 0 | |
| net.bull.javamelody.UpdateChecker | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| sun.nio.cs.ext.IBM037 | 0 | 0 | 1 | 0 | |
| com.sun.jmx.mbeanserver.StandardMBeanSupport | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.JISAutoDetect | 0 | 0 | 1 | 0 | |
| sun.nio.cs.UTF_32LE | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.java.IntegerTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.management.CompilationImpl | 0 | 0 | 1 | 0 | |
| org.hibernate.hql.HolderInstantiator | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.launcher.LauncherHelper | 0 | 0 | 1 | 0 | |
| sun.util.locale.provider.DateFormatSymbolsProviderImpl | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.MacSymbol | 0 | 0 | 1 | 0 | |
| sun.net.www.MimeTable | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.EUC_JP_Open | 0 | 0 | 1 | 0 | |
| java.net.Parts | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.java.ClassTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.ext.GB18030 | 0 | 0 | 1 | 0 | |
| java.util.ResourceBundle\$Control\$CandidateListCache | 0 | 0 | 1 | 0 | |
| com.dsntech.itcms.entity.Language | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-common-0.0.1-SNAPSHOT.jar |
| sun.nio.cs.UTF_32LE_BOM | 0 | 0 | 1 | 0 | |
| org.hibernate.type.ShortType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.catalina.AccessLog[] | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM500 | 0 | 0 | 1 | 0 | |
| com.lowagie.text.pdf.PdfChunk[] | 0 | 0 | 1 | 0 | |
| org.springframework.web.util.UriPathHelper | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-web-3.0.5.RELEASE.jar |
| sun.nio.cs.ext.MS949 | 0 | 0 | 1 | 0 | |
| org.hibernate.dialect.function.StandardAnsiSqlAggregationFunctions\$MinFunction | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.ext.MS950 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM943C | 0 | 0 | 1 | 0 | |
| com.mchange.v2.cfg.MultiPropertiesConfig[] | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM942C | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.java.ByteTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.ThreadLocalCoders\$1 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ThreadLocalCoders\$2 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.MacRomania | 0 | 0 | 1 | 0 | |
| org.hibernate.type.LongType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.launcher.LauncherHelper[] | 0 | 0 | 1 | 0 | |
| org.hibernate.type.BigIntegerType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.id.UUIDGenerator | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.IBM437 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.ISO2022_CN | 0 | 0 | 1 | 0 | |
| org.hibernate.type.YesNoType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.ext.IBM949C | 0 | 0 | 1 | 0 | |
| sun.security.ssl.CipherSuiteList | 0 | 0 | 1 | 0 | |
| java.util.concurrent.TimeUnit\$1 | 0 | 0 | 1 | 0 | |
| java.util.concurrent.TimeUnit\$3 | 0 | 0 | 1 | 0 | |
| java.util.concurrent.TimeUnit\$2 | 0 | 0 | 1 | 0 | |
| java.util.concurrent.TimeUnit\$5 | 0 | 0 | 1 | 0 | |
| java.util.concurrent.TimeUnit\$4 | 0 | 0 | 1 | 0 | |
| java.util.concurrent.TimeUnit\$7 | 0 | 0 | 1 | 0 | |
| java.util.concurrent.TimeUnit\$6 | 0 | 0 | 1 | 0 | |
| org.apache.catalina.mapper.Mapper\$MappedHost[] | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.MS950_HKSCS_XP | 0 | 0 | 1 | 0 | |
| org.hibernate.type.TextType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.ext.MacCyrillic | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.ISO2022_KR | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.ISO2022_JP | 0 | 0 | 1 | 0 | |
| com.mchange.v2.c3p0.impl.DbAuth | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| com.sun.jmx.remote.util.ClassLogger | 0 | 0 | 1 | 0 | |
| sun.security.ssl.EphemeralKeyManager\$EphemeralKeyPair[] | 0 | 0 | 1 | 0 | |
| sun.nio.cs.UTF_16BE | 0 | 0 | 1 | 0 | |
| org.hibernate.type.NumericBooleanType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| com.sun.jmx.mbeanserver.MXBeanLookup | 0 | 0 | 1 | 0 | |
| org.apache.tomcat.util.collections.ConcurrentCache | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| org.jrobin.core.RrdDbPool | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/jrobin-1.5.9.jar |
| org.apache.tomcat.websocket.WsExtension | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-websocket.jar |
| sun.nio.cs.ext.SJIS_0213 | 0 | 0 | 1 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|--|
| org.mariadb.jdbc.internal.com.read.resultset.ColumnInformation[] | 0 | 0 | 1 | 0 | |
| org.hibernate.type.BinaryType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| net.sf.ehcache.config.SizeOfPolicyConfiguration | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| sun.nio.cs.UTF_16LE | 0 | 0 | 1 | 0 | |
| org.hibernate.type.TimeType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.management.VMManagementImpl | 0 | 0 | 1 | 0 | |
| org.apache.tomcat.util.buf.UEncoder\$SafeCharsSet[] | 0 | 0 | 1 | 0 | |
| org.apache.tomcat.util.IntrospectionUtils\$PropertySource[] | 0 | 0 | 1 | 0 | |
| net.sf.ehcache.terracotta.TerracottaClient\$RejoinStatus\$RejoinState[] | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.MacDingbat | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.JIS_X_0212 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.CESU_8 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.JIS_X_0201 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.JIS_X_0208 | 0 | 0 | 1 | 0 | |
| java.math.MutableBigInteger | 0 | 0 | 1 | 0 | |
| java.time.temporal.IsoFields\$Field\$1 | 0 | 0 | 1 | 0 | |
| java.time.temporal.IsoFields\$Field\$2 | 0 | 0 | 1 | 0 | |
| java.time.temporal.IsoFields\$Field\$3 | 0 | 0 | 1 | 0 | |
| java.time.temporal.IsoFields\$Field\$4 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.TIS_620 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.PCK | 0 | 0 | 1 | 0 | |
| org.hibernate.dialect.function.StandardAnsiSqlAggregationFunctions\$MaxFunction | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.net.InetAddress\$Cache\$Type[] | 0 | 0 | 1 | 0 | |
| org.hibernate.type.TimeZoneType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.ext.GBK | 0 | 0 | 1 | 0 | |
| sun.jvmstat.perfdata.monitor.AliasFileParser | 0 | 0 | 1 | 0 | |
| org.hibernate.dialect.function.StandardAnsiSqlAggregationFunctions\$CountFunction | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.lang.ProcessEnvironment\$StringEnvironment | 0 | 0 | 1 | 0 | |
| net.bull.javamelody.PdfController | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| org.hibernate.type.CharArrayType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.util.locale.provider.NumberFormatProviderImpl | 0 | 0 | 1 | 0 | |
| org.hibernate.type.DoubleType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.security.ssl.MAC | 0 | 0 | 1 | 0 | |
| org.hibernate.type.CurrencyType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.net.sdp.SdpProvider | 0 | 0 | 1 | 0 | |
| org.springframework.web.context.support.ServletContextScope | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-web-3.0.5.RELEASE.jar |
| org.springframework.web.context.ContextLoaderListener | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-web-3.0.5.RELEASE.jar |
| org.springframework.core.io.support.PathMatchingResourcePatternResolver | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-core-3.0.5.RELEASE.jar |
| sun.nio.cs.ext.Johab | 0 | 0 | 1 | 0 | |
| com.mchange.v2.c3p0.cfg.C3P0Config | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| org.hibernate.type.descriptor.java.JdbcTimestampTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.ext.MS950_HKSCS | 0 | 0 | 1 | 0 | |
| org.springframework.jdbc.support.SQLExceptionCodesFactory | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-jdbc-3.0.5.RELEASE.jar |
| org.hibernate.type.descriptor.java.CharacterTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.ISO_8859_13 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ISO_8859_15 | 0 | 0 | 1 | 0 | |
| com.dsntech.itcms.core.cache.WebLoginSession | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-service-0.0.1-SNAPSHOT.jar |
| sun.nio.cs.ext.IBM300 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.BooleanType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.type.descriptor.java.JdbcDateTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.US_ASCII | 0 | 0 | 1 | 0 | |
| org.apache.catalina.mapper.Mapper\$ContextList | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| sun.util.locale.provider.DecimalFormatSymbolsProviderImpl | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.EUC_JP_LINUX | 0 | 0 | 1 | 0 | |
| com.mchange.v2.cfg.CombinedMultiPropertiesConfig | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| org.hibernate.type.PostgresUUIDType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.type.descriptor.java.UriTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.lang.ClassValue\$Entry[] | 0 | 0 | 1 | 0 | |
| org.apache.catalina.Service[] | 0 | 0 | 1 | 0 | |
| org.apache.catalina.users.MemoryRole | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.net.URL[] | 0 | 0 | 1 | 0 | |
| javax.el.CompositeELResolver | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/el-api.jar |
| sun.nio.cs.UTF_8 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.java.BigIntegerTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.ext.MacArabic | 0 | 0 | 1 | 0 | |
| org.springframework.web.context.support.ServletContextResourcePatternResolver | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-web-3.0.5.RELEASE.jar |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|--|-----------|--------|-----------|-------------|--|
| org.hibernate.type.SerializableType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.catalina.mapper.Mapper | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| sun.nio.cs.ext.MacTurkish | 0 | 0 | 1 | 0 | |
| org.apache.naming.StringManager | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.apache.catalina.webresources.TomcatURLStreamHandlerFactory | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.hibernate.type.StringType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.type.descriptor.java.CalendarTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.ext.Big5_HKSCS | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.MacIceland | 0 | 0 | 1 | 0 | |
| org.hibernate.sql.Alias | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.net.Proxy | 0 | 0 | 1 | 0 | |
| net.sf.ehcache.concurrent.LockType[] | 0 | 0 | 1 | 0 | |
| sun.security.provider.NativeSeedGenerator | 0 | 0 | 1 | 0 | |
| net.sf.ehcache.config.CacheWriterConfiguration\$WriteMode[] | 0 | 0 | 1 | 0 | |
| org.hibernate.jdbc.Expectations\$BasicParamExpectation | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| javax.el.ExpressionFactory\$CacheKey | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/el-api.jar |
| sun.misc.URLClassPath\$3 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.java.TimeZoneTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.IBM737 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.KOI8_U | 0 | 0 | 1 | 0 | |
| sun.nio.cs.KOI8_R | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM420 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM424 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.CharacterType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.ext.MacRoman | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.java.JdbcTimeTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| com.sun.org.apache.xerces.internal.util.XMLSecurityPropertyManager\$Property[] | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.java.StringTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.cs.ext.IBM33722 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.SJIS | 0 | 0 | 1 | 0 | |
| org.apache.el.util.ConcurrentCache | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/jasper-el.jar |
| java.util.logging.LoggingPermission | 0 | 0 | 1 | 0 | |
| java.util.ServiceLoader\$1 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.java.CharacterArrayTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| com.mchange.v2.c3p0.cfg.NamedScope | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| org.hibernate.hql.ast.util.LiteralProcessor\$DecimalFormatter[] | 0 | 0 | 1 | 0 | |
| sun.nio.cs.IBM775 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.CalendarType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.type.descriptor.java.LocaleTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.net.InetAddress | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM1006 | 0 | 0 | 1 | 0 | |
| java.lang.invoke.MethodType\$ConcurrentWeakInternSet | 0 | 0 | 1 | 0 | |
| sun.util.locale.provider.CurrencyNameProviderImpl | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.MacUkraine | 0 | 0 | 1 | 0 | |
| sun.security.ssl.SunX509KeyManagerImpl\$X509Credentials | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM1047 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM1046 | 0 | 0 | 1 | 0 | |
| org.mariadb.jdbc.internal.com.read.Buffer | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mariadb-java-client-2.2.6.jar |
| sun.nio.cs.ext.IBM1025 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.IBM1026 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.ext.ISO2022_CN_GB | 0 | 0 | 1 | 0 | |
| net.bull.javamelody.MBeans\$2 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| net.bull.javamelody.MBeans\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| net.bull.javamelody.HtmlCoreReport\$HtmlForms | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| java.lang.UNIXProcess\$\$Lambda\$9/1810679169 | 0 | 0 | 1 | 0 | |
| org.hibernate.impl.SessionFactoryObjectFactory | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.lang.ref.Reference\$Lock | 0 | 0 | 1 | 0 | |
| org.hibernate.proxy.pojo.javassist.JavassistLazyInitializer\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.lang.reflect.ReflectAccess | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1210 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1211 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1212 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1213 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1214 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor784 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1215 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor783 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1216 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor782 | 0 | 0 | 1 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|--|
| sun.reflect.GeneratedMethodAccessor1217 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor781 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1218 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor780 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1219 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor789 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor788 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor787 | 0 | 0 | 1 | 0 | |
| org.apache.catalina.valves.AbstractAccessLogValve\$ByteSentElement | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| sun.reflect.GeneratedMethodAccessor786 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor785 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1220 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1221 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1222 | 0 | 0 | 1 | 0 | |
| java.lang.CharacterDataLatin1 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1223 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1224 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1225 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor773 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1226 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor772 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1227 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor771 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1228 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor770 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1229 | 0 | 0 | 1 | 0 | |
| org.hibernate.jdbc.util.DDLFormaterImpl | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor779 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor778 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor777 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor776 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor775 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor774 | 0 | 0 | 1 | 0 | |
| java.lang.invoke.MethodHandleImpl\$2 | 0 | 0 | 1 | 0 | |
| java.lang.invoke.MethodHandleImpl\$3 | 0 | 0 | 1 | 0 | |
| com.sun.jmx.interceptor.DefaultMBeanServerInterceptor\$ResourceContext\$1 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.sql.DoubleTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| net.bull.javamelody.SessionListener | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| sun.reflect.GeneratedMethodAccessor1200 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1201 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1202 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1203 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor795 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1204 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor794 | 0 | 0 | 1 | 0 | |
| net.sf.ehcache.store.chm.SelectableConcurrentHashMap\$DummyPinnedKey | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| sun.reflect.GeneratedMethodAccessor1205 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor793 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1206 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor792 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1207 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor791 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1208 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor790 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1209 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor799 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor798 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor797 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor796 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor740 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor748 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor747 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor746 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor745 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor744 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor743 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor742 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor741 | 0 | 0 | 1 | 0 | |
| com.sun.jmx.mbeanserver.StandardMBeanIntrospector | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor749 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor737 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor736 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor735 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor734 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor733 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor732 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor731 | 0 | 0 | 1 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|--|-----------|--------|-----------|-------------|--|
| sun.reflect.GeneratedMethodAccessor730 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor739 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor738 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor762 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor761 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor760 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor769 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor768 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor767 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor766 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor765 | 0 | 0 | 1 | 0 | |
| org.hibernate.property.EmbeddedPropertyAccessor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor764 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor763 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.java.UUIDTypeDescriptor\$ToStringTransformer | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor751 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor750 | 0 | 0 | 1 | 0 | |
| java.lang.invoke.MemberName\$Factory | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor759 | 0 | 0 | 1 | 0 | |
| com.mchange.v2.c3p0.impl.AbstractPoolBackedDataSource\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| sun.reflect.GeneratedMethodAccessor758 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor757 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor756 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor755 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor754 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor753 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor752 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor704 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor703 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor702 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor701 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor700 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor709 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor708 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor707 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor706 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor705 | 0 | 0 | 1 | 0 | |
| org.apache.jasper.runtime.JspFactoryImpl | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/jasper.jar |
| com.sun.jmx.mbeanserver.SecureClassLoaderRepository | 0 | 0 | 1 | 0 | |
| org.hibernate.engine.IdentifierValue\$4 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.engine.IdentifierValue\$3 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.engine.IdentifierValue\$2 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| javax.servlet.jsp.el.ImplicitObjectELResolver | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/jsp-api.jar |
| sun.reflect.GeneratedMethodAccessor726 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor725 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor724 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor723 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor722 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor721 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor720 | 0 | 0 | 1 | 0 | |
| org.hibernate.engine.IdentifierValue\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor729 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor728 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor727 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor715 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor714 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor713 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor712 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor711 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor710 | 0 | 0 | 1 | 0 | |
| sun.text.normalizer.NormalizerBase\$NFKDMode | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor719 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor718 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor717 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor716 | 0 | 0 | 1 | 0 | |
| sun.text.normalizer.NormalizerBase\$NFCMode | 0 | 0 | 1 | 0 | |
| org.jrobin.core.RrdSafeFileBackendFactory | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/jrobin-1.5.9.jar |
| sun.reflect.GeneratedMethodAccessor1195 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1196 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1197 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1198 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1199 | 0 | 0 | 1 | 0 | |
| java.lang.management.PlatformComponent\$5 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor803 | 0 | 0 | 1 | 0 | |
| java.lang.management.PlatformComponent\$6 | 0 | 0 | 1 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|--|
| sun.reflect.GeneratedMethodAccessor802 | 0 | 0 | 1 | 0 | |
| java.lang.management.PlatformComponent\$7 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor801 | 0 | 0 | 1 | 0 | |
| java.lang.management.PlatformComponent\$8 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor800 | 0 | 0 | 1 | 0 | |
| java.lang.management.PlatformComponent\$1 | 0 | 0 | 1 | 0 | |
| java.lang.management.PlatformComponent\$2 | 0 | 0 | 1 | 0 | |
| java.lang.management.PlatformComponent\$3 | 0 | 0 | 1 | 0 | |
| java.lang.management.PlatformComponent\$4 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor809 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor808 | 0 | 0 | 1 | 0 | |
| java.lang.management.PlatformComponent\$9 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor807 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor806 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor805 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor804 | 0 | 0 | 1 | 0 | |
| org.apache.catalina.connector.CoyoteAdapter\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.hibernate.engine.CascadingAction\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.engine.CascadingAction\$2 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.shards.strategy.access.SequentialShardAccessStrategy | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-shards-3.0.0.jar |
| org.hibernate.engine.CascadingAction\$5 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.engine.CascadingAction\$6 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.engine.CascadingAction\$3 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.engine.CascadingAction\$4 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.engine.CascadingAction\$9 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.engine.CascadingAction\$7 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.engine.CascadingAction\$8 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.type.descriptor.sql.FloatTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| net.sf.ehcache.management.provider.MBeanRegistrationProviderFactoryImpl | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| sun.util.locale.provider.SPILocaleProviderAdapter | 0 | 0 | 1 | 0 | |
| java.util.regex.Pattern\$4 | 0 | 0 | 1 | 0 | |
| com.sun.org.apache.xerces.internal.impl.dv.dtd.StringDatatypeValidator | 0 | 0 | 1 | 0 | |
| org.apache.xerces.impl.dv.xs.FloatDV | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| com.sun.org.apache.xerces.internal.impl.dv.dtd.IDREFDatatypeValidator | 0 | 0 | 1 | 0 | |
| java.util.Collections\$EmptyList | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1130 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1131 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1132 | 0 | 0 | 1 | 0 | |
| java.lang.System\$2 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1133 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1134 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1135 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1136 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1137 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1138 | 0 | 0 | 1 | 0 | |
| org.apache.log4j.DefaultCategoryFactory | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/log4j-1.2.17.jar |
| sun.reflect.GeneratedMethodAccessor1139 | 0 | 0 | 1 | 0 | |
| java.util.WeakHashMap\$KeySet | 0 | 0 | 1 | 0 | |
| com.mchange.v2.coalesce.CoalesceIndicator | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| sun.reflect.GeneratedMethodAccessor1140 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1141 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1142 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1143 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1144 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1145 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1146 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1147 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1148 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1149 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1150 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1110 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1111 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1112 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1113 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1114 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1115 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1116 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1117 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1118 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1119 | 0 | 0 | 1 | 0 | |
| net.sf.ehcache.constructs.nonstop.CacheManagerExecutorServiceFactory | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|--|-----------|--------|-----------|-------------|---|
| sun.reflect.GeneratedMethodAccessor1120 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1121 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1122 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1123 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1124 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1125 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1126 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1127 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1128 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1129 | 0 | 0 | 1 | 0 | |
| org.apache.catalina.valves.AbstractAccessLogValve\$HttpStatusCodeElement | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| sun.reflect.GeneratedMethodAccessor1173 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1174 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1175 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1176 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1177 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1178 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1179 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1180 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1181 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1182 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1183 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1184 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1185 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1186 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1187 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1188 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1189 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1190 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1191 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1192 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1193 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1194 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1151 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1152 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1153 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1154 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1155 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1156 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1157 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1158 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1159 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1160 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1161 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1162 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1163 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1164 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1165 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1166 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1167 | 0 | 0 | 1 | 0 | |
| java.lang.reflect.Proxy\$KeyFactory | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1168 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1169 | 0 | 0 | 1 | 0 | |
| sun.jvmstat.perfdata.monitor.protocol.local.PerfDataBuffer | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1170 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1171 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1172 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor50 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor51 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor52 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor53 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor54 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor55 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor56 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor57 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor58 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor59 | 0 | 0 | 1 | 0 | |
| java.util.logging.Handler[] | 0 | 0 | 1 | 0 | |
| org.sif4j.helpers.NOPLoggerFactory | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/sif4j-api-1.6.1.jar |
| sun.management.HotSpotDiagnostic | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor60 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor61 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor62 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor63 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor64 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor65 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor66 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor67 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor68 | 0 | 0 | 1 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|--|
| sun.reflect.GeneratedConstructorAccessor69 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor696 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor695 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor694 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor693 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor692 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor691 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor690 | 0 | 0 | 1 | 0 | |
| org.apache.juli.OneLineFormatter\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/bin/tomcat-juli.jar |
| sun.reflect.GeneratedMethodAccessor699 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor698 | 0 | 0 | 1 | 0 | |
| org.apache.juli.OneLineFormatter\$2 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/bin/tomcat-juli.jar |
| sun.reflect.GeneratedMethodAccessor697 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor70 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor71 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor32 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor33 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor34 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor36 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor37 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor38 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor39 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor40 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor41 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor42 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor43 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor44 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor45 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor46 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor47 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor48 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor49 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor13 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor14 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor663 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor15 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor662 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor16 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor661 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor17 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor660 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor18 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor19 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor669 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor668 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor667 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor666 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor665 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor664 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor20 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor21 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1100 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor22 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1101 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor23 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1102 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1103 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor25 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1104 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor652 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor26 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1105 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor651 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor27 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1106 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor650 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor28 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1107 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1108 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1109 | 0 | 0 | 1 | 0 | |
| net.bull.javamelody.JdbcDriver | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| sun.reflect.GeneratedMethodAccessor659 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor658 | 0 | 0 | 1 | 0 | |
| java.time.chrono.AbstractChronology\$Lambda\$12/208968682 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor657 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor656 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor655 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor654 | 0 | 0 | 1 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|--|-----------|--------|-----------|-------------|--|
| sun.reflect.GeneratedMethodAccessor653 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor685 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor684 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor683 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor682 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor681 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor680 | 0 | 0 | 1 | 0 | |
| sun.util.calendar.JulianCalendar | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor689 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor688 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor687 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor686 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor674 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor673 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor672 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor671 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor670 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor679 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor678 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor677 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor676 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor675 | 0 | 0 | 1 | 0 | |
| org.apache.catalina.core.ContainerBase\$ContainerBackgroundProcessor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.apache.xerces.impl.dv.xs.EntityDV | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| sun.reflect.GeneratedMethodAccessor627 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor626 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor625 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor624 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor623 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor622 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor621 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor620 | 0 | 0 | 1 | 0 | |
| sun.net.DefaultProgressMeteringPolicy | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor629 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor628 | 0 | 0 | 1 | 0 | |
| sun.jvmstat.perfdata.monitor.v2_0.PerfDataBufferPrologue | 0 | 0 | 1 | 0 | |
| com.lowagie.text.pdf.PdfEncodings\$Cp437Conversion | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itext-2.1.7.jar |
| sun.reflect.GeneratedMethodAccessor616 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor615 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor614 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor613 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.sql.DecimalTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor612 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor611 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor610 | 0 | 0 | 1 | 0 | |
| java.lang.UNIXProcess\$Platform\$Lambda\$5/321292907 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor619 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor618 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor617 | 0 | 0 | 1 | 0 | |
| sun.misc.Unsafe | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor641 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor640 | 0 | 0 | 1 | 0 | |
| sun.misc.Launcher | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor649 | 0 | 0 | 1 | 0 | |
| org.hibernate.util.DTDEntityResolver | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor648 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor647 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor646 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor645 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor644 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor643 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor642 | 0 | 0 | 1 | 0 | |
| org.apache.catalina.startup.EngineConfig | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| sun.reflect.GeneratedMethodAccessor630 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor638 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor637 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor636 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor635 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor634 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor633 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor632 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor631 | 0 | 0 | 1 | 0 | |
| java.lang.management.PlatformComponent\$11 | 0 | 0 | 1 | 0 | |
| java.lang.management.PlatformComponent\$10 | 0 | 0 | 1 | 0 | |
| java.lang.management.PlatformComponent\$13 | 0 | 0 | 1 | 0 | |
| java.lang.management.PlatformComponent\$12 | 0 | 0 | 1 | 0 | |
| java.lang.management.PlatformComponent\$15 | 0 | 0 | 1 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|--|
| java.lang.management.PlatformComponent\$14 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor639 | 0 | 0 | 1 | 0 | |
| org.apache.catalina.valves.AbstractAccessLogValve\$RequestElement | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.lang.reflect.Proxy\$ProxyClassFactory | 0 | 0 | 1 | 0 | |
| sun.misc.Perf | 0 | 0 | 1 | 0 | |
| sun.reflect.ReflectionFactory | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor605 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor604 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor603 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor602 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor601 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor600 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor609 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor608 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor607 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor606 | 0 | 0 | 1 | 0 | |
| org.apache.xerces.impl.dv.xs.XSSimpleTypeDecl\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.slf4j.impl.StaticLoggerBinder | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/slf4j-log4j12-1.6.1.jar |
| org.apache.xerces.impl.dv.xs.XSSimpleTypeDecl\$2 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.hibernate.hql.ast.tree.DotNode\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor1096 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1097 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1098 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1099 | 0 | 0 | 1 | 0 | |
| java.text.MessageFormat\$Field | 0 | 0 | 1 | 0 | |
| java.util.regex.Pattern\$CharPropertyNames\$17 | 0 | 0 | 1 | 0 | |
| java.util.regex.Pattern\$CharPropertyNames\$18 | 0 | 0 | 1 | 0 | |
| java.util.regex.Pattern\$CharPropertyNames\$19 | 0 | 0 | 1 | 0 | |
| java.util.regex.Pattern\$CharPropertyNames\$13 | 0 | 0 | 1 | 0 | |
| org.apache.xerces.impl.dv.xs.AnyURIDV | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| java.util.regex.Pattern\$CharPropertyNames\$14 | 0 | 0 | 1 | 0 | |
| java.util.regex.Pattern\$CharPropertyNames\$10 | 0 | 0 | 1 | 0 | |
| java.util.regex.Pattern\$CharPropertyNames\$11 | 0 | 0 | 1 | 0 | |
| java.util.regex.Pattern\$CharPropertyNames\$12 | 0 | 0 | 1 | 0 | |
| org.dom4j.tree.NamespaceCache | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/dom4j-1.6.1.jar |
| sun.reflect.GeneratedMethodAccessor1074 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1075 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1076 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1077 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1078 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1079 | 0 | 0 | 1 | 0 | |
| java.util.regex.Pattern\$CharPropertyNames\$20 | 0 | 0 | 1 | 0 | |
| java.util.regex.Pattern\$CharPropertyNames\$21 | 0 | 0 | 1 | 0 | |
| java.util.regex.Pattern\$CharPropertyNames\$22 | 0 | 0 | 1 | 0 | |
| java.util.regex.Pattern\$CharPropertyNames\$23 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1080 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1081 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1082 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1083 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1084 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1085 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1086 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1087 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1088 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1089 | 0 | 0 | 1 | 0 | |
| java.security.Provider[] | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.sql.VarcharTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.transform.AliasToEntityMapResultTransformer | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor1090 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1091 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1092 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1093 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1094 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1095 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.sql.RealTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.type.descriptor.sql.DateTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.net.InetAddress\$2 | 0 | 0 | 1 | 0 | |
| com.mchange.v2.log.log4j.Log4jMLog | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| java.util.TreeMap\$EntrySet | 0 | 0 | 1 | 0 | |
| org.mariadb.jdbc.Driver | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mariadb-java-client-2.2.6.jar |
| org.apache.catalina.util.URLEncoder | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.mariadb.jdbc.internal.util.PidFactory\$\$Lambda\$10/501881538 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1010 | 0 | 0 | 1 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|--|
| sun.reflect.GeneratedMethodAccessor1011 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1012 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1013 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1014 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1015 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1016 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1017 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1018 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1019 | 0 | 0 | 1 | 0 | |
| org.apache.log4j.or.RendererMap | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/log4j-1.2.17.jar |
| org.hibernate.util.ComparableComparator | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor1020 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1021 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1022 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1023 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1024 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1025 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1026 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1027 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1028 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1029 | 0 | 0 | 1 | 0 | |
| org.apache.xerces.impl.dv.xs.TimeDV | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| sun.reflect.GeneratedMethodAccessor1000 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1001 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1002 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1003 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1004 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1005 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1006 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1007 | 0 | 0 | 1 | 0 | |
| sun.reflect.generics.tree.VoidDescriptor | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1008 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1009 | 0 | 0 | 1 | 0 | |
| org.apache.xerces.impl.dv.xs.StringDV | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| sun.reflect.GeneratedMethodAccessor1052 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1053 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1054 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1055 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1056 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1057 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1058 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1059 | 0 | 0 | 1 | 0 | |
| java.nio.Bits\$1 | 0 | 0 | 1 | 0 | |
| org.apache.xerces.impl.dv.xs.ListDV | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| sun.reflect.GeneratedMethodAccessor1060 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1061 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1062 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1063 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1064 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1065 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1066 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1067 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1068 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1069 | 0 | 0 | 1 | 0 | |
| com.mchange.v2.util.DoubleWeakHashMap\$CheckKeyHolder | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| sun.reflect.GeneratedMethodAccessor1070 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1071 | 0 | 0 | 1 | 0 | |
| sun.misc.GC\$LatencyLock | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1072 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1073 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1030 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1031 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1032 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1033 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1034 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1035 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1036 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1037 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1038 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1039 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1040 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1041 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1042 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1043 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1044 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1045 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1046 | 0 | 0 | 1 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|--|
| sun.reflect.GeneratedMethodAccessor1047 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1048 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1049 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1050 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1051 | 0 | 0 | 1 | 0 | |
| org.hibernate.bytecode.javassist.ProxyFactoryFactoryImpl\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.cfg.EJB3NamingStrategy | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor124 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor123 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor122 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor121 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor129 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor128 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor127 | 0 | 0 | 1 | 0 | |
| com.sun.jmx.mbeanserver.MBeanAnalyzer\$MethodOrder | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor125 | 0 | 0 | 1 | 0 | |
| java.lang.management.MonitorInfo[] | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.sql.BitTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.util.locale.InternalLocaleBuilder\$CaseInsensitiveChar | 0 | 0 | 1 | 0 | |
| java.util.Collections\$UnmodifiableMap\$UnmodifiableEntrySet | 0 | 0 | 1 | 0 | |
| java.time.format.DateTimeFormatterBuilder\$\$Lambda\$11/253711433 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.java.JdbcTimestampTypeDescriptor\$TimestampMutabilityPlan | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor982 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor981 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor980 | 0 | 0 | 1 | 0 | |
| java.util.Currency\$CurrencyNameGetter | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor989 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor988 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor987 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor986 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor985 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor984 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor983 | 0 | 0 | 1 | 0 | |
| java.lang.Runtime | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor971 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor970 | 0 | 0 | 1 | 0 | |
| org.apache.xerces.impl.dv.xs.HexBinaryDV | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.hibernate.type.descriptor.sql.ClobTypeDescriptor\$3 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.type.descriptor.sql.ClobTypeDescriptor\$2 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.type.descriptor.sql.ClobTypeDescriptor\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor979 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor978 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor977 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor976 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor975 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor974 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor973 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor972 | 0 | 0 | 1 | 0 | |
| java.nio.file.Files\$AcceptAllFilter | 0 | 0 | 1 | 0 | |
| java.util.concurrent.ThreadPoolExecutor\$AbortPolicy | 0 | 0 | 1 | 0 | |
| sun.util.CoreResourceBundleControl | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor993 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor992 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor991 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor990 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.sql.SmallIntTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| com.mchange.v2.c3p0.management.ActiveManagementCoordinator | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| sun.reflect.GeneratedMethodAccessor999 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor998 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor997 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor996 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor995 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor994 | 0 | 0 | 1 | 0 | |
| org.hibernate.cfg.HbmBinder\$CollectionType\$5 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| com.mchange.v2.c3p0.management.DynamicPooledDataSourceManagerMBean\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| org.hibernate.cfg.HbmBinder\$CollectionType\$6 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.cfg.HbmBinder\$CollectionType\$7 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor946 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor945 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor944 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor943 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor942 | 0 | 0 | 1 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|--|-----------|--------|-----------|-------------|--|
| sun.reflect.GeneratedMethodAccessor941 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor940 | 0 | 0 | 1 | 0 | |
| com.sun.org.apache.xerces.internal.impl.dv.dtd.IDDatatypeValidator | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor949 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor948 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor947 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.sql.TimestampTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor935 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor934 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor933 | 0 | 0 | 1 | 0 | |
| net.sf.ehcache.statistics.NullLiveCacheStatisticsData | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| sun.reflect.GeneratedMethodAccessor932 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor931 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor930 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor939 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor938 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor937 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor936 | 0 | 0 | 1 | 0 | |
| org.apache.catalina.mbeans.GlobalResourcesLifecycleListener | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.io.FileDescriptor\$1 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor960 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor968 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor967 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor966 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor965 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor964 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor963 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor962 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor961 | 0 | 0 | 1 | 0 | |
| javax.management.JMX | 0 | 0 | 1 | 0 | |
| org.hibernate.hql.ast.util.LiteralProcessor\$ApproximateDecimalFormatter | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor969 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor957 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor956 | 0 | 0 | 1 | 0 | |
| javassist.util.proxy.RuntimeSupport\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javassist-3.1.jar |
| sun.reflect.GeneratedMethodAccessor955 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor954 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor953 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor952 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor951 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor950 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor959 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor958 | 0 | 0 | 1 | 0 | |
| org.apache.xerces.impl.xs.models.XSEmptyCM | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.apache.xerces.impl.dv.xs.DayDV | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.apache.log4j.spi.DefaultRepositorySelector | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/log4j-1.2.17.jar |
| org.apache.xerces.impl.dv.xs.DateDV | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.apache.catalina.core.ThreadLocalLeakPreventionListener | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.hibernate.cfg.HbmBinder\$CollectionType\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.cfg.HbmBinder\$CollectionType\$2 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.xerces.impl.dv.xs.UnionDV | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.hibernate.cfg.HbmBinder\$CollectionType\$3 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.cfg.HbmBinder\$CollectionType\$4 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.text.normalizer.NormalizerBase\$Mode | 0 | 0 | 1 | 0 | |
| org.apache.xerces.impl.dv.SecuritySupport12 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| com.sun.jmx.mbeanserver.MBeanInstantiator | 0 | 0 | 1 | 0 | |
| sun.net.spi.DefaultProxySelector | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor182 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor181 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor180 | 0 | 0 | 1 | 0 | |
| sun.jvmstat.perfdata.monitor.protocol.local.LocalVmManager\$2 | 0 | 0 | 1 | 0 | |
| sun.jvmstat.perfdata.monitor.protocol.local.LocalVmManager\$3 | 0 | 0 | 1 | 0 | |
| sun.jvmstat.perfdata.monitor.protocol.local.LocalVmManager\$1 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor189 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor188 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor187 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor186 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor185 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor184 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor183 | 0 | 0 | 1 | 0 | |
| sun.misc.ASCIICaseInsensitiveComparator | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor171 | 0 | 0 | 1 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|--|
| sun.reflect.GeneratedMethodAccessor170 | 0 | 0 | 1 | 0 | |
| sun.tools.attach.LinuxAttachProvider | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor179 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor178 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor177 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor176 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor175 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor174 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor173 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor172 | 0 | 0 | 1 | 0 | |
| org.hibernate.bytecode.javassist.BytecodeProviderImpl | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.lang.ClassLoader\$2 | 0 | 0 | 1 | 0 | |
| java.lang.ClassLoader\$3 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.sql.IntegerTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor193 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor192 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor191 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor190 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor199 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor198 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor197 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor196 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor195 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor194 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor146 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor145 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor144 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor143 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor142 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor141 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor140 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor149 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor148 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor147 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor135 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor134 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor133 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor132 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor131 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor130 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor139 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor138 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor137 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor136 | 0 | 0 | 1 | 0 | |
| javax.management.MBeanServerBuilder | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor160 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor168 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor167 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor166 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor165 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor164 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor163 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor162 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor161 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.java.SerializableTypeDescriptor\$SerializableMutabilityPlan | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor169 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor157 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor156 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor155 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor154 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor153 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor152 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor151 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor150 | 0 | 0 | 1 | 0 | |
| sun.security.ssl.SessionId | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor159 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor158 | 0 | 0 | 1 | 0 | |
| java.net.URLClassLoader\$7 | 0 | 0 | 1 | 0 | |
| org.hibernate.jdbc.Expectations\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.property.BackrefPropertyAccessor\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.nio.file.attribute.FileAttribute[] | 0 | 0 | 1 | 0 | |
| antlr.Token | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/antlr-2.7.6.jar |
| org.apache.catalina.startup.VersionLoggerListener | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| sun.util.calendar.Gregorian | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.java.BlobTypeDescriptor\$BlobMutabilityPlan | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|--|-----------|--------|-----------|-------------|--|
| org.hibernate.type.descriptor.sql.BigIntTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedSerializationConstructorAccessor9 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedSerializationConstructorAccessor8 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedSerializationConstructorAccessor7 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedSerializationConstructorAccessor6 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedSerializationConstructorAccessor5 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedSerializationConstructorAccessor4 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedSerializationConstructorAccessor3 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedSerializationConstructorAccessor2 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedSerializationConstructorAccessor1 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor894 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor893 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor892 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor891 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor890 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor899 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor898 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor897 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor896 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor895 | 0 | 0 | 1 | 0 | |
| org.springframework.web.context.support.WebApplicationContextUtils\$SessionObjectFactory | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-web-3.0.5.RELEASE.jar |
| java.time.format.DateTimeFormatter\$Lambda\$16/1015361597 | 0 | 0 | 1 | 0 | |
| com.mchange.v2.c3p0.management.C3P0RegistryManager | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| sun.reflect.GeneratedMethodAccessor861 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor860 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor869 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor868 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor867 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor866 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor865 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor864 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor863 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor862 | 0 | 0 | 1 | 0 | |
| org.hibernate.dialect.resolver.StandardDialectResolver | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.lang.ref.Reference\$1 | 0 | 0 | 1 | 0 | |
| org.apache.catalina.core.AccessLogAdapter | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| sun.reflect.GeneratedMethodAccessor850 | 0 | 0 | 1 | 0 | |
| org.hibernate.property.NoopAccessor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor858 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor857 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor856 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor855 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor854 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor853 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor852 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor851 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor859 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor883 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor882 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor881 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor880 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor889 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor888 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor887 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor886 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor885 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor884 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor872 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor871 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor870 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.AbstractSingleColumnStandardBasicType\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor879 | 0 | 0 | 1 | 0 | |
| org.apache.tomcat.util.digester.Digester\$SystemPropertySource | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util-scan.jar |
| sun.reflect.GeneratedMethodAccessor878 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor877 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor876 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor875 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor874 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor873 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor825 | 0 | 0 | 1 | 0 | |
| org.hibernate.util.EmptyIterator | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor824 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor823 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor822 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor821 | 0 | 0 | 1 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|--|
| sun.reflect.GeneratedMethodAccessor820 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor829 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor828 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor827 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor826 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor814 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor813 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor812 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor811 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor810 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor819 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor818 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor817 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor816 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor815 | 0 | 0 | 1 | 0 | |
| com.mchange.v2.c3p0.impl.IdentityTokenizedCoalesceChecker | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| sun.reflect.GeneratedMethodAccessor847 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor846 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor845 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor844 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor843 | 0 | 0 | 1 | 0 | |
| java.io.FilePermission\$1 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor842 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor841 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor840 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor849 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor848 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor836 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor835 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor834 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor833 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor832 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor831 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor830 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor839 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor838 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor837 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor902 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor901 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor900 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor909 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor908 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor907 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor906 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor905 | 0 | 0 | 1 | 0 | |
| javax.servlet.jsp.el.ScopedAttributeELResolver | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/jsp-api.jar |
| sun.reflect.GeneratedMethodAccessor904 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor903 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.sql.BlobTypeDescriptor\$3 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.type.descriptor.sql.BlobTypeDescriptor\$4 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.type.descriptor.sql.BlobTypeDescriptor\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.type.descriptor.sql.BlobTypeDescriptor\$2 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.xerces.impl.dv.dtd.NOTATIONDatatypeValidator | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| sun.reflect.GeneratedMethodAccessor924 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor923 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor922 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor921 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor920 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor929 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor928 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor927 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor926 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor925 | 0 | 0 | 1 | 0 | |
| com.sun.jmx.mbeanserver.MXBeanIntrospector | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor913 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor912 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor911 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor910 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor919 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor918 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor917 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor916 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor915 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor914 | 0 | 0 | 1 | 0 | |
| org.apache.xerces.impl.dv.dtd.StringDatatypeValidator | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|--|
| sun.security.ssl.EphemeralKeyManager | 0 | 0 | 1 | 0 | |
| java.util.jar.JavaUtilJarAccessImpl | 0 | 0 | 1 | 0 | |
| com.mchange.v2.management.ManagementUtils\$2 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| com.mchange.v2.management.ManagementUtils\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| org.apache.xerces.impl.dv.xs.IntegerDV | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| java.lang.ClassValue\$Identity | 0 | 0 | 1 | 0 | |
| org.apache.tomcat.util.net.NioBlockingSelector\$KeyReference | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| java.security.ProtectionDomain\$2 | 0 | 0 | 1 | 0 | |
| com.sun.org.apache.xerces.internal.impl.dv.dtd.NMTOKENDatatypeValidator | 0 | 0 | 1 | 0 | |
| org.hibernate.engine.CascadeStyle\$6 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.engine.CascadeStyle\$5 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.engine.CascadeStyle\$8 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.engine.CascadeStyle\$7 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.engine.CascadeStyle\$2 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.engine.CascadeStyle\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.engine.CascadeStyle\$4 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.engine.CascadeStyle\$3 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.engine.CascadeStyle\$9 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| javax.management.NotificationBroadcasterSupport\$1 | 0 | 0 | 1 | 0 | |
| org.springframework.util.ReflectionUtils\$2 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-core-3.0.5.RELEASE.jar |
| org.springframework.util.ReflectionUtils\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-core-3.0.5.RELEASE.jar |
| sun.net.www.protocol.http.AuthCacheImpl | 0 | 0 | 1 | 0 | |
| org.springframework.util.ReflectionUtils\$3 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-core-3.0.5.RELEASE.jar |
| org.apache.xerces.impl.dv.xs.AnySimpleDV | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.hibernate.type.descriptor.sql.BinaryTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.type.descriptor.java.JdbcTimeTypeDescriptor\$TimeMutabilityPlan | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.nio.ch.Util\$1 | 0 | 0 | 1 | 0 | |
| org.slf4j.impl.Log4jLoggerFactory | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/slf4j-log4j12-1.6.1.jar |
| sun.reflect.generics.tree.BottomSignature | 0 | 0 | 1 | 0 | |
| sun.misc.Perf\$GetPerfAction | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor344 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor343 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor342 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor341 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor340 | 0 | 0 | 1 | 0 | |
| java.math.BigDecimal\$1 | 0 | 0 | 1 | 0 | |
| org.hibernate.hql.ast.tree.FromClause\$4 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor349 | 0 | 0 | 1 | 0 | |
| org.hibernate.hql.ast.tree.FromClause\$3 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor348 | 0 | 0 | 1 | 0 | |
| org.hibernate.hql.ast.tree.FromClause\$2 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.misc.Launcher\$Factory | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor347 | 0 | 0 | 1 | 0 | |
| org.hibernate.hql.ast.tree.FromClause\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor346 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor345 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor333 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor332 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor331 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor330 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor339 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor338 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor337 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor336 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor335 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor334 | 0 | 0 | 1 | 0 | |
| java.time.format.DateTimeTextProvider\$1 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor366 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor365 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor364 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor363 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor362 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor361 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor360 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor369 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor368 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor367 | 0 | 0 | 1 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|--|
| org.apache.catalina.valves.AbstractAccessLogValve\$2 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.apache.catalina.valves.AbstractAccessLogValve\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| sun.reflect.GeneratedMethodAccessor355 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor354 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor353 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor352 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor351 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor350 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor359 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor358 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor357 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor356 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor300 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor308 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor307 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor306 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor305 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor304 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor303 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor302 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor301 | 0 | 0 | 1 | 0 | |
| org.apache.xerces.impl.xs.util.XIntPool | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| sun.reflect.GeneratedMethodAccessor309 | 0 | 0 | 1 | 0 | |
| sun.nio.ch.FileChannelImpl\$1 | 0 | 0 | 1 | 0 | |
| org.apache.catalina.valves.AbstractAccessLogValve\$LogicalUserNameElement | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.apache.tomcat.util.buf.MessageBytes\$MessageBytesFactory | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util.jar |
| sun.reflect.GeneratedMethodAccessor322 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor321 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor320 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor329 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor328 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor327 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor326 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor325 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor324 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor323 | 0 | 0 | 1 | 0 | |
| org.hibernate.util.JDBCExceptionReporter\$StandardWarningHandler | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor311 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor310 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor319 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor318 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor317 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor316 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor315 | 0 | 0 | 1 | 0 | |
| org.apache.tomcat.util.http.parser.MediaTypeCache | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| sun.reflect.GeneratedMethodAccessor314 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor313 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor312 | 0 | 0 | 1 | 0 | |
| com.sun.org.apache.xerces.internal.impl.dv.dtd.NOTATIONDatatypeValidator | 0 | 0 | 1 | 0 | |
| org.hibernate.id.uuid.StandardRandomStrategy | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedConstructorAccessor211 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor210 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor213 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor212 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor219 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor218 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor215 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor214 | 0 | 0 | 1 | 0 | |
| java.time.format.DateTimeFormatterBuilder\$InstantPrinterParser | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor217 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor216 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor222 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor221 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor224 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor223 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor220 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor229 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor226 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor225 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor228 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor227 | 0 | 0 | 1 | 0 | |
| org.apache.xerces.impl.dv.xs.DecimalDV | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.hibernate.jdbc.util.BasicFormatterImpl | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.xerces.impl.dv.xs.DateDV | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.hibernate.type.descriptor.sql.LongVarbinaryTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|---|
| sun.reflect.GeneratedConstructorAccessor200 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor202 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor201 | 0 | 0 | 1 | 0 | |
| sun.security.util.ByteArrayTagOrder | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor208 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor207 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor209 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor204 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor203 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor206 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor205 | 0 | 0 | 1 | 0 | |
| sun.nio.ch.Net\$1 | 0 | 0 | 1 | 0 | |
| org.apache.juli.logging.LogFactory | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/bin/tomcat-juli.jar |
| com.mchange.v2.c3p0.DriverManagerDataSource\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| javax.xml.parsers.SecuritySupport | 0 | 0 | 1 | 0 | |
| org.hibernate.util.xml.MappingReader | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.catalina.core.AprLifecycleListener | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| com.lowagie.text.pdf.fonts.FontsResourceAnchor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itext-2.1.7.jar |
| sun.reflect.GeneratedConstructorAccessor233 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor232 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor235 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor234 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor231 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor230 | 0 | 0 | 1 | 0 | |
| javax.net.DefaultServerSocketFactory | 0 | 0 | 1 | 0 | |
| org.hibernate.type.PostgresUUIDType\$PostgresUUIDSqlTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| com.mysql.jdbc.Util | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mysql-connector-java-5.1.13.jar |
| org.hibernate.jdbc.Expectations\$BasicExpectation | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.transform.RootEntityResultTransformer | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.management.ClassLoadingImpl | 0 | 0 | 1 | 0 | |
| java.util.ResourceBundle\$Control | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor380 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor388 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor387 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor386 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor385 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor384 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor383 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor382 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor381 | 0 | 0 | 1 | 0 | |
| org.apache.xerces.impl.dv.dtd.IDREFDatatypeValidator | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| sun.reflect.GeneratedMethodAccessor389 | 0 | 0 | 1 | 0 | |
| java.text.FieldPosition[] | 0 | 0 | 1 | 0 | |
| org.apache.catalina.core.DefaultInstanceManager\$AnnotationCacheEntry[] | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor377 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor376 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor375 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor374 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor373 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor372 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor371 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.java.ArrayMutabilityPlan | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor370 | 0 | 0 | 1 | 0 | |
| org.apache.tomcat.util.http.LegacyCookieProcessor\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-coyote.jar |
| sun.reflect.GeneratedMethodAccessor379 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor378 | 0 | 0 | 1 | 0 | |
| org.apache.log4j.or.DefaultRenderer | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/log4j-1.2.17.jar |
| sun.security.ssl.DummyX509KeyManager | 0 | 0 | 1 | 0 | |
| org.apache.xerces.impl.dv.xs.IDDV | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| sun.reflect.GeneratedMethodAccessor391 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor390 | 0 | 0 | 1 | 0 | |
| org.apache.xerces.impl.dv.xs.Base64BinaryDV | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| sun.reflect.GeneratedMethodAccessor399 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor398 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor397 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor396 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor395 | 0 | 0 | 1 | 0 | |
| org.apache.xerces.impl.dv.xs.IDREFDV | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| sun.reflect.GeneratedMethodAccessor394 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor393 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor392 | 0 | 0 | 1 | 0 | |
| org.hibernate.transform.DistinctRootEntityResultTransformer | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor223 | 0 | 0 | 1 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|--|-----------|--------|-----------|-------------|--|
| sun.reflect.GeneratedMethodAccessor222 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.sql.VarbinaryTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor221 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor220 | 0 | 0 | 1 | 0 | |
| org.apache.catalina.valves.AbstractAccessLogValve\$HostElement | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| sun.reflect.GeneratedMethodAccessor229 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor228 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor227 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor226 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor225 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor224 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor212 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor211 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor210 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor219 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor218 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor217 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor216 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor215 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor214 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor213 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor245 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor244 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor243 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor242 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor241 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor240 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor249 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor248 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor247 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor246 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor234 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor233 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor232 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor231 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor230 | 0 | 0 | 1 | 0 | |
| org.apache.naming.NameParserImpl | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| sun.reflect.GeneratedMethodAccessor239 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor238 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor237 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor236 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor235 | 0 | 0 | 1 | 0 | |
| org.apache.catalina.core.StandardContext\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| java.awt.GraphicsEnvironment\$Lambda\$3/45905367 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor201 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor200 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor209 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor208 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor207 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor206 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor205 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor204 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor203 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor202 | 0 | 0 | 1 | 0 | |
| org.apache.xerces.impl.dv.xs.YearMonthDV | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| sun.reflect.GeneratedConstructorAccessor4 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor3 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor2 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor1 | 0 | 0 | 1 | 0 | |
| java.time.chrono.AbstractChronology\$Lambda\$14/677783217 | 0 | 0 | 1 | 0 | |
| org.hibernate.id.IdentifierGeneratorHelper\$2 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.id.IdentifierGeneratorHelper\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.time.format.DateTimeFormatterBuilder\$2 | 0 | 0 | 1 | 0 | |
| org.apache.xerces.impl.dv.xs.DoubleDV | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| sun.reflect.GeneratedConstructorAccessor101 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor100 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor103 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor102 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor109 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor108 | 0 | 0 | 1 | 0 | |
| java.util.Collections\$EmptyIterator | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor105 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor104 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor107 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor106 | 0 | 0 | 1 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|--|-----------|--------|-----------|-------------|--|
| org.hibernate.intercept.LazyPropertyInitializer\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.lang.Enum[] | 0 | 0 | 1 | 0 | |
| org.apache.jasper.el.ELContextImpl\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/jasper.jar |
| org.springframework.web.context.request.RequestScope | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-web-3.0.5.RELEASE.jar |
| org.springframework.web.context.support.WebApplicationContextUtils\$RequestObjectFactory | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-web-3.0.5.RELEASE.jar |
| com.mchange.v2.c3p0.WrapperConnectionPoolDataSource\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| org.hibernate.loader.JoinWalker\$AssociationInitCallback\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedConstructorAccessor134 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor133 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor136 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor135 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor130 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor132 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor131 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor138 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor137 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor139 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor145 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor144 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor147 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor146 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor141 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor140 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor143 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor142 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor149 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor148 | 0 | 0 | 1 | 0 | |
| sun.net.www.protocol.jar.JarFileFactory | 0 | 0 | 1 | 0 | |
| org.apache.tomcat.websocket.server.DefaultServerEndpointConfigurator | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-websocket.jar |
| sun.reflect.GeneratedConstructorAccessor112 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor111 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor114 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor113 | 0 | 0 | 1 | 0 | |
| org.apache.catalina.valves.AbstractAccessLogValve\$UserElement | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| sun.reflect.GeneratedConstructorAccessor110 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor119 | 0 | 0 | 1 | 0 | |
| com.mchange.v2.encounter.EqualityEncounterCounter | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| sun.reflect.GeneratedConstructorAccessor116 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor115 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor118 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor117 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor123 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor122 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor125 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor124 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor121 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor120 | 0 | 0 | 1 | 0 | |
| java.util.regex.Pattern\$Node | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor127 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor126 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor129 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor128 | 0 | 0 | 1 | 0 | |
| org.hibernate.engine.CascadingAction\$10 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedConstructorAccessor170 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor172 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor171 | 0 | 0 | 1 | 0 | |
| org.apache.catalina.connector.Request\$3 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| sun.reflect.GeneratedConstructorAccessor178 | 0 | 0 | 1 | 0 | |
| org.apache.catalina.connector.Request\$4 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| sun.reflect.GeneratedConstructorAccessor177 | 0 | 0 | 1 | 0 | |
| org.apache.catalina.connector.Request\$5 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.apache.catalina.connector.Request\$6 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| sun.reflect.GeneratedConstructorAccessor179 | 0 | 0 | 1 | 0 | |
| org.apache.catalina.connector.Request\$7 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| sun.reflect.GeneratedConstructorAccessor174 | 0 | 0 | 1 | 0 | |
| org.apache.catalina.connector.Request\$8 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| sun.reflect.GeneratedConstructorAccessor173 | 0 | 0 | 1 | 0 | |
| org.apache.catalina.connector.Request\$9 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| sun.reflect.GeneratedConstructorAccessor176 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor175 | 0 | 0 | 1 | 0 | |
| com.lowagie.text.pdf.PdfEncodings\$SymbolTTConversion | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itext-2.1.7.jar |
| sun.reflect.GeneratedConstructorAccessor181 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor180 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor183 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor182 | 0 | 0 | 1 | 0 | |
| java.lang.CharacterData00 | 0 | 0 | 1 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|---|
| sun.reflect.GeneratedConstructorAccessor189 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor188 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor185 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor184 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor187 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor186 | 0 | 0 | 1 | 0 | |
| com.mchange.v2.c3p0.ComboPooledDataSource\$2 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| com.mchange.v2.c3p0.ComboPooledDataSource\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| sun.reflect.GeneratedConstructorAccessor150 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor156 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor155 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor158 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor157 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor152 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor154 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor159 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor161 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor160 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor167 | 0 | 0 | 1 | 0 | |
| org.apache.xerces.impl.dv.xs.YearDV | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| sun.reflect.GeneratedConstructorAccessor166 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor169 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor168 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor163 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor162 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor165 | 0 | 0 | 1 | 0 | |
| org.apache.xerces.impl.dv.xs.MonthDV | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| sun.reflect.GeneratedConstructorAccessor164 | 0 | 0 | 1 | 0 | |
| org.apache.catalina.connector.Request\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.apache.catalina.connector.Request\$2 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| com.sun.org.apache.xerces.internal.util.SecuritySupport | 0 | 0 | 1 | 0 | |
| com.mysql.jdbc.log.NullLogger | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mysql-connector-java-5.1.13.jar |
| sun.reflect.GeneratedConstructorAccessor192 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor191 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor194 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor193 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor190 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor199 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor196 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor195 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor198 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor197 | 0 | 0 | 1 | 0 | |
| sun.util.locale.provider.AuxLocaleProviderAdapter\$NullProvider | 0 | 0 | 1 | 0 | |
| sun.nio.ch.ExtendedSocketOption\$1 | 0 | 0 | 1 | 0 | |
| org.apache.xerces.impl.dv.dtd.NMTOKENDatatypeValidator | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| sun.reflect.GeneratedMethodAccessor292 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor291 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor290 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor299 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor298 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor297 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor296 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor295 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor294 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor293 | 0 | 0 | 1 | 0 | |
| javax.servlet.http.NetscapeValidator | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/servlet-api.jar |
| org.hibernate.type.descriptor.sql.CharTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.xerces.dom.CharacterDataImpl\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| com.lowagie.text.pdf.PdfEncodings\$WingdingsConversion | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itext-2.1.7.jar |
| sun.reflect.GeneratedMethodAccessor267 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor266 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor265 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor264 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor263 | 0 | 0 | 1 | 0 | |
| javax.net.DefaultSocketFactory | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor262 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor261 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor260 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor269 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor268 | 0 | 0 | 1 | 0 | |
| com.sun.proxy.\$Proxy2 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor256 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor255 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor254 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor253 | 0 | 0 | 1 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|--|
| sun.reflect.GeneratedMethodAccessor252 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor251 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor250 | 0 | 0 | 1 | 0 | |
| sun.util.locale.provider.CalendarDataUtility\$CalendarWeekParameterGetter | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor259 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor258 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor257 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor281 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor280 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor289 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor288 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor287 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor286 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor285 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor284 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor283 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor282 | 0 | 0 | 1 | 0 | |
| org.jrobin.core.RrdNioBackendFactory | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/jrobin-1.5.9.jar |
| sun.reflect.GeneratedMethodAccessor270 | 0 | 0 | 1 | 0 | |
| sun.nio.ch.EPollSelectorProvider | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor278 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor277 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor276 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor275 | 0 | 0 | 1 | 0 | |
| org.hibernate.hql.ast.util.LiteralProcessor\$ExactDecimalFormatter | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor274 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor273 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor272 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor271 | 0 | 0 | 1 | 0 | |
| net.sf.ehcache.store.chm.SelectableConcurrentHashMap\$DummyPinnedValue | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/ehcache-core-2.6.6.jar |
| sun.reflect.GeneratedMethodAccessor279 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor586 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor585 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor584 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor583 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor582 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor581 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor580 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor589 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor588 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor587 | 0 | 0 | 1 | 0 | |
| java.lang.InheritableThreadLocal | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor575 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor574 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor573 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor572 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor571 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor84 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor570 | 0 | 0 | 1 | 0 | |
| com.mchange.v2.util.DoubleWeakHashMap\$UserKeySet | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| sun.reflect.GeneratedMethodAccessor579 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor578 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor577 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor576 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor83 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor597 | 0 | 0 | 1 | 0 | |
| org.hibernate.engine.CascadeStyle\$12 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor596 | 0 | 0 | 1 | 0 | |
| org.hibernate.engine.CascadeStyle\$11 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor595 | 0 | 0 | 1 | 0 | |
| org.hibernate.engine.CascadeStyle\$10 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor594 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor593 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor592 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor591 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor590 | 0 | 0 | 1 | 0 | |
| net.bull.javamelody.RrdNioBackendFactory | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| sun.reflect.GeneratedMethodAccessor599 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor598 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor542 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor541 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor540 | 0 | 0 | 1 | 0 | |
| org.hibernate.dialect.resolver.DialectResolverSet | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.xerces.impl.dv.xs.BooleanDV | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|--------|
| sun.reflect.GeneratedMethodAccessor549 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor548 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor547 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor546 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor545 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor544 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor543 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor44 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor531 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor530 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor46 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor47 | 0 | 0 | 1 | 0 | |
| java.time.chrono.AbstractChronology\$\$Lambda\$13/585015265 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor41 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor42 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor43 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor539 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor538 | 0 | 0 | 1 | 0 | |
| java.lang.UNIXProcess\$\$Lambda\$8/1750709839 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor537 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor536 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor535 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor534 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor533 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor532 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor37 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor38 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor39 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor33 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor564 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor34 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor563 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor35 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor562 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor36 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor561 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor560 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor30 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor31 | 0 | 0 | 1 | 0 | |
| sun.reflect.generics.tree.IntSignature | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor32 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor569 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor568 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor567 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor566 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor565 | 0 | 0 | 1 | 0 | |
| sun.security.rsa.RSAKeyFactory | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor26 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor27 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor28 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor29 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor22 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor553 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor23 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor552 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor24 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor551 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor25 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor550 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor20 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor21 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor559 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor558 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor557 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor556 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor555 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor554 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor19 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor15 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor16 | 0 | 0 | 1 | 0 | |
| java.nio.charset.CoderResult\$2 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor17 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor18 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor11 | 0 | 0 | 1 | 0 | |
| java.nio.charset.CoderResult\$1 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor12 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor13 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor14 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor10 | 0 | 0 | 1 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|--|
| sun.reflect.GeneratedMethodAccessor506 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor505 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor504 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor503 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor502 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor501 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor500 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor509 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor508 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor507 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.sql.TinyIntTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.springframework.web.context.support.WebApplicationContextUtils\$WebRequestObjectFactory | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-web-3.0.5.RELEASE.jar |
| sun.management.ManagementFactoryHelper\$PlatformLoggingImpl | 0 | 0 | 1 | 0 | |
| org.hibernate.dialect.Dialect\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor520 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor528 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor527 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor526 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor525 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor524 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor523 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor522 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor521 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor529 | 0 | 0 | 1 | 0 | |
| java.io.DeleteOnExitHook\$1 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor517 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor516 | 0 | 0 | 1 | 0 | |
| net.bull.javamelody.Log4JLogger | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/javamelody-core-1.63.0.jar |
| sun.reflect.GeneratedMethodAccessor515 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor514 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor513 | 0 | 0 | 1 | 0 | |
| java.lang.String\$CaseInsensitiveComparator | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor512 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor511 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor510 | 0 | 0 | 1 | 0 | |
| sun.text.normalizer.NormalizerBase\$NFKCMODE | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor519 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor518 | 0 | 0 | 1 | 0 | |
| java.lang.ApplicationShutdownHooks\$1 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor7 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor6 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor5 | 0 | 0 | 1 | 0 | |
| com.sun.jmx.mbeanserver.DefaultMXBeanMappingFactory | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor4 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor9 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor8 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor3 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor2 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.java.CalendarTypeDescriptor\$CalendarMutabilityPlan | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedSerializationConstructorAccessor12 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedSerializationConstructorAccessor13 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedSerializationConstructorAccessor10 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedSerializationConstructorAccessor11 | 0 | 0 | 1 | 0 | |
| org.hibernate.tuple.entity.DynamicMapEntityTuplizer\$BasicEntityNameResolver | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| com.sun.naming.internal.VersionHelper12 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.sql.LongVarcharTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedSerializationConstructorAccessor16 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedSerializationConstructorAccessor17 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedSerializationConstructorAccessor14 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedSerializationConstructorAccessor15 | 0 | 0 | 1 | 0 | |
| sun.misc.FloatingDecimal\$1 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.java.JdbcDateTypeDescriptor\$DateMutabilityPlan | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| java.awt.Toolkit\$4 | 0 | 0 | 1 | 0 | |
| org.hibernate.property.MapAccessor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| com.dsntech.itcms.core.cache.CacheManager | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/itcms-service-0.0.1-SNAPSHOT.jar |
| java.time.chrono.IsoChronology | 0 | 0 | 1 | 0 | |
| org.apache.xerces.impl.dv.dtd.IDDatatypeValidator | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| sun.security.util.ByteArrayLexOrder | 0 | 0 | 1 | 0 | |
| org.apache.catalina.mbeans.MBeanFactory | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/catalina.jar |
| org.hibernate.transform.PassThroughResultTransformer | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.util.resources.LocaleData | 0 | 0 | 1 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|---|-----------|--------|-----------|-------------|--|
| java.util.regex.Pattern\$LastNode | 0 | 0 | 1 | 0 | |
| org.apache.xerces.impl.dv.xs.MonthDayDV | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| org.jrobin.core.RrdFileBackendFactory | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/jrobin-1.5.9.jar |
| org.hibernate.type.descriptor.java.ClobTypeDescriptor\$ClobMutabilityPlan | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.util.locale.provider.TimeZoneNameUtility\$TimeZoneNameGetter | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.sql.TimeTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| com.sun.jmx.mbeanserver.DescriptorCache | 0 | 0 | 1 | 0 | |
| org.hibernate.shards.strategy.selection.RoundRobinShardSelectionStrategy | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-shards-3.0.0.jar |
| java.time.format.DateTimeFormatter\$Lambda\$15/834509511 | 0 | 0 | 1 | 0 | |
| java.lang.Throwable[] | 0 | 0 | 1 | 0 | |
| java.nio.Bits\$1 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor94 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor95 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor96 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor97 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor98 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor99 | 0 | 0 | 1 | 0 | |
| sun.text.normalizer.NormalizerBase\$NFDMode | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor72 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor73 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor74 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor75 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor76 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor77 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor78 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor79 | 0 | 0 | 1 | 0 | |
| javax.crypto.JceSecurityManager | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor80 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor81 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor82 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor83 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor84 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor85 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor86 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor87 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor88 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor89 | 0 | 0 | 1 | 0 | |
| java.util.Collections\$EmptyEnumeration | 0 | 0 | 1 | 0 | |
| sun.security.util.AlgorithmDecomposer | 0 | 0 | 1 | 0 | |
| java.lang.Terminator\$1 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor90 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor91 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor92 | 0 | 0 | 1 | 0 | |
| sun.nio.fs.LinuxFileSystemProvider | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedConstructorAccessor93 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor465 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor464 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor463 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor462 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor461 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor460 | 0 | 0 | 1 | 0 | |
| org.hibernate.type.descriptor.java.ImmutableMutabilityPlan | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor469 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor468 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor467 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor466 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor454 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor453 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor452 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor451 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor450 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor459 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor458 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor457 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor456 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor455 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor487 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor486 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor485 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor484 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor483 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor482 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor481 | 0 | 0 | 1 | 0 | |
| java.util.Iterator[] | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor480 | 0 | 0 | 1 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|--|-----------|--------|-----------|-------------|---|
| org.apache.xerces.impl.dv.xs.DurationDV | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| sun.reflect.GeneratedMethodAccessor489 | 0 | 0 | 1 | 0 | |
| sun.misc.URLClassPath\$JarLoader\$1 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor488 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor476 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor475 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor474 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor473 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor472 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor471 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor470 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor479 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor478 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor477 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor421 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor420 | 0 | 0 | 1 | 0 | |
| org.hibernate.hql.ast.exec.AbstractStatementExecutor\$2 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| sun.reflect.GeneratedMethodAccessor429 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor428 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor427 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor426 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor425 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor424 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor423 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor422 | 0 | 0 | 1 | 0 | |
| org.apache.xerces.parsers.SecuritySupport12 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/xercesImpl-2.6.2.jar |
| sun.reflect.GeneratedMethodAccessor410 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor418 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor417 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor416 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor415 | 0 | 0 | 1 | 0 | |
| antlr.ASTNULLType | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/antlr-2.7.6.jar |
| sun.reflect.GeneratedMethodAccessor414 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor413 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor412 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor411 | 0 | 0 | 1 | 0 | |
| java.util.Collections\$EmptySet | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor419 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor443 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor442 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor441 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor440 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor449 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor448 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor447 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor446 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor445 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor444 | 0 | 0 | 1 | 0 | |
| java.lang.management.LockInfo[] | 0 | 0 | 1 | 0 | |
| org.springframework.expression.common.TemplateAwareExpressionParser\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/spring-expression-3.0.5.RELEASE.jar |
| sun.reflect.GeneratedMethodAccessor432 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor431 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor430 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor439 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor438 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor437 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor436 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor435 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor434 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor433 | 0 | 0 | 1 | 0 | |
| java.util.regex.Pattern\$CharPropertyNames\$8 | 0 | 0 | 1 | 0 | |
| java.util.regex.Pattern\$CharPropertyNames\$9 | 0 | 0 | 1 | 0 | |
| java.util.regex.Pattern\$CharPropertyNames\$6 | 0 | 0 | 1 | 0 | |
| java.util.regex.Pattern\$CharPropertyNames\$7 | 0 | 0 | 1 | 0 | |
| java.util.regex.Pattern\$CharPropertyNames\$5 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor407 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.CharsetMapping\$4 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor406 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor405 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor404 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor403 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor402 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.CharsetMapping\$3 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor401 | 0 | 0 | 1 | 0 | |
| sun.nio.cs.CharsetMapping\$2 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor400 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor409 | 0 | 0 | 1 | 0 | |

| Class | Size (Kb) | % size | Instances | % instances | Source |
|--|-----------|--------|-----------|-------------|--|
| sun.reflect.GeneratedMethodAccessor408 | 0 | 0 | 1 | 0 | |
| java.util.zip.ZipFile\$1 | 0 | 0 | 1 | 0 | |
| java.security.ProtectionDomain\$JavaSecurityAccessImpl | 0 | 0 | 1 | 0 | |
| java.util.logging.LoggingProxyImpl | 0 | 0 | 1 | 0 | |
| org.apache.tomcat.util.buf.StringCache | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/tomcat-util.jar |
| org.hibernate.engine.jdbc.NonContextualLobCreator | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.type.descriptor.sql.NumericTypeDescriptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.mariadb.jdbc.internal.util.scheduler.SchedulerServiceProviderHolder\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mariadb-java-client-2.2.6.jar |
| sun.util.resources.LocaleData\$LocaleDataResourceBundleControl | 0 | 0 | 1 | 0 | |
| org.hibernate.impl.SessionFactoryObjectFactory\$1 | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.jrobin.core.RrdMemoryBackendFactory | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/jrobin-1.5.9.jar |
| com.mchange.v2.coalesce.WeakCcCoalescer | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/c3p0-0.9.1.2.jar |
| org.hibernate.jdbc.util.FormatStyle\$NoFormatImpl | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.shards.strategy.resolution.AllShardsShardResolutionStrategy | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-shards-3.0.0.jar |
| org.slf4j.helpers.SubstituteLoggerFactory | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/slf4j-api-1.6.1.jar |
| sun.reflect.GeneratedMethodAccessor1250 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1251 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1252 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1253 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1254 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1255 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1256 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1257 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1258 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1259 | 0 | 0 | 1 | 0 | |
| com.lowagie.text.pdf.DefaultSplitCharacter | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/text-2.1.7.jar |
| org.mariadb.jdbc.internal.logging.NoLogger | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/mariadb-java-client-2.2.6.jar |
| java.text.DontCareFieldPosition\$1 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1260 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1261 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1262 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1263 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1264 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1265 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1266 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1267 | 0 | 0 | 1 | 0 | |
| org.hibernate.EmptyInterceptor | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.hibernate.id.Assigned | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/webapps/itcms/WEB-INF/lib/hibernate-core-3.6.8.Final.jar |
| org.apache.el.ExpressionFactoryImpl | 0 | 0 | 1 | 0 | home/itcms/agent2-apache-tomcat/lib/jasper-el.jar |
| sun.reflect.GeneratedMethodAccessor1230 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1231 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1232 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1233 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1234 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1235 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1236 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1237 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1238 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1239 | 0 | 0 | 1 | 0 | |
| sun.net.ExtendedOptionsImpl\$\$Lambda\$4/1703735064 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1240 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1241 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1242 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1243 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1244 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1245 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1246 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1247 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1248 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor1249 | 0 | 0 | 1 | 0 | |
| org.apache.xerces.impl.xs.SubstitutionGroupHandler\$OneSubGroup[] | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor490 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor498 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor497 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor496 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor495 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor494 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor493 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor492 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor491 | 0 | 0 | 1 | 0 | |
| sun.reflect.GeneratedMethodAccessor499 | 0 | 0 | 1 | 0 | |
| org.mariadb.jdbc.MariaDbDatabaseMetaData\$\$Lambda\$17/618182601 | 0 | 0 | 1 | 0 | |